

Printing date 05/18/2023

Revision date 05/18/2023

Page 1/12

1 Identification

- · Product identifier
- · Trade name: (2S)-OMPT
- · Article number: 10005707
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

H225 Highly flammable liquid and vapor.
H310 Fatal in contact with skin.
H331 Toxic if inhaled.
H351 Suspected of causing cancer. (Contd. on page 2)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/18/2023

Revision date 05/18/2023

Trade name:	(2S)-OMPT
-------------	-----------

Trade name: (25)-OW	P1		
		,	
Toxic to Reproduc	tion 2	H361 Suspected of damaging unborn child.	Contd. from page 1) fertility or the
Specific Target Or 1	gan Toxicity - Repeated Exposure	H372 Causes damage to the ce system, the kidneys, the respiratory system through repeated exposure.	liver and the
GHS07			
Acute Toxicity - Or	al 4	H302 Harmful if swallowed.	
Skin Irritation 2		H315 Causes skin irritation.	
Eye Irritation 2A		H319 Causes serious eye irritation	
Label elements			
· GHS label elemer		Clabelly Llermenized Systems (CL	C)
		e Globally Harmonized System (GH	5).
Hazard pictogram	15		
	\wedge		
	<>		
GHS02 GHS06	GHS07 GHS08		
• Signal word Dang	jer		
 Hazard-determini 	ng components of labeling:		
Chloroform			
Hazard statement			
	hable liquid and vapor.		
H302 Harmful if sv H310 Fatal in cont			
H331 Toxic if inhal			
H315 Causes skin			
H319 Causes serie			
H351 Suspected o			
	f damaging fertility or the unborn c		
		n, the kidneys, the liver and the res	spiratory system
.	onged or repeated exposure.		
 Precautionary sta P201 	Obtain special instructions before	lise	
P202		autions have been read and unders	tood.
P210		n flames/hot surfaces No smoking	
P240	Ground/bond container and receiv		
P241	Use explosion-proof electrical/ven	ntilating/lighting/equipment.	
P242	Use only non-sparking tools.		
P243 P260	Take precautionary measures aga Do not breathe dust/fume/gas/mis		
P262	Do not get in eyes, on skin, or on		
P264	Wash thoroughly after handling.	olotining.	
P270	Do not eat, drink or smoke when	using this product.	
P271	Use only outdoors or in a well-ven	ntilated area.	
P280		clothing/eye protection/face protect	tion.
P301+P312	If swallowed: Call a poison center,	aocior it you teel unwell.	(Contd. on page 3)
			110

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

	(Contd. from page 2)
P303+P361+P35	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 3	Health = 3
	Fire = 3
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

 Dangerous compon 	ents:	
CAS: 64-17-5 RTECS: KQ6300000		49.5%
CAS: 67-66-3 RTECS: FS9100000	Chloroform	49.5%
· Other ingredients		
1217471-69-6 (2S)-C)MPT	1.0%

(Contd. on page 4)

Printing date 05/18/2023

Revision date 05/18/2023

(Contd. from page 3)

Trade name: (2S)-OMPT

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

≥ ≥ E D D ≥ A D E R S S S	ersonal precautions, protective equipment and emergency procedures lount respiratory protective device. /ear protective equipment. Keep unprotected persons away. nvironmental precautions: ilute with plenty of water. o not allow to enter sewers/ surface or ground water. lethods and material for containment and cleaning up: bsorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu ispose contaminated material as waste according to section 13. nsure adequate ventilation. eference to other sections ee Section 7 for information on safe handling. ee Section 8 for information on personal protection equipment. ee Section 13 for disposal information. rotective Action Criteria for Chemicals	st).
·P	AC-1:	
	4-17-5 ethanol	1,800 ppm
0		1,000 ppin

(Contd. on page 5)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

67-66-3	Chloroform	(Contd. from page 4) 2 ppm
· PAC-2:		
64-17-5	ethanol	3300* ppm
67-66-3	Chloroform	64 ppm
· PAC-3:		
64-17-5	ethanol	15000* ppm
67-66-3	Chloroform	3,200 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
64-1	7-5 ethanol
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm A3
67-6	6-3 Chloroform
PEL	Ceiling limit value: 240 mg/m³, 50 ppm
REL	Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A
TLV	Long-term value: 10 ppm A3
· Addi	tional information: The lists that were valid during the creation were used as basis. (Contd. on page 6)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

(Contd. from page 5)

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties

• General Information

· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
• Structural Formula	C22H43O6PS • 2(C2H5)3N	
· Molecular Weight	669.0 g/mol	
· Odor threshold:	Not determined.	
· Formulation	A solution in ethanol:chloroform (1:1)	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
		(Contd on page 7)

(Contd. on page 7)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

	(Contd. from page 6
Boiling point/Boiling range:	62 °C (143.6 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
[·] Explosion limits: Lower: Upper:	3.3 Vol % 19 Vol %
 Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 	210 hPa (157.5 mm Hg) 280 hPa (210 mm Hg)
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: SOLUBILITY 	Not determined. Not determined. DMF: 30 mg/ml; DMSO: 30 mg/ml; Ethanol: 30 mg/ml; PBS (pH 7.2): 10 mg/ml
 Solvent content: Organic solvents: VOC content: 	49.5 % 49.50 % 495.0 g/l / 4.13 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong bases, strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

(Contd. on page 8)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

(Contd. from page 7)

Acute toxicity:		
	s that are relevant for	classification:
ATE (Acute Tox		
Oral	LD50	1,010 mg/kg
Dermal	LD50	152 mg/kg (rat)
Inhalative	LC50/4 h	6.06 mg/l
64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	117–125 mg/l (rat) OECD 403 (rat)
67-66-3 Chlorof	orm	
Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit) mild
Irritation of eyes	Irritation	20 mg/24h (rabbit) moderate
	Intraperitoneal LD50	623 mg/kg (mouse)
on the eye: Irrita Sensitization: N Additional toxic	lo sensitizing effects k cological information	nown.
Carcinogenic ca	ategories	
•	onal Agency for Rese	earch on Cancer)
64-17-5 ethanol		1
67-66-3 Chlorof	orm	2
NTP (National T	oxicology Program)	
	orm	

(Contd. on page 9)

Printing date 05/18/2023

Revision date 05/18/2023

(Contd. from page 8)

Trade name: (2S)-OMPT

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1992	
UN proper shipping name DOT MDG IATA	Flammable liquids, toxic, n.o.s. (Ethanol, Chloroform) FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHANOL (ETHYL ALCOHOL), CHLOROFORM) Flammable liquid, toxic, n.o.s. (ETHANOL) CHLOROFORM)	
Transport hazard class(es)		
DOT		
· Class	3 Flammable liquids	

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

	(Contd. from page
Label	3, 6.1
IMDG	
· Class · Label	3 Flammable liquids 3/6.1
ΙΑΤΑ	
Class Label	3 Flammable liquids 3 (6.1)
Packing group	- \- /
DOT, IMĎĞ, IATA	II
Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Flammable liquids : 336 F-E,S-D (SGG10) Liquid halogenated hydrocarbons B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
·IATA	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
	(Contd. on page

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: (2S)-OMPT

(Contd. from page 10)

UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHANOL (ETHYL ALCOHOL), CHLOROFORM), 3
	(6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

	55 (extremely hazardous substances):	
	Chloroform	
	13 (Specific toxic chemical listings):	
67-66-3	Chloroform	
•	xic Substances Control Act):	
64-17-5 e	thanol	ACTIVE
67-66-3 C	Chloroform	ACTIVE
Hazardou	is Air Pollutants	
67-66-3 0	Chloroform	
Propositi		
	s known to cause cancer:	
67-66-3 C	Chloroform	
Chemical	s known to cause reproductive toxicity for females:	
None of th	ne ingredients is listed.	
Chemical	s known to cause reproductive toxicity for males:	
None of th	ne ingredients is listed.	
Chemical	s known to cause developmental toxicity:	
64-17-5 e	thanol	
67-66-3 C	Chloroform	
Carcinog	enic categories	
EPA (Env	ironmental Protection Agency)	
67-66-3 C	Chloroform	B2, L, NI
TLV (Thre	eshold Limit Value)	
64-17-5 e	thanol	A:
67-66-3 C	Chloroform	A
NIOSH-C	a (National Institute for Occupational Safety and Health)	· · · · · · · · · · · · · · · · · · ·
67-66-3 (Chloroform	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal

Printing date 05/18/2023

Revision date 05/18/2023

(Contra from page 11)

Trade name: (2S)-OMPT

(Conta. non page 11)
protection based on the actual conditions of use. While this SDS is based on technical data judged to
be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of
the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 05/18/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 2: Acute toxicity – Category 2 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Toxic to Reproduction 2: Reproductive toxicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1