

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

1 Identification

· Product identifier

· Trade name: Diethylstilbestrol

· Article number: 10006876

· CAS Number:

56-53-1

· EC number:

200-278-5

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

(Contd. from page 1)



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS07 GHS08 GHS09

· Signal word Danger

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.
P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2 Fire = 0 Reactivity = 0

Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

CAS No. Description
 56-53-1 Diethylstilbestrol
 Identification number(s)

EC number: 200-278-5

4 First-aid measures

- Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Revision date 11/16/2022 Printing date 11/16/2022

Trade name: Diethylstilbestrol

(Contd. from page 3)

- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1: 9 mg/m³ · PAC-2: 99 mg/m³ · PAC-3: 590 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. from page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| information on basic physical and chemical properties |
|---|
| General Information |
| _ |

· Appearance:

Form: Solid Color: Not determined.

Odor: Characteristic
 Structural Formula C18H20O2
 Molecular Weight 268.4 g/mol
 Odor threshold: Not determined.

· **pH-value:** Not applicable.

· Change in condition

Melting point/Melting range: 171 °C (339.8 °F)
Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

• Flammability (solid, gaseous): Product is not flammable.

· **Decomposition temperature:** Not determined.

· Auto igniting: Not determined.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 6)

(Contd. from page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

Density: Not determined.
Relative density Not determined.
Vapor density Not applicable.
Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: Not determined.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

SOLUBILITY DMF: 30 mg/ml; DMSO: 30 mg/ml; Ethanol: 30 mg/ml;

Ethanol:PBS (pH 7.2)(1:5): .15 mg/ml

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong bases, strong oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

11 Toxicological information

- · RTECS Number WJ5600000
- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

| Oral | LD50 | >3 g/kg (rat) |
|------|---------------------------|-------------------|
| | LD50 Subcutaneous TDLO | 1 mg/kg (rat) |
| | Intraperitoneal LD50 | 34 mg/kg (rat) |
| | Subcutaneous LD50 | 500 mg/kg (mouse) |

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer) 1
- NTP (National Toxicology Program) K
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

us

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

(Contd. from page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

| · UN-Number · DOT, IMDG, IATA | UN3077 |
|--|---|
| · UN proper shipping name · DOT, IATA | Environmentally hazardous substance, solid, n.o.s. (Diethylstilbestrol) |
| · IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Diethylstilbestrol) |

- · Transport hazard class(es)
- · DOT



· Class 9 Miscellaneous dangerous substances and articles

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

| Class Label 9 Miscellaneous dangerous substances and articles 9 Packing group DOT, IMDG, IATA III Environmental hazards: Marine pollutant: Special marking (IATA): Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) S kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10, Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E, S O L I D, N. O. S | | (Contd. from page |
|--|--|---|
| Class 9 Miscellaneous dangerous substances and articles 9 Packing group DOT, IMDG, IATA III Environmental hazards: Marine pollutant: Special marking (IATA): Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) S kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10, Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E, S O L I D, N. O. S | Label | 9 |
| Label 9 Packing group DOT, IMDG, IATA III Environmental hazards: Marine pollutant: Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 90 EMS Number: Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg Excepted quantities (LQ) Skg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | IMDG, IATA | |
| Label 9 Packing group DOT, IMDG, IATA III Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 90 EMS Number: F-A, S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg Excepted quantities (EQ) Skg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | | |
| Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Symbol (fish and | Class | <u> </u> |
| DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (IATA): Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances an articles Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL.73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Symbol (Fish and tree) Symbol (fis | Label | 9 |
| Environmental hazards: Marine pollutant: Special marking (IATA): Symbol (fish and tree) Symbol (all (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (all (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (all (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (all (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (all (fish and tree) Symbol (all (fish and tree) Symbol (fish and tree) Symbol (all (fish and tree | Packing group | |
| Marine pollutant: Special marking (IATA): Symbol (fish and tree) Symbol (fish antities) Symbol (antities) Symbol (fish antities) Symbol (antities) Symbol | DOT, IMDG, IATA | III |
| Special marking (IATA): Symbol (fish and tree) Warning: Miscellaneous dangerous substances ar articles Hazard identification number (Kemler code): 90 EMS Number: Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Skg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E, S O L I D, N . O . S | Environmental hazards: | |
| Special precautions for user Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN "NOdel Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS UBSTANCE, SOLID, N.O.S | | |
| articles Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | | , |
| Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | Special precautions for user | |
| Stowage Category Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Skg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | Hazard identification number (Kemler code) | : 90 |
| Stowage Code SW23 When transported in BK3 bulk container, so 7.6.2.12 and 7.7.3.9. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) S kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS S U B S T A N C E, S O L I D, N . O . S | EMS Number: | F-A,S-F |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) TATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS UBSTANCE, SOLID, N.O.S | | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) TATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS UBSTANCE, SOLID, N.O.S | Stowage Code | |
| Quantity limitations On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | Transport/Additional information: | Not applicable. |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | | On passanger aircraft/rails 400 kg |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | Quantity limitations | |
| Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E, S O L I D, N . O . S | IMDG | 2 23 go an oran oran, 100 kg |
| Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | _ | 5 kg |
| Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E , S O L I D , N . O . S | Excepted quantities (EQ) | |
| IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S | | |
| When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S | | Maximum net quantity per outer packaging: 1000 g |
| or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU S U B S T A N C E, S O L I D, N . O . S | IATA | |
| E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS UBSTANCE, SOLID, N.O.S | Remarks: | |
| Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS UBSTANCE, SOLID, N.O.S | | |
| Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S | | Quantities exemption, per IATA 2.6.10. |
| UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S | | |
| SUBSTANCE, SOLID, N.O.S | | Dangerous Goods/Excepted Quantity. |
| | UN "Model Regulation": | UN 3077 ENVIRONMENTALLY HAZARDOU |
| | | SUBSTANCE, SOLID, N.O.S (DIETHYLSTILBESTROL), 9, III |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Revision date 11/16/2022

Trade name: Diethylstilbestrol

(Contd. from page 8)

- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 11/16/2022
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1B: Carcinogenicity - Category 1B

Toxic to Reproduction 1B: Reproductive toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.