

Multi-region format

Revision: 04/28/2015 Supersedes Revision: 03/18/2009

		ording to Regulation (EC) No. 1907/2006 as amended by				
	Section 1.	dentification of the Substance/Mixture and of the	he Company/Undertaking			
1.1	Product Code:	10007233				
	Product Name:	Prostaglandin J2 Lipid Maps MS Standard				
	Synonyms:	11-oxo-15S-hydroxy-prosta-5Z,9,13E-trien-1-c	oic acid; PGJ2;			
.2	Relevant identified uses o	f the substance or mixture and uses advised ag	gainst:			
	Relevant identified uses	For research use only, not for human or veteri	inary use.			
.3	Details of the Supplier of t	he Safety Data Sheet:				
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com				
	Information:	Cayman Chemical Company	+1 (734)971-3335			
.4	Emergency telephone nun					
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
	- /	CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
		Section 2. Hazards Identific	cation			
2.1	Classification of the Subs					
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]:					
	-					
	Flammable Liquids, Cate	egory 2				
	Flammable Liquids, Cate Serious Eye Damage/Ey	egory 2 e Irritation, Category 2				
	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ Te	egory 2				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements:	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3				
2.2 2.2 2.2.1	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements:	egory 2 e Irritation, Category 2				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements:	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements:	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]:				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Hazard Phrases:	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]:				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor.				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Office Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation.				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation.				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Office Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness.				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expos H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {here	e Irritation, Category 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking	9.			
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Construction GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}.	g.			
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Construction GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {ht P261: Avoid breathing {du P264: Wash {hands} thore	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. S: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. pughly after handling.				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Construction GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective get	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}. pughly after handling. poves/protective clothing/eye protection/face protect				
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Construction GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {https://www.construction.com/ P261: Avoid breathing {du P264: Wash {hands} thorow P280: Wear {protective gle GHS Response Phrases	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protect	tion}.			
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Construction GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lif H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gle GHS Response Phrases P303+361+353: IF ON Se	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapors/spray}. pughly after handling. poves/protective clothing/eye protection/face protect	tion}.			
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res Construction GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {hu P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective glu GHS Response Phrases P303+361+353: IF ON Sk water/shower.	e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking tst/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta	tion}. aminated clothing. Rinse skin with			
2.2	Flammable Liquids, Cate Serious Eye Damage/Ey Specific Target Organ To Label Elements: Labeling according to Res GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expos H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {hi P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective glu GHS Response Phrases P303+361+353: IF ON Sk water/shower. P304+340: IF INHALED: I	egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protect	tion}. aminated clothing. Rinse skin with sition comfortable for breathing.			



Revision: 04/28/2015 Supersedes Revision: 03/18/2009

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

- **2.3** Adverse Human Health Causes serious eye irritation.
 - Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.
 - May be harmful by inhalation, ingestion, or skin absorption.
 - May cause drowsiness or dizziness.
 - May cause skin or respiratory system irritation.
 - Repeated exposure may cause skin dryness or cracking.
 - To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
60203-57-8 NA	Prostaglandin J2	0.5 %	NA NA	No data available.
79-20-9 Al9100000	Methyl acetate	99.5 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336

Section 4. First Aid Measures

4.1 Description of First Aid No data available.

In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.
	Get immediate medical attention.
In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated
	clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

- In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
- In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
- Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,
 Effects, Both Acute and chest tightness.

Delayed:

Measures:

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Media: Unsuitable Extinguishing A solid water stream may be inefficient. Media: 5.2 Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point. Hazards: Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back. Flash Pt: -10.00 C Method Used: Closed Cup

Multi-region format

	1		S	AFETY DA	TA SHE	ET	Page: 3 of 6
	J		Prostagland	in J2 Lipid I	Maps MS	S Standard	evision: 04/28/2015
cay	man						evision: 03/18/2009
	Explosi	ve Limits:	LEL: 3.1% at	25.0 C UEL:	: 16.0%	at 25.0 C	
	Autoigr	nition Pt:	455.00 C				
5.3	Fire Fig	hting Instructions	s: As in any fire, wear s	elf-contained breat	thing apparat	us pressure-demand (NIOS	SH approved or
			equivalent), and full p	rotective gear to p	revent contac	ct with skin and eyes.	
			Note: Flammable as	diluted in methyl ac	cetate.		
			Section 6. Ac	cidental Rel	ease Me	asures	
6.1	Protect	ive Precautions,	Avoid breathing vapo	ors and provide ade	equate ventila	ation.	
	Protect	ive Equipment an				-contained breathing appar	
	Emerge	ency Procedures:	and appropriate pers	onal protection (ru	bber boots, s	afety goggles, and heavy r	ubber gloves).
6.2	Enviror	nmental	Take steps to avoid	elease into the env	vironment, if	safe to do so.	
	Precaut	tions:					
6.3			r Contain spill and coll				
		ment and Cleanir	ngTransfer to a chemic	al waste container	for disposal i	in accordance with local reg	julations.
	Up:						
			Section 7.	Handling a	and Store	age	
7.1	Precaut	tions To Be Taken	Avoid breathing dust/	fume/gas/mist/vap	ours/spray.		
	in Hand	lling:	Avoid prolonged or re				
			Keep away from sour	-			
	_		Take precautionary m	-	-	je.	
7.2			Keep away from heat Keep away from heat	-	e.		
	in Stori	ng:	Keep container tightly Store in accordance		ted on the nr	aduct insert	
	Other B	recautions:	Protect from moisture		ted on the pro		
	Other P						
		Sec	tion 8. Exposu	re Controls/	Persona	I Protection	
8.1	Exposu	re Parameters:					
CAS	#	Partial Chemical	Name	Britain EH40		France VL	Europe
6020	03-57-8	Prostaglandin J2		No data.		No data.	No data.
79	-20-9	Methyl acetate		TWA: 616 mg/m3 (STEL: 770 mg/m3	· · · /	TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	No data.
CAS	#	Partial Chemical	Name	OSHA TWA		ACGIH TWA	Other Limits
6020)3-57-8	Prostaglandin J2		No data.		No data.	No data.
79	-20-9	Methyl acetate		PEL: 200 ppm		TLV: 200 ppm	No data.
						STEL: 250 ppm	
8.2	-	re Controls:					
8.2.1	-	ering Controls				other engineering controls	to control airborne
	•	tion etc.):	levels below recomm	ended exposure lir	nits.		
8.2.2		al protection equi	-				
	-	otection:	Safety glasses				
		ive Gloves:	Compatible chemical	-resistant gloves			
		rotective Clothing	-				
	-	tory Equipment	NIOSH approved res	pirator, as condition	ns warrant.		
1	(Specify	у Туре):					

Work/Hygienic/Maintenan Do not take internally.

ce Practices:Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.Wash thoroughly after handling.



Г

SAFETY DATA SHEET Prostaglandin J2 Lipid Maps MS Standard

Revision: 04/28/2015 Supersedes Revision: 03/18/2009

No data available.

		No data available.
	Se	ection 9. Physical and Chemical Properties
9.1	Information on Basic Phys	sical and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in methyl acetate
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	-10.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
	Vapor Pressure (vs. Air or Hg):	r mm 173 MM_HG at 20.0 C
	Vapor Density (vs. Air = 1)): No data.
	Specific Gravity (Water =	1): No data.
	Solubility in Water:	No data.
	Autoignition Pt:	455.00 C
9.2	Other Information	
	Percent Volatile:	No data.
	Molecular Formula & Weig	ght: C20H30O4 334.5
		Section 10. Stability and Reactivity
10.1	Reactivity:	No data available.
10.2	Stability:	Unstable [] Stable [X]
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.
	Polymerization:	Will occur [] Will not occur [X]
10.4	Conditions To Avoid:	heat, flames and sparks
10.5	Incompatibility - Materials	acids
	To Avoid:	alkalis
		nitrates
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
	Decomposition Or	carbon monoxide
	Byproducts:	

Multi-region format



Revision: 04/28/2015 Supersedes Revision: 03/18/2009

	CHEMICAL					S	upersedes Revis	ion: 03/18/200
			Sectio	on 11. Toxicologio	cal Information	ation		
1.1	Informat Toxicolo	tion on ogical Effects:	Methyl Acet Skin LD50 (ogical effects of this product ate - Toxicity Data: Oral Ll rabbit): >5,000 mg/kg; Inh ate - Irritation Data: Skin (i	D50 (rat): >5,00 alation TCLO (l	00 mg/kg; Oral numan): 15,000	LD50 (rabbit): 0 mg/m3;	
	Chronic Effects:	Toxicological	See actual e	Registry of Toxic Effects o entry in RTECS for comple ate RTECS Number: Al91	te information.	ostances (RTE)	CS) data is pre	sented here.
Carci	nogenicity	y:	NTP? No	IARC Monographs? No	OSHA R	egulated? No		
CAS	#	Hazardous Com	ponents (Ch	emical Name)	NTP	IARC	ACGIH	OSHA
6020	03-57-8	Prostaglandin J2			n.a.	n.a.	n.a.	n.a.
79	-20-9	Methyl acetate			n.a.	n.a.	n.a.	n.a.
			Sect	ion 12. Ecologica	I Informat	ion		
2.1	Toxicity	:	Avoid releas	se into the environment.				
	2		Runoff from	fire control or dilution wate	er may cause p	ollution.		
12.2	Persiste Degrada		No data ava	ilable.				
12.3	Bioaccu Potentia	mulative II:	No data ava	ilable.				
12.4	Mobility	in Soil:	No data ava	ilable.				
12.5	Results	of PBT and vPvB	No data ava	ailable.				
	assessn	nent:						
12.6	Other ac	dverse effects:	No data ava	ailable.				
			Section	on 13. Disposal C	Considerat	ions		
13.1	Waste D	isposal Method:	Dispose in a	accordance with local, stat	e, and federal r	egulations.		
			Sec	tion 14. Transpor	t Informat	tion		
14.1	LAND T	RANSPORT (US I	DOT):					
D	OT Prope	r Shipping Name:	Methyl	Acetate Solution				
D	OT Hazar	d Class:	3	FLAMMABLE LIC	QUID			
U	N/NA Nun	nber:	1231		Packing Grou	ıp:	II	
			FLOMMABLE	LOUD				
14.1	LAND T	RANSPORT (Euro	-	-				
		hipping Name:	-	Acetate Solution				
	N Numbe		1231		Packing Grou	ıp:	II	
Н	lazard Cla	SS:	3 - FLA	MMABLE LIQUID				

Multi-region format



Revision: 04/28/2015

Supersedes Revision: 03/18/2009

14.3 AIR TRANSPORT (ICAO/IATA):	
---------------------------------	--

ICAO/IATA Shipping Name:	Methyl Acetate Solution		
UN Number:	1231	Packing Group:	II
Hazard Class:	3 - FLAMMABLE LIQUID	IATA Classification:	3
Additional Transport	Transport in accordance with loca	I, state, and federal regulations.	
Information:	When sold in quantities of less that	an or equal to 1 mL, or 1 g, with ar	n Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets	the De Minimis Quantities exemp	tion, per IATA 2.6.10.
	Therefore packaging does not have	ve to be labeled as Dangerous Go	ods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (S					
	uperfund Amend	ments and Reauthorization Act	of 1986) Lists		
CAS #	Hazardous Cor	nponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
60203-57-8	Prostaglandin J	2	No	No	No
79-20-9	20-9 Methyl acetate		No	No	No
CAS #	Hazardous Cor	nponents (Chemical Name)	Other US EPA o	r State Lists	· · · · · · · · · · · · · · · · · · ·
60203-57-8	Prostaglandin J	2	CAA HAP,ODC: PROP.65: No	No; CWA NPDES	: No; TSCA: No; CA
79-20-9	Methyl acetate			No; CWA NPDES , 8A PAIR; CA PR	
Regulatory Inf	ormation	This SDS was prepared in acco	rdance with 29 CFF	R 1910.1200 and R	egulation (EC)
Statement:		No.1272/2008.			
		Section 16. Otl	ner Informatio	on	
Revision Date:	:	04/28/2015			
Additional Info This Product:	ormation About	No data available.			
		currently available to us. Howev express or implied, with respect use. Users should make their of	to such information	n, and we assume r	no liability resulting from its