

Printing date 08/18/2021

Revision date 08/18/2021

Page 1/10

1 Identification

- · Product identifier
- · Trade name: Prostaglandin D2-d4 MaxSpec® Standard
- Article number: 10007272
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

identification			
on of the substance or	mixture		
S02 Flame			
H225 Highly flammable	liquid and vapor.		
	ye irritation.		
	•		
nts			
is classified and labeled	according to the Glob	ally Harmonized System	(GHS).
	on of the substance or HS02 Flame H225 Highly flammable HS07 H319 Causes serious er H336 May cause drowsi	on of the substance or mixture HS02 Flame H225 Highly flammable liquid and vapor. HS07 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.	on of the substance or mixture HS02 Flame H225 Highly flammable liquid and vapor. HS07 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

GHS02 GHS	507
Signal word D)anger
Hazard-detern	nining components of labeling:
Methyl acetate	
Hazard statem	
	ammable liquid and vapor.
	serious eye irritation.
	se drowsiness or dizziness.
Precautionary	
P210 P240	Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment.
P240 P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405 P501	Store locked up. Dispose of contents/container in accordance with local/regional/national/internatior
F 301	regulations.
Classification	
NFPA ratings	
	lealth = 2 ire = 3

HEALTH2Health = 2FIRE3Fire = 3REACTIVITY0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 3)

US

Printing date 08/18/2021

Revision date 08/18/2021

(Contd. from page 2)

99.999%

0.001%

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 79-20-9 Methyl acetate RTECS: Al9100000

Other ingredients

211105-29-2 Prostaglandin D2-d4

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	(Contd. from page 3)
• PAC-1: 79-20-9 Methyl acetate	250 ppm
PAC-2: 79-20-9 Methyl acetate	1,700 ppm
PAC-3: 79-20-9 Methyl acetate	10000* ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

79-20-9 Methyl acetate

PEL Long-term value: 610 mg/m³, 200 ppm

- REL Short-term value: 760 mg/m³, 250 ppm Long-term value: 610 mg/m³, 200 ppm
- TLV Short-term value: 250 ppm Long-term value: 200 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

(Contd. from page 4)

Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information or	n basic physical an	d chemical properties
------------------	---------------------	-----------------------

· General Information

General information		
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Pleasant	
 Structural Formula 	C20H28D4O5	
• Molecular Weight	356.5 g/mol	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-98.05 °C (-144.5 °F)	
Boiling point/Boiling range:	57 °C (134.6 °F)	
· Flash point:	-13 °C (8.6 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
· Decomposition temperature:	Not determined.	
		(Contd. on page 6

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

	(Contd. from page
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits:	
Lower:	3.1 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)
Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)
Bulk density:	1 kg/m³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	330 g/l
Partition coefficient (n-octanol/wat	t er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: acids, alkalis, nitrates, strong oxidizing agents
- Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information • Information on toxicological effects • Acute toxicity: • LD/LC50 values that are relevant for classification: 79-20-9 Methyl acetate Oral LD50 >5,000 mg/kg (rat) (Contd. on page 7)

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

		(Contd. from page
		3,705 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	TCLO	15,000 mg/m³ (hmn)
Irritation of skin	Irritation	500 mg/24h (rabbit)
	Irritation	40 mg/kg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	70 mg/kg (mouse)
- Additional toxic	lo sensitizing effects k cological information	
• Sensitization: N • Additional toxic The product sho preparations: Irritant • Carcinogenic ca	lo sensitizing effects k cological information ows the following dar ategories	: ngers according to internally approved calculation methods
• Sensitization: N • Additional toxic The product sho preparations: Irritant • Carcinogenic ca • IARC (Internatio	lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	: ngers according to internally approved calculation methods
• Sensitization: N • Additional toxic The product sho preparations: Irritant • Carcinogenic ca	lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	: ngers according to internally approved calculation methods
Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatio None of the ingre	lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	: ngers according to internally approved calculation methods earch on Cancer)
Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatio None of the ingre	lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. Coxicology Program)	: ngers according to internally approved calculation methods earch on Cancer)
Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre NTP (National T None of the ingre	lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. coxicology Program) edients is listed. upational Safety & He	: ngers according to internally approved calculation methods earch on Cancer)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 08/18/2021

Revision date 08/18/2021

(Contd. from page 7)

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.

· UN-Number UN1231 · UN proper shipping name Methyl acetate solution · UN1231 METHYL ACETATE solution · IMDG METHYL ACETATE solution · Transport hazard class(es) DOT · ODT · Class · Class 3 Flammable liquids · Label 3 · IMDG, IATA II · Class 3 Flammable liquids · Label 3 · Class 3 Flammable liquids · Label 3 · Class 3 Flammable liquids · Label 3 · Packing group UN1231 · DOT, IMDG, IATA II · Packing group Not applicable. · DOT, IMDG, IATA II · Packing group Not applicable. · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: On passenger aircraft/ra	4 Transport information	
UN proper shipping name Methyl acetate solution IMDG METHYL ACETATE solution Transport hazard class(es) DOT Image: Solution of the solution		
DOT, IATA Methyl acetate solution IMDG METHYL ACETATE solution Transport hazard class(es) DOT Image: Solution of the solutis of the solution of the solution of the solutis of the solution	· DOT, IMDG, IATA	UN1231
Transport hazard class(es) DOT Image: Solution of the second sec	DOT, IATA	
DOT Class 3 Flammable liquids Label 3 IMDG, IATA 3 Class 3 Flammable liquids Label 3 Packing group 1 DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT ODT On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml		
Class 3 Flammable liquids Label 3 IMDG, IATA		
Label 3 IMDG, IATA IMDG, IATA Impose 3 Class 3 Flammable liquids Label 3 Packing group 3 DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 8 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG IL Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml	·DOT	
Label 3 IMDG, IATA IMDG, IATA Impose 3 Class 3 Flammable liquids Label 3 Packing group 3 DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG IL Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml	RJAMARE LOUD	
 IMDG, IATA Class Class S Flammable liquids Label 3 Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 		
Class Class Saccess Sacce	·Label	3
Label 3 Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG IL Limited quantities (LQ) 1L Excepted quantities (EQ) 1L	· IMDG, IATA	
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):33EMS Number:F-E,S-DStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOTQuantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDGLimited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml		
Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG IL Excepted quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml		•
DOT, IMDG, IATAII• Environmental hazards:Not applicable.• Special precautions for userWarning: Flammable liquids• Hazard identification number (Kemler code): 3333• EMS Number:F-E,S-D• Stowage CategoryB• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.• Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L• IMDG1L• Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml		5
• Environmental hazards: Not applicable. • Special precautions for user Warning: Flammable liquids • Hazard identification number (Kemler code): 33 33 • EMS Number: F-E,S-D • Stowage Category B • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • Not applicable. • DOT On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L • IMDG 1L • Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		П
Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 FENS Number: EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. DOT On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG 1L Excepted quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		
 Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 	· Environmental hazards:	Not applicable.
EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. DOT On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml		
Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. DOT On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml		
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: . DOT On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG . · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	· Stowage Category	В
 DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 		Not applicable.
 DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 	· Transport/Additional information:	
 Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 	•	
On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		On passenger aircraft/rail: 5 l
IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		
 Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 		
• Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		11
Maximum net quantity per inner packaging: 30 ml		
	Excepted quantities (EQ)	
(Contd. on horizontal and		(Contd. on page

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

(Contd. from page 8)

· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

ACTIVE

Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes (Contd. on page 10)

Printing date 08/18/2021

Revision date 08/18/2021

Trade name: Prostaglandin D2-d4 MaxSpec® Standard

(Contd. from page 9) no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.	f I D
 Department issuing SDS: Environment protection department. Contact: - Date of preparation / last revision 08/18/2021 / - Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DST: Persistent, Bioaccumulative and Toxic VPW: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Fam. Lag. 2: Flammable liquids – Category 2 Eye Irit. 2A: Serious eye damage/eye iritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	JS —