

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

1 Identification

- · Product identifier
- · Trade name: MaxiProbe
- · Other means of identification
- Article number: 400610
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108
- USA • Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable liquids 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms None
- Signal word Warning
- · Hazard statements

H227 Combustible liquid.

- · Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.
- P403 Store in a well-ventilated place.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

Page 1/9

US

Safety Data Sheet acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: MaxiProbe

 Information pertaining to particular dangers for man and environment: Classification system: NFPA ratings (scale 0 - 4) 	td. from page 1)
Health = 0 Fire = 2 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTHImage: DescriptionFIRE2Fire = 2REACTIVITYReactivity = 0	
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	
 Classification according to (d)(1)(ii) of § 1910.12000 The SDS issuer does not object to the classifications provided by importers or many precursor products. Hazards not otherwise classified There are no adverse physical or health effects known that are not covered by the hazard of the section. 	
Hazard Communications Standard.	
3 Composition/information on ingredients	
 Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions. 	
Dangerous components:	
Trade Secret	>50–≤100%
· Other ingredients	
Trade Secret	≤2.5%
 Additional information: The specific chemical identity of composition and exact percentage is being withheld as a The specific chemical identity and exact percentage is made available to health pr employees, and designated representatives in accordance with the applicable provisions §1910.1200. 	ofessionals,
4 First-aid measures	
 Description of first aid measures After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If symptoms persist consult doctor. Most important symptoms and effects, both acute and delayed No further relevant information available. 	
	ontd. on page 3)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: MaxiProbe

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. from page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

· Protective Action Criteria for Chemicals

· PAC-1:	
Trade Secret	150 ppm
· PAC-2:	
Trade Secret	290 ppm
· PAC-3:	

Trade Secret

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 4)

1,800 ppm

US

Date of issue: 10/17/2024

Revision date 10/17/2024

(Contd. from page 3)

Trade name: MaxiProbe

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

Trade Secret

WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties		
· Information on basic physical and chemical properties		
General Information		
[•] Physical state	Fluid	
· Color:	According to product specification	
· Odor:	Odorless	
· Storage Buffer		
· Odor threshold:	Not determined.	
· Formulation		
 Melting point/Melting range: 	18.5 °C (65.3 °F)	
 Boiling point/Boiling range: 	189 °C (372.2 °F)	
Flammability:	Not applicable.	
Explosion limits:		
Lower:	2.6 Vol %	
		(Contd. on page 5)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: MaxiProbe

		(Contd. from page 4)
· Upper:	42 Vol %	
Flash point:	87 °C (188.6 °F)	
Auto igniting:	270 °C (518 °F)	
 Decomposition temperature: 	Not determined.	
· pH-value:	Not determined.	
· Viscosity:		
· Kinematic:	Not determined.	
· Dynamic at 20 °C (68 °F):	198 mPas	
Solubility in / Miscibility with		
· Water at 25 °C (77 °F):	1000 g/l	
 Partition coefficient (n-octanol/water): 	Not determined.	
· Vapor pressure at 20 °C (68 °F):	0.56 hPa (0.4 mm Hg)	
· Vapor pressure:		
· Density at 20 °C (68 °F):	1.1 g/cm³ (9.1795 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
· Particle characteristics	Not applicable.	
Other information		
· Appearance:		
· Form:	Liquid	
 Important information on protection of healt 	h	
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Solvent content:		
Organic solvents:	99.8 %	
· VOC content:	99.79 %	
O all da la ser fa st	997.9 g/l / 8.33 lb/gal	
Solids content:	0.2 %	
· Change in condition	N o é do és una inso d	
· Evaporation rate	Not determined.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: MaxiProbe

(Contd. from page 5)

1 Toxicological information		
· Information on toxicological effects		
· Acute toxicity:		
· LD/LC50 values that are relevant for classification:		
Trade Secret		
Oral LD50 28,300 mg/kg (rat)		
OECD Test Guideline 401		
Dermal LD50 40,000 mg/kg (rat)		
 Primary irritant effect: on the skin: No irritant effect. 		
• on the eye: No irritating effect.		
• Sensitization: No sensitizing effects known.		
Additional toxicological information:		
· Interactive effects No interactive effects between components are known.		
· Carcinogenic categories		
IARC (International Agency for Research on Cancer)		
None of the ingredients is listed.		
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		
Alternative sources for toxicological information		
No non-standard sources for toxicological information where used.		
2 Ecological information		
2 Ecological information		
· Toxicity		
Aquatic toxicity: No further relevant information available.		
 Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. 		
• Mobility in soil No further relevant information available.		
· Results of PBT and vPvB assessment		
• PBT: Not applicable.		
• vPvB: Not applicable.		
Other adverse effects		
· Additional ecological information:		
General notes:		
Water hazard class 1 (Self-assessment): slightly hazardous for water		
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.		

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: MaxiProbe

(Contd. from page 6)

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	NA1993
IMDG, IATA	not regulated
UN proper shipping name	
DOT	COMBUSTIBLE LIQUID, N.O.S
IMDG, IATA	not regulated
Transport hazard class(es)	
DOT	
COMBUSTIBLE 3	
Class	3 Combustible liquids
Label	3
ADN/R Class:	not regulated
Packing group	
DOT	III
IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 mL
	1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minin
	Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled
	Dangerous Goods/Excepted Quantity.
Special precautions for user	Not applicable.
UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: MaxiProbe

(Contd. from page 7)
· Sara
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
Trade Secret ACTIVE
· Hazardous Air Pollutants
None of the ingredients is listed.
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value)
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of previous version 06/08/2023
- · Date of preparation 10/17/2024
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 9)

115

Safety Data Sheet acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

(Contd. from page 8)

Trade name: MaxiProbe

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 4: Flammable liquids – Category 4 • * Data compared to the previous version altered.



Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Page 1/10

1 Identification

- Product identifier
- · Trade name: Cholesterol Assay Buffer (10X)
- · Synonym Cholesterol Buffer
- · Other means of identification

Article number: 10008052 Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300
- Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture	
GHS08 Health hazard	
Specific target organ toxicity (repeated exposu	re) 2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS05 Corrosion	
Eye damage 1	H318 Causes serious eye damage.
GHS07	
Skin irritation 2	H315 Causes skin irritation.
 Label elements GHS label elements The product is classified and labeled accordin 	g to the Globally Harmonized System (GHS). (Contd. on page 2)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

Lloword winter-	(Contd. from pa
Hazard pictog	rams
GHS05 GHS	08
Signal word D	anger
Hazard-determ	nining components of labeling:
	sphate, Monobasic
Sodium chlorid	
Hazard statem	
H315 Causes s	
	serious eye damage.
	se damage to organs through prolonged or repeated exposure.
Precautionary	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense
P310	present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/internati
	regulations.
Information pe	ertaining to particular dangers for man and environment:
Classification	
NFPA ratings	(scale 0 - 4)
н	ealth = 3
	ire = 0
	eactivity = 0
HMIS-ratings ((scale 0 - 4)
HEALTH *3	Health = *3
	Fire = 0
	Reactivity = 0
Other hazards	
	T and vPvB assessment
PBT: Not applie	

- **vPvB:** Not applicable.
- Classification according to (d)(1)(ii) of § 1910.12000 The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 3)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	13.61%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	2.92%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	81.43%
CAS: 73163-53-8	Chlolic Acid	2.04%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)

(Contd. from page 2)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

	(Contd. from page 3)
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, say	waust).
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
7778-77-0 Potassium phosphate, Monobasic	9.6 mg/m³
· PAC-2:	
7778-77-0 Potassium phosphate, Monobasic	110 mg/m ³
· PAC-3:	
7778-77-0 Potassium phosphate, Monobasic	630 mg/m ³
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

(Contd. on page 5)

⁻ US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

(Contd. from page 4)

Avoid contact with the skin. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties		
· General Information		
[.] Physical state	Fluid	
· Color:	According to product specification	
· Odor:	Characteristic	
· Storage Buffer		
· Odor threshold:	Not determined.	
· Formulation	1 M potassium phosphate, pH 7.4, containing 500	
	mM sodium chloride and 50 mM cholic acid	
 Melting point/Melting range: 	Undetermined.	
 Boiling point/Boiling range: 	100 °C (212 °F)	
· Flammability:	Not applicable.	
Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH-value at 20 °C (68 °F):	7.4	
Viscosity:		
· Kinematic:	Not determined.	
(Contd. on page 6)		

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

	(Contd. from page 5)
·SOLUBILITY	
· Dynamic:	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
 Partition coefficient (n-octanol/water): 	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Vapor pressure:	
Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
Particle characteristics	Not applicable.
· Other information	
· Appearance:	
· Form:	Liquid
Important information on protection of hea	lth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· Water:	81.4 %
· VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
· Solids content:	16.5 %
· Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
7778-77-0 Potassium phosphate, Monobasic			
Oral	LDLO	4,640 mg/kg (rat)	
7647-14-5	7647-14-5 Sodium chloride		
Oral	LDLO	1,000 mg/kg (man)	
	TDLO	650 ml/kg (man)	
	LD50	4,000 mg/kg (mouse)	
			(Contd. on page 7)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

			(Contd. from pag
		3,000 mg/kg (rat)	
	LD50	4 g/kg (mouse)	
Inhalative	LC50	320 mg/m³ (mouse)	
	TCLO	0.63 mg/m³ (human)	
	LCLO	29,300 mg/m³/7h (mouse)	
Irritation of skin	Irritation	500 mg/24h (rabbit) mild	
Irritation of eyes	Irritation	100 mg/24h (rabbit) moderate	
	Intraperitoneal LD50	2,602 mg/kg (mouse)	
	Subcutaneous LD50	31.6 mg/kg (rat)	
	Intravenous LD50	59.5 mg/kg (rat)	
	Data	15 mg/3D (human) mild	
	Subcutaneous LD50	3 g/kg (mouse)	
Primary irritant	effect:		
	tant to skin and mucou		
on the eye: Stro	ong irritant with the dar lo sensitizing effects k	nger of severe eye injury.	

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

(Contd. from page 7)

Trade name: Cholesterol Assay Buffer (10X)

· Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	not regulated
 UN proper shipping name DOT, IMDG, IATA 	not regulated
 Transport hazard class(es) 	
· DOT, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 9)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

	(Contd. from page
• TSCA (Toxic Substances Control Act):	
7732-18-5 Water	ACTIVE
7778-77-0 Potassium phosphate, Monobasic	ACTIVE
7647-14-5 Sodium chloride	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of previous version 01/03/2023
- Date of preparation 10/17/2024
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

us

Safety Data Sheet acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Buffer (10X)

(Contd. from page 9) vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin irritation 2: Skin corrosion/irritation – Category 2 Eye damage 1: Serious eye damage/eye irritation – Category 1 Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2 * * Data compared to the previous version altered.



Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Page 1/10


1 Identification

- · Product identifier
- · Trade name: Cholesterol Assay Standard
- · Synonym Cholesterol Standard
- · Other means of identification

· Article number: 10008053

- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department Emergency telephone number: During normal opening times: +1 (734) 971-3335
- US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

	(Contd. from page 1)
· Signal word I	
 Hazard staten 	
	ammable liquid and vapor.
H319 Causes	serious eye irritation.
 Precautionary 	y statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
P233	Keep container tightly closed.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P303+P361+P	v353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P	2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Information p	ertaining to particular dangers for man and environment:
Classification	
NFPA ratings	
j-	
	lealth = 2
	ire = 3
F	Reactivity = 0
· HMIS-ratings	(scale 0 - 4)
HEALTH 2	
	Health = 2 Fire = 3
REACTIVITY 0	Reactivity = 0
· Other hazards	S
	BT and vPvB assessment
• PBT: Not appl	

- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.12000

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

		(Contd. from page 2)
Dangerous compon	ents:	
CAS: 64-17-5 RTECS: KQ6300000	ethanol	99.62%
· Other ingredients		
CAS: 57-88-5 RTECS: FZ8400000	Cholesterol	0.38%
		· · · · · · · · · · · · · · · · · · ·

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
· PAC-2:	
64-17-5 ethanol	3300* ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm
	(Contd. on page 4)

Date of issue: 10/17/2024

Revision date 10/17/2024

(Contd. from page 3)

Trade name: Cholesterol Assay Standard

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition. Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm
 - A3

• Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Personal protective equipment:

- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 5)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

(Contd. from page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemica	al properties
General Information	
· Physical state	Fluid
· Color:	According to product specification
· Odor:	Alcohol-like
· Storage Buffer	
· Odor threshold:	Not determined.
· Formulation	A solution in ethanol
· Melting point/Melting range:	-114 °C (-173.2 °F)
· Boiling point/Boiling range:	78 °C (172.4 °F)
· Flammability:	Highly flammable.
Explosion limits:	3 9
Lower:	3.3 Vol %
· Upper:	19 Vol %
Flash point:	13 °C (55.4 °F)
· Auto igniting:	425 °C (797 °F)
• Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
· SOLUBILITY	
[·] Dynamic at 20 °C (68 °F):	1.2 mPas
Solubility in / Miscibility with	
· Water at 20 °C (68 °F):	1,000 g/l
Partition coefficient (n-octanol/water):	Not determined.

(Contd. on page 6)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

	(Contd. from page 5)
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
Density at 20 °C (68 °F):	0.78833 g/cm³ (6.57861 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Particle characteristics	Not applicable.
· Other information	
· Appearance:	
Form:	Liquid
Important information on protection o	fhealth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of
	explosive air/vapor mixtures are possible.
Solvent content:	
 Organic solvents: 	99.6 %
· VOC content:	99.62 %
	785.3 g/l / 6.55 lb/gal
Solids content:	0.4 %
Change in condition	
• Evaporation rate	Not determined.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 ethanol

Oral	LD50	10,470 mg/kg (rat)
		10,470 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	117–125 mg/l (rat)
		OECD 403 (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 7)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- 64-17-5 ethanol

57-88-5 Cholesterol

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number · DOT, IMDG, IATA	UN1170	
		(Contd. on page 8

1

3

Date of issue: 10/17/2024

Revision date 10/17/2024

	(Contd. from pag
UN proper shipping name	(-
DOT	Ethanol solutions
IMDG	ETHANOL SOLUTION (ETHYL ALCOHO
ΙΑΤΑ	SOLUTION) Ethanol solution
Transport hazard class(es)	
DOT	
RAMARE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L Carder 52
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 r
	or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minir Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled
	Dangerous Goods/Excepted Quantity.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D

-US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

	(Contd. from page 8)
· Stowage Category	А
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
64-17-5 ethanol	Α
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	
None of the ingredients is listed.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

US -

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Standard

	(Contd. from page 9)
Contact: -	
Date of previous version 01/03/2023	
Date of preparation 10/17/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable liquids 2: Flammable liquids – Category 2	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	
	US



Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Page 1/10

1 Identification · Product identifier · Trade name: Cholesterol Assay Horseradish Peroxidase · Other means of identification · Article number: 10008055 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department · Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Sensitization - respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Specific target organ toxicity (repeated exposure) 2 H373 May cause damage to organs through prolonged or repeated exposure. **GHS05** Corrosion Eye damage 1 H318 Causes serious eye damage. GHS07 H315 Causes skin irritation. Skin irritation 2 Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation. (Contd. on page 2)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

	(Contd. from page 1)
[.] Label element	S
 GHS label eler The product is Hazard pictog 	classified and labeled according to the Globally Harmonized System (GHS).
GHS05 GHS	507 GHS08
· Signal word D	anger
· Hazard-detern	nining components of labeling:
Potassium pho	sphate, Monobasic
Sodium chlorid	e
Peroxidase	
• Hazard statem	
H315 Causes s	
	serious eye damage.
	se allergy or asthma symptoms or breathing difficulties if inhaled. se respiratory irritation.
	se damage to organs through prolonged or repeated exposure.
· Precautionary	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection / face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
D210	present and easy to do. Continue rinsing.
P310 P321	Immediately call a poison center/doctor. Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
. Information n	regulations.
	ertaining to particular dangers for man and environment:
· NFPA ratings	
A ratings	
H H	ealth = 3
	re = 0
	eactivity = 0
· HMIS-ratings ((scale 0 - 4)
HEALTH *3 H	Health = *3
FIRE 0 F	Fire = 0
REACTIVITY 0 F	Reactivity = 0

Date of issue: 10/17/2024

Revision date 10/17/2024

(Contd. from page 2)

Trade name: Cholesterol Assay Horseradish Peroxidase

· Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.12000

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous compon	ents:	
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	70.28%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	15.08%
CAS: 81-25-4 RTECS: FZ9350000	Cholic Acid	10.55%
CAS: 9003-99-0	Peroxidase	4.09%

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Use neutralizing agent.

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• Protective Action Criteria for Chemicals

• **PAC-1:** 7778-77-0 Potassium phosphate, Monobasic

9.6 mg/m³

110 mg/m³

630 mg/m³

· PAC-2:

7778-77-0 Potassium phosphate, Monobasic

· PAC-3:

7778-77-0 Potassium phosphate, Monobasic

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Thorough dedusting.

- Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 5)

(Contd. from page 3)

[·] Exposure controls

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

(Contd. from page 4)

- Personal protective equipment:
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and ch	emical properties	
· General Information		
· Physical state	Solid	
· Color:	According to product specification	
· Odor:	Characteristic	
· Storage Buffer		
· Odor threshold:	Not determined.	
· Formulation		
· Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	Undetermined.	
· Flammability:	Not determined.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

	(Contd. from page 5
· Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH-value:	Not applicable.
· Viscosity:	
· Kinematic:	Not applicable.
SOLUBILITY	
· Dynamic:	Not applicable.
· Solubility in / Miscibility with	
· Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not applicable.
Vapor pressure:	
Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Particle characteristics	Not determined.
· Other information	
· Appearance:	
· Form:	lyophilized
· Important information on protection of he	alth
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· VOC content:	0.00 %
· Solids content:	100.0 %
Change in condition	
· Evaporation rate	Not applicable.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

Oral

· LD/LC50 values that are relevant for classification:

7778-77-0 Potassium phosphate, Monobasic

LDLO 4,640 mg/kg (rat)

(Contd. on page 7)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

		(Contd. from page 6)
7647-14-5 Sodiu	ım chloride	
Oral	LDLO	1,000 mg/kg (man)
	TDLO	650 ml/kg (man)
	LD50	4,000 mg/kg (mouse)
		3,000 mg/kg (rat)
	LD50	4 g/kg (mouse)
Inhalative	LC50	320 mg/m ³ (mouse)
	TCLO	0.63 mg/m³ (human)
	LCLO	29,300 mg/m³/7h (mouse)
Irritation of skin	Irritation	500 mg/24h (rabbit)
		mild
Irritation of eyes	Irritation	100 mg/24h (rabbit)
		moderate
		2,602 mg/kg (mouse)
	Subcutaneous LD50	
	Intravenous LD50	59.5 mg/kg (rat)
	Data	15 mg/3D (human) mild
	Subcutaneous LD50	
81-25-4 Cholic A	Acid	
Oral	LD50	4,950 mg/kg (mouse)
 on the eye: Stro Sensitization: S Additional toxic The product sho preparations: Harmful Irritant 	ant to skin and mucoung irritant with the dar sensitization possible t cological information ows the following dar	nger of severe eye injury. hrough inhalation.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.
Alternative sources for toxicological information
No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

(Contd. from page 7)

- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	not regulated
UN proper shipping name DOT, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.
Special precautions for user	Not applicable.
UN "Model Regulation":	not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US -

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

	Contd. from page 8)
· Sara	
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	
None of the ingredients is listed.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out	i.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of previous version 01/03/2023
- · Date of preparation 10/17/2024
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

US

Safety Data Sheet acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Horseradish Peroxidase

(Contd. from page 9) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin irritation 2: Skin corrosion/irritation – Category 2 Eye damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - respiratory 1: Respiratory sensitisation – Category 1 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 2 · * Data compared to the previous version altered.



Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Page 1/10

1 Identification

- Product identifier
- · Trade name: Cholesterol Assay Oxidase
- · Synonym Cholesterol Oxidase
- · Other means of identification

Article number: 10008056 Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300
- Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture	
GHS08 Health hazard	
Specific target organ toxicity (repeated exposure)	2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS05 Corrosion	
Eye damage 1	H318 Causes serious eye damage.
GHS07	
Skin irritation 2	H315 Causes skin irritation.
Specific target organ toxicity (single exposure) 3	H335 May cause respiratory irritation.
 Label elements GHS label elements The product is classified and labeled according to 	the Globally Harmonized System (GHS). (Contd. on page 2)

- US

Date of issue: 10/17/2024

Revision date 10/17/2024

	esterol Assay Oxidase
	(Contd. from page 1)
Hazard pictogr	ams
\wedge	
Ň Ž Ň	
GHS05 GHS	07 GHS08
Signal word Da	anger
Hazard-determ	ining components of labeling:
	sphate, Monobasic
Sodium chloride	
Hazard statem	ents
H315 Causes sl	
	erious eye damage.
	e respiratory irritation.
	e damage to organs through prolonged or repeated exposure.
Precautionary	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405 P501	Store locked up.
F301	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
Information ne	egulations.
Classification	
NFPA ratings (scale 0 - 4)
He	scale 0 - 4) ealth = 3 re = 0
He Fir	ealth = 3 re = 0
30 He Fir Re	ealth = 3 re = 0 eactivity = 0
Heter	ealth = 3 re = 0 eactivity = 0 scale 0 - 4)
HEALTH 3 H	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3
HMIS-ratings (strength file)	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0
HMIS-ratings (1 HEALTH 3 FIRE 0	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3
HMIS-ratings (strength file)	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0
HMIS-ratings (s HMIS-ratings (s HEALTH 3 HEALTH 3 HEALTH 3 FIRE 0 REACTIVITY 0 REACTIVITY 0 REACTIVITY 0	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0
HMIS-ratings (st HMIS-ratings (st HEALTH 3 H FIRE 6 F REACTIVITY 7 R Other hazards Results of PBT	alth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0 teactivity = 0 T and vPvB assessment
HMIS-ratings (s HMIS-ratings (s HEALTH 3 H FIRE 0 F REACTIVITY R Other hazards Results of PBT PBT: Not applic	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0 teactivity = 0 T and vPvB assessment cable.
HMIS-ratings (s HMIS-ratings (s HEALTH *3 H FIRE 0 F REACTIVITY 0 R Other hazards Results of PBT PBT: Not applic vPvB: Not applic	ealth = 3 re = 0 eactivity = 0 $scale \ 0 - 4)$ lealth = *3 ire = 0 eactivity = 0 T and vPvB assessment cable. icable.
HMIS-ratings (s HMIS-ratings (s HEALTH *3 HEALTH *3 FIRE 0 F REACTIVITY 0 R Other hazards Results of PBT PBT: Not applic vPvB: Not applic Classification	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0 teactivity = 0 T and vPvB assessment cable.
HMIS-ratings (s HMIS-ratings (s HEALTH *3 HEALTH *3 FIRE 0 F REACTIVITY 0 R Other hazards Results of PBT PBT: Not applic vPvB: Not applic Classification	ealth = 3 re = 0 eactivity = 0 scale 0 - 4) lealth = *3 ire = 0 teactivity = 0 T and vPvB assessment cable. icable. according to (d)(1)(ii) of § 1910.12000 er does not object to the classifications provided by importers or manufacturers o

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	50.38%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	10.81%
CAS: 81-25-4 RTECS: FZ9350000	Cholic Acid	7.57%
· Other ingredients		
9028-76-6 Cholesterol oxidase 3		31.24%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)

(Contd. from page 2)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

 Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals 	(Contd. from page 3)
· PAC-1:	
7778-77-0 Potassium phosphate, Monobasic	9.6 mg/m ³
· PAC-2:	
7778-77-0 Potassium phosphate, Monobasic	110 mg/m ³
· PAC-3:	
7778-77-0 Potassium phosphate, Monobasic	630 mg/m ³
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin.
- Avoid contact with the eyes and skin.

(Contd. on page 5)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

(Contd. from page 4)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties		
· General Information		
· Physical state	Solid	
· Color:	According to product specification	
· Odor:	Characteristic	
Storage Buffer		
 Odor threshold: 	Not determined.	
· Formulation		
 Melting point/Melting range: 	Undetermined.	
 Boiling point/Boiling range: 	Undetermined.	
· Flammability:	Not determined.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH-value:	Not applicable.	
· Viscosity:		
· Kinematic:	Not applicable.	
SOLUBILITY		
· Dynamic:	Not applicable.	
	(Contd. on pag	je 6)

119

Safety Data Sheet acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

	(Contd. from page 5)	
 Solubility in / Miscibility with 		
· Water:	Soluble.	
 Partition coefficient (n-octanol/water): 	Not determined.	
Vapor pressure:	Not applicable.	
Vapor pressure:		
Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
Particle characteristics	Not determined.	
· Other information		
· Appearance:		
· Form:	lyophilized	
· Important information on protection of health		
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
· Solvent content:		
· VOC content:	0.00 %	
· Solids content:	68.8 %	
Change in condition		
· Evaporation rate	Not applicable.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
7778-77-0 Potassium phosphate, Monobasic			
Oral	LDLO	4,640 mg/kg (rat)	
7647-14-5 Sc	7647-14-5 Sodium chloride		
Oral	LDLO	1,000 mg/kg (man)	
	TDLO	650 ml/kg (man)	
	LD50	4,000 mg/kg (mouse)	
		3,000 mg/kg (rat)	
	LD50	4 g/kg (mouse)	
Inhalative	LC50	320 mg/m³ (mouse)	
		·	(Contd. on page 7)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

		(Contd. from page 6)
	TCLO	0.63 mg/m ³ (human)
	LCLO	29,300 mg/m³/7h (mouse)
Irritation of skin	Irritation	500 mg/24h (rabbit) mild
Irritation of eyes	Irritation	100 mg/24h (rabbit) moderate
	Intraperitoneal LD50	2,602 mg/kg (mouse)
	Subcutaneous LD50	31.6 mg/kg (rat)
	Intravenous LD50	59.5 mg/kg (rat)
	Data	15 mg/3D (human) mild
	Subcutaneous LD50	3 g/kg (mouse)
81-25-4 Cholic /	Acid	
Oral	LD50	4,950 mg/kg (mouse)
Duine en cinnite of		

· Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. (Contd. from page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
Class	not regulated
· Packing group	
DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex	Il of
MARPOL73/78 and the IBC Code	Not applicable.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 9)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

(Contd. from page 8)

• Chemicals known to cause cancer: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

· Date of previous version 01/03/2023

• Date of preparation 10/17/2024

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin irritation 2: Skin corrosion/irritation – Category 2

Eye damage 1: Serious eye damage/eye irritation – Category 1 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 10)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Oxidase

(Contd. from page 9) Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2 · * Data compared to the previous version altered.



Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Page 1/10

1 Identification

- Product identifier
- · Trade name: Cholesterol Assay Esterase
- · Synonym Cholesterol Esterase
- · Other means of identification

Article number: 10008057 Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300
- Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

 Classification of the substance or mixture 	
GHS08 Health hazard	
Specific target organ toxicity (repeated exposure)	2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS05 Corrosion	
Eye damage 1	H318 Causes serious eye damage.
GHS07	
Skin irritation 2	H315 Causes skin irritation.
Specific target organ toxicity (single exposure) 3	H335 May cause respiratory irritation.
 Label elements GHS label elements The product is classified and labeled according to 	the Globally Harmonized System (GHS). (Contd. on page 2)

- US

Revision date 10/17/2024

(Contd. from page 1)

Date of issue: 10/17/2024 Trade name: Cholesterol Assay Esterase · Hazard pictograms GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Potassium phosphate, Monobasic Sodium chloride Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling.

- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P314 Get medical advice/attention if you feel unwell.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Information pertaining to particular dangers for man and environment:
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH *3	Health = *3
	Fire = 0
REACTIVITY 0	Reactivity = 0

- · Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.12000

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 3)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compon	ents:	
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	66.8%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	14.33%
CAS: 81-25-4 RTECS: FZ9350000	Cholic Acid	10.03%
 Other ingredients 		
9026-00-0 Cholester	ol esterase	8.84%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)

(Contd. from page 2)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

 Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals 	(Contd. from page 3)
· PAC-1:	
7778-77-0 Potassium phosphate, Monobasic	9.6 mg/m ³
· PAC-2:	
7778-77-0 Potassium phosphate, Monobasic	110 mg/m ³
· PAC-3:	
7778-77-0 Potassium phosphate, Monobasic	630 mg/m³
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	

7 Handling and storage

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin.
- Avoid contact with the eyes and skin.

(Contd. on page 5)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

(Contd. from page 4)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and che	mical properties	
General Information		
 Physical state 	Solid	
· Color:	According to product specification	
· Odor:	Characteristic	
Storage Buffer		
· Odor threshold:	Not determined.	
· Formulation		
 Melting point/Melting range: 	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flammability:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH-value:	Not applicable.	
· Viscosity:		
· Kinematic:	Not applicable.	
· SOLUBILITY		
· Dynamic:	Not applicable.	
	(Contd. on p	page 6)

119

Safety Data Sheet acc. to OSHA HCS

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

	(Contd. from page
· Solubility in / Miscibility with	
· Water:	Soluble.
 Partition coefficient (n-octanol/water): 	Not determined.
Vapor pressure:	Not applicable.
Vapor pressure:	
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not applicable.
· Particle characteristics	Not determined.
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of he	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· VOC content:	0.00 %
· Solids content:	100.0 %
• Change in condition	
· Evaporation rate	Not applicable.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

7778-77-0 Potassium pho	sphate, Monobasic	
Oral LDLO	4,640 mg/kg (rat)	
7647-14-5 Sodium chlori	9	
Oral LDLO	1,000 mg/kg (man)	
TDLO	650 ml/kg (man)	
LD50	4,000 mg/kg (mouse)	
	3,000 mg/kg (rat)	
LD50	4 g/kg (mouse)	
Inhalative LC50	320 mg/m ³ (mouse)	

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

		(Contd. from page 6)
	TCLO	0.63 mg/m ³ (human)
	LCLO	29,300 mg/m³/7h (mouse)
Irritation of skin	Irritation	500 mg/24h (rabbit) mild
Irritation of eyes	Irritation	100 mg/24h (rabbit) moderate
	Intraperitoneal LD50	2,602 mg/kg (mouse)
	Subcutaneous LD50	31.6 mg/kg (rat)
	Intravenous LD50	59.5 mg/kg (rat)
	Data	15 mg/3D (human) mild
	Subcutaneous LD50	3 g/kg (mouse)
81-25-4 Cholic /	Acid	
Oral	LD50	4,950 mg/kg (mouse)
Duine out invito of		

· Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Interactive effects No interactive effects between components are known.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. (Contd. from page 7)

13 Disposal considerations

Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
Class	not regulated
· Packing group	
DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex	c II of
MARPOL73/78 and the IBC Code	Not applicable.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 9)

US

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

(Contd. from page 8)

• Chemicals known to cause cancer: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

· Date of previous version 01/03/2023

• Date of preparation 10/17/2024

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin irritation 2: Skin corrosion/irritation – Category 2 Eye damage 1: Serious eye damage/eye irritation – Category 1

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 10)

Date of issue: 10/17/2024

Revision date 10/17/2024

Trade name: Cholesterol Assay Esterase

(Contd. from page 9) Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2 · * Data compared to the previous version altered.