

Printing date 02/01/2023


Revision date 02/01/2023

Page 1/10

#### **1** Identification

- · Product identifier
- · Trade name: 11-cis Vaccenyl Acetate
- · Article number: 10010101
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



Printing date 02/01/2023

Revision date 02/01/2023

### Trade name: 11-cis Vaccenyl Acetate

Signal word D	(Contd. from page 1
<ul> <li>Hazard statem</li> </ul>	
	ammable liquid and vapor.
	serious eye irritation.
Precautionary	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Fi	ealth = 2 ire = 3
HMIS-ratings (	eactivity = 0 (scale 0 - 4)
FIRE 3	Health = 2 Fire = 3 Reactivity = 0
REACTIVITY 0 F	
Other hazards	T and vPvB assessment cable.
Other hazards Results of PB <sup>-</sup> PBT: Not applie vPvB: Not app	<b>T and vPvB assessment</b> cable. licable.
Other hazards Results of PB <sup>-</sup> PBT: Not applie vPvB: Not app	T and vPvB assessment cable.
Other hazards Results of PB <sup>-</sup> PBT: Not applie vPvB: Not app Compositio Chemical char	<b>T and vPvB assessment</b> cable. licable.
Other hazards Results of PB <sup>T</sup> PBT: Not applie vPvB: Not app Compositio Chemical char Description: M	T and vPvB assessment cable. licable. n/information on ingredients racterization: Mixtures /ixture of the substances listed below with nonhazardous additions.
Other hazards Results of PB <sup>-</sup> PBT: Not applie vPvB: Not app Compositio Chemical char Description: M Dangerous co	T and vPvB assessment cable. licable. n/information on ingredients racterization: Mixtures /lixture of the substances listed below with nonhazardous additions. mponents:
Other hazards Results of PB <sup>T</sup> PBT: Not applie vPvB: Not app Compositio Chemical char Description: M	T and vPvB assessment cable. licable. n/information on ingredients racterization: Mixtures dixture of the substances listed below with nonhazardous additions. mponents: ethanol 95.0%
Other hazards Results of PB PBT: Not applie vPvB: Not app Compositio Chemical char Description: M Dangerous co CAS: 64-17-5 RTECS: KQ630 Other ingredie	T and vPvB assessment         cable.         licable.         in/information on ingredients         racterization: Mixtures         Nixture of the substances listed below with nonhazardous additions.         imponents:         00000         ethanol       95.0%

(Contd. on page 3)

US

Printing date 02/01/2023

Revision date 02/01/2023

#### Trade name: 11-cis Vaccenyl Acetate

(Contd. from page 2)

#### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **5 Fire-fighting measures**

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 64-17-5 ethanol 1,800 ppm · PAC-2: 64-17-5 ethanol 3300\* ppm · PAC-3: 64-17-5 ethanol 15000\* ppm

(Contd. on page 4)

Printing date 02/01/2023

Revision date 02/01/2023

#### Trade name: 11-cis Vaccenyl Acetate

(Contd. from page 3)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid prolonged or repeated exposure.
- Keep away from sources of ignition.
- Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1000 ppm A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 02/01/2023

Revision date 02/01/2023

#### Trade name: 11-cis Vaccenyl Acetate

(Contd. from page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## • **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

#### **9** Physical and chemical properties

<ul> <li>Information on basic physical and c</li> <li>General Information</li> </ul>	inemical properties
<ul> <li>Appearance: Form: Color:</li> <li>Odor:</li> <li>Structural Formula</li> <li>Molecular Weight</li> <li>Odor threshold:</li> <li>Formulation</li> </ul>	Liquid According to product specification Characteristic C20H38O2 310.5 g/mol Not determined. A solution in ethanol
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	-114.5 °C (-174.1 °F) 78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Ignition temperature:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	3.5 Vol % 15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> </ul>	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined.

US

Printing date 02/01/2023

#### Revision date 02/01/2023

#### Trade name: 11-cis Vaccenyl Acetate

	(Contd. from page s
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with</li> <li>Water at 20 °C (68 °F):</li> </ul>	1,000 g/l
· Partition coefficient (n-octanol/w	/ater): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>SOLUBILITY</li> </ul>	Not determined. Not determined. DMF: 25 mg/ml; DMSO: 20 mg/ml; Ethanol: 30 mg/ml; PBS (pH 7.2): 2.5 mg/ml
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>VOC content:</li> </ul>	95.0 % 95.00 % 950.0 g/l / 7.93 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- Hazardous decomposition products: carbon dioxide; carbon monoxide

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

64-17-5 ethanol				
Oral	TDLO	1.14 ml/kg (man)		
	LD50	7,060 mg/kg (rat)		
	TDLO	650 (man)		
Dermal	LD50	40,000 mg/kg (rat)		
Inhalative	TCLO	1,800 (hmn)		
	LC50	10 h - 20,000 mg/m³ (rat)		
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)		
Irritation of skin	TDLO	1,800 mg/kg (wmn)		
	Intraperitoneal LD50	280 mg/kg (rat)		

#### • Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: Irritating effect.

(Contd. on page 7)

US

Printing date 02/01/2023

Revision date 02/01/2023

(Contd. from page 6)

1

#### Trade name: 11-cis Vaccenyl Acetate

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

#### 64-17-5 ethanol

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### **14 Transport information**

- · UN-Number
- · DOT, IMDG, IATA

UN1170

(Contd. on page 8)

US -

Printing date 02/01/2023

Revision date 02/01/2023

UN proper shipping name         DOT       Ethanol solutions         IMDG       ETHANOL SOLUTION (ETHYL ALCOH SOLUTION)         IATA       Ethanol solution		(Contd. from pag
DOT       Ethanol solutions         IMDG       ETHANOL SOLUTION (ETHYL ALCOH SOLUTION)         IATA       Ethanol solution         Transport hazard class(es)       DOT         Impose       3         Class       3 Flammable liquids         Label       3         IMDG, IATA       3         IMDG, IATA       3         Impose       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       S         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL       Excepted quantities (LQ)       1L         Excepted quantities (LQ)       1L       Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 ml       Maximum net quantity per outer packaging: 30 ml	UN proper shipping name	
IATA       SOLUTION) Ethanol solution         Transport hazard class(es)       DOT         Image: Solution of the second seco	DOT	Ethanol solutions
IATA       Ethanol solution         Transport hazard class(es)       DOT         DOT       Second Seco	IMDG	ETHANOL SOLUTION (ETHYL ALCOH)
Transport hazard class(es)         DOT         Class       3 Flammable liquids         Label       3         IMDG, IATA         Class       3 Flammable liquids         Label       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Mot applicable.         MARPOL73/78 and the IBC Code       Not applicable.         Transport in bulk according to Annex II of       MARPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       II       Code: E2         Maximum net quantities (EQ)       1L         Excepted quantities (EQ)       10		
DOT Class 3 Flammable liquids 3 IMDG, IATA Class 3 IMDG, IATA Class 3 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 FASS Number: FLammable liquids Hazard identification number (Kemler code): 33 FASS Number: FLammable liquids Hazard identification number (Kemler code): 33 Transport in bulk according to Annex II of MARPOL73778 and the IBC Code A Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml	ΙΑΤΑ	Ethanol solution
Class       3 Flammable liquids         Label       3         IMDG, IATA       3         IMDG, IATA       Image: Class set of the	Transport hazard class(es)	
Label       3         IMDG, IATA       IMDG, IATA         IMDG, IATA       Improvements         Class       3 Flammable liquids         Label       3         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	DOT	
Label       3         IMDG, IATA       IMDG, IATA         IMDG, IATA       Improvements         Class       3 Flammable liquids         Label       3         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	RUMARE LOUD	
IMDG, IATA         View         Class       3 Flammable liquids         Label       3         Packing group       J         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       Setting Source         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Not applicable.         Transport in bulk according to Annex II of       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 ml	Class	3 Flammable liquids
Class       3 Flammable liquids         Label       3         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Not applicable.         Transport Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml	Label	3
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):33EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	IMDG, IATA	
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): Stowage Category33EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:DOT Quantity limitationsDOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Class	3 Flammable liquide
Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage CategoryWarning: Flammable liquidsTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		•
DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):33EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		-
Environmental hazards:Not applicable.Special precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):33EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		II
Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Hazard identification number (Kemler code): 33EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Stowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:OnDOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Transport/Additional information:         DOT         Quantity limitations         On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L         IMDG         Limited quantities (LQ)         Excepted quantities (EQ)         Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml		Not applicable.
DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDGILLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	•	
IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml		
IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml	Quantity limitations	On passenger aircraft/rail: 5 L
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		41
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Maximum net quantity per outer packaging: 500 ml	Excepted quantities (EQ)	
	IATA	

Printing date 02/01/2023

Revision date 02/01/2023

Trade name: 11-cis Vaccenyl Acetate

	(Contd. from page 8)
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

64-17-5 ethanol

ACTIVE

#### · Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethanol

A3

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of

US

Printing date 02/01/2023

Revision date 02/01/2023

### Trade name: 11-cis Vaccenyl Acetate

(Contd. from page 9) these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
<ul> <li>Department issuing SDS: Environment protection department.</li> <li>Contact: -</li> <li>Date of preparation / last revision 02/01/2023</li> <li>Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NNOSH: National Institute for Occupational Safety OSHA: Occupational Safety &amp; Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Expos</li></ul>