

Printing date 11/10/2022

Revision date 11/10/2022

Page 1/10

#### **1** Identification

- · Product identifier
- · Trade name: (±)-Enterolactone
- · Article number: 10112
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classification of t	he substance or mixture
GHS02 F	lame
Flammable Liquids	2 H225 Highly flammable liquid and vapor.
GHS07	
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
• <b>Label elements</b> • <b>GHS label elemen</b> The product is clas	ts sified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 11/10/2022

Revision date 11/10/2022

## Trade name: (±)-Enterolactone

· Hazard pictogi	(Contd. from page 1)
GHS02 GHS	07
H315 Causes s	<b>ents</b> mmable liquid and vapor. kin irritation.
	erious eye irritation.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240 P241	Ground/bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
P242 P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P321	Specific treatment (see on this label).
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
P332+P313	present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification	system:
<ul> <li>NFPA ratings (</li> </ul>	scale 0 - 4)
He He	ealth = 2
Fin Fin	re = 3 eactivity = 0
· HMIS-ratings (	-
FIRE 3 F	lealth = 2 ire = 3 Reactivity = 0
Other hazards	
	「and vPvB assessment
• <b>PBT:</b> Not applic	cable.
• vPvB: Not appl	

US

Printing date 11/10/2022

Revision date 11/10/2022

Trade name: (±)-Enterolactone

(Contd. from page 2)

## **3 Composition/information on ingredients**

#### · Chemical characterization: Mixtures

 $\cdot$  **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 RTECS: KQ6300000	ethanol	99.0%
CAS: 78473-71-9 RTECS: LU3560600	(±)-Enterolactone	1.0%

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
   Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 11/10/2022

Revision date 11/10/2022

Trade name: (±)-Enterolactone

(Contd. from page 3)
1,800 ppm
· · · · ·
3300* ppm
15000* ppm

### 7 Handling and storage

· Handling:

- Precautions for safe handling
   No special precautions are necessary if used correctly.
   Avoid breathing dust/fume/gas/mist/vapours/spray.
   Avoid prolonged or repeated exposure.
   Keep away from sources of ignition.
   Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 64-17-5 ethanol

- PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1000 ppm
- A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

<sup>-</sup> US

Printing date 11/10/2022

Revision date 11/10/2022

(Contd. from page 4)

#### Trade name: (±)-Enterolactone

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · General Information

· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Alcohol-like	
Structural Formula	C18H18O4	
• Molecular Weight	298.3 g/mol	
· Odor threshold:	Not determined.	
· Formulation	A solution in ethanol	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-114.5 °C (-174.1 °F)	
Boiling point/Boiling range:	78 °C (172.4 °F)	
· Flash point:	13 °C (55.4 °F)	
· Flammability (solid, gaseous):	Highly flammable.	
· Ignition temperature:	425 °C (797 °F)	
· Decomposition temperature:	Not determined.	
		(Contd. on page 6)

Printing date 11/10/2022

Revision date 11/10/2022

#### Trade name: (±)-Enterolactone

	(Contd. from page
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits: Lower: Upper:	3.5 Vol % 15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water at 20 °C (68 °F):</li> </ul>	1,000 g/l
· Partition coefficient (n-octanol/wat	er): Not determined.
<ul> <li>Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY</li> </ul>	1.2 mPas Not determined. DMF: 30mg/mL; DMSO: 30mg/mL; Ethanol: miscible Ethanol:PBS (pH 7.2) (1:5): 100 μg/ml
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	99.0 % 99.00 % 990.0 g/l / 8.26 lb/gal
Solids content:	1.0 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

· Acute tox · LD/LC50 v	values that are relev	effects ant for classification:	
64-17-5 et	thanol		
Oral	TDLO	1.14 ml/kg (man)	

Printing date 11/10/2022

Revision date 11/10/2022

Trade name: (±)-Enterolactone

		(Contd. from page
	LD50	7,060 mg/kg (rat)
	TDLO	650 (man)
Dermal	LD50	40,000 mg/kg (rat)
Inhalative	TCLO	1,800 (hmn)
	LC50	10 h - 20,000 mg/m³ (rat)
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)
Irritation of skin	TDLO	1,800 mg/kg (wmn)
	Intraperitoneal LD50	280 mg/kg (rat)
on the eye: Irrit Sensitization: I Additional toxic The product sh preparations:	No sensitizing effects kn cological information:	
on the eye: Irrit Sensitization: I Additional toxic The product sh preparations: Irritant Carcinogenic c	ating effect. No sensitizing effects kn <b>cological information:</b> lows the following dang <b>categories</b>	own. gers according to internally approved calculation methods t
on the eye: Irrit Sensitization: I Additional toxic The product sh preparations: Irritant Carcinogenic c	ating effect. No sensitizing effects kn cological information: lows the following dang categories onal Agency for Resea	own. gers according to internally approved calculation methods t
on the eye: Irrit Sensitization: I Additional toxic The product sh preparations: Irritant Carcinogenic c IARC (Internati 64-17-5 ethano	ating effect. No sensitizing effects kn cological information: lows the following dang categories onal Agency for Resea	own. gers according to internally approved calculation methods t
on the eye: Irrit Sensitization: I Additional toxic The product sh preparations: Irritant Carcinogenic o IARC (Internati 64-17-5 ethano NTP (National	ating effect. No sensitizing effects kn cological information: lows the following dang categories onal Agency for Resea	own. gers according to internally approved calculation methods t
on the eye: Irrit Sensitization: N Additional toxic The product sh preparations: Irritant Carcinogenic of IARC (Internati 64-17-5 ethano NTP (National None of the ingr OSHA-Ca (Occ	ating effect. No sensitizing effects kn cological information: lows the following dang categories onal Agency for Resea I Toxicology Program)	own. gers according to internally approved calculation methods · arch on Cancer)

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

US

Printing date 11/10/2022

Revision date 11/10/2022

#### Trade name: (±)-Enterolactone

(Contd. from page 7)

## **13 Disposal considerations**

· Waste treatment methods

### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1170
· UN proper shipping name · DOT · IMDG · IATA	Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOH) SOLUTION) Ethanol solution
Transport hazard class(es)	
DOT	
P.AMAREE UCUD	
Class	3 Flammable liquids
· Label · IMDG, IATA	3
Class	3 Flammable liquids
Label	3
· Packing group · DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler cod	Warning: Flammable liquids (e): 33
EMS Number: Stowage Category	F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 11/10/2022

Revision date 11/10/2022

Trade name: (±)-Enterolactone

	(Contd. from page 8
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
<ul> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

### **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

64-17-5 ethanol

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 11/10/2022

Revision date 11/10/2022

Trade name: (±)-Enterolactone

(Contd. from page 9)

A3

#### TLV (Threshold Limit Value)

64-17-5 ethanol

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 11/10/2022

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A