

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023 Revision date 04/20/2023

1 Identification

· Product identifier

· Trade name: (S)-AM1241

· Article number: 10490

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Cayman Chemical Co.
 1180 E. Ellsworth Rd.
 Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling:

Acetonitrile

· Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 75-05-8 | Acetonitrile | 99.5% | RTECS: AL7700000 |

· Other ingredients

444912-53-2 (S)-AM1241 0.5%

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

. Environmental procesitions:

(Contd. from page 3)

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
75-05-8 Acetonitrile	13 ppm
· PAC-2:	
75-05-8 Acetonitrile	50 ppm
· PAC-3:	
75-05-8 Acetonitrile	150 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

(Contd. from page 4)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Aromatic
 Structural Formula
 Molecular Weight
 Odor threshold: Aromatic
 C22H22IN3O3
 503.3 g/mol
 Not determined.

• **Formulation** A solution in acetonitrile

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: -46 °C (-50.8 °F)

(Contd. on page 6)

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

Boiling point/Boiling range: 81 °C (177.8 °F) Flash point: 5 °C (41 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: O.39 mPas Not determined. SOLUBILITY Dynamic at 20 °C (68 °F): Not determined. SOLUBILITY DMF: 25 mg/ml; DMF: PBS(pH7.2) (1:2): 0.3 mg/ml; DMSC 10 mg/ml; Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
Flash point: 5 °C (41 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. SOLUBILITY 0.39 mPas Kinematic: Not determined. Solvent content: VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.00 % 0.00 g/l / 0.00 lb/gal		(Contd. from page
Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 4.4 Vol % Upper: 46 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. SOLUBILITY Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Solubility: Not determined. DMF: 25 mg/ml; DMF: PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(0 mg/ml; Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.00 %	Boiling point/Boiling range:	81 °C (177.8 °F)
Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(10 mg/ml;Ethanol: 5 mg/ml Solivent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Flash point:	5 °C (41 °F)
Decomposition temperature: Ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 4.4 Vol % 16 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): Relative density Vapor density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Dynamic at 20 °C (68 °F): SOLUBILITY Solvent content: VOC content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 % 0.0 g/l / 0.00 lb/gal	· Flammability (solid, gaseous):	Highly flammable.
Ignition temperature: Danger of explosion: Product is not selfigniting. Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Not determined. SoluBiLITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(0.10 mg/ml; Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.00 %	· Auto igniting:	525 °C (977 °F)
Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 4.4 Vol % 16 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMSC (100 mg/ml; Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): Not determined. Vapor density Not determined. Vapor density Vapor density Evaporation rate Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water: Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility Not determined. Solubility DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(0) mg/ml; Ethanol: 5 mg/ml Solvent content: VOC content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Ignition temperature:	Product is not selfigniting.
Lower: Upper: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMSC 10 mg/ml;Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMSC 10 mg/ml;Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
Relative density Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMSC 10 mg/ml;Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Vapor pressure at 20 °C (68 °F): · Vapor pressure at 50 °C (122 °F):	`
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(10 mg/ml;Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	Not determined. Not determined.
Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(10 mg/ml;Ethanol: 5 mg/ml Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.39 mPas Not determined. DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS(10 mg/ml;Ethanol: 5 mg/ml) Output: 0.00 % 0.00 % 0.00 %	Solubility in / Miscibility with Water:	Fully miscible.
Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS0 10 mg/ml;Ethanol: 5 mg/ml Solvent content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.0 %	Partition coefficient (n-octanol/wate	r): Not determined.
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Kinematic:	Not determined. DMF: 25 mg/ml; DMF:PBS(pH7.2) (1:2): 0.3 mg/ml; DMS0
23.00	Solvent content: VOC content:	
Other information No further relevant information available.	Solids content:	0.0 %
	Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

(Contd. from page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	LD/LC50 values that are relevant for classification:		
Ī	ATE (Acute Toxicity Estimate)		
	Oral	LD50	503 mg/kg
	Dermal	LD50	1,106 mg/kg
	Inhalative	LC50/4 h	11.1 mg/l

75-05-8 Acetoni	75-05-8 Acetonitrile		
Oral	TDLO	64 ml/kg (man)	
	LD50	2,460 mg/kg (rat)	
Dermal	LD50	980 mg/kg (rabbit)	
Inhalative	LC50/4 h	7,551 mg/m³ (rat)	
	LC50	7,551 mg/m³/8h (rat)	
	TCLO	160 mg/m³/4h (hmn)	
Irritation of eyes	Irritation	100 μl/24 hr (rabbit) moderate	
	Irritation	100 ìl/24 hr (rabbit) moderate	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

· Additional ecological information:

(Contd. from page 7)

- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

44 -		4	4	
74 I M	anspor	Tinto	rmat	Ion
		t IIIII O	THE COLUMN	

· UN-Number	
· DOT, IMDG, IATA	UN1648

· UN proper shipping name

· DOT, IATA	Acetonitrile solution	
· IMDG	ACETONITRILE solution	

- Transport hazard class(es)
- · DOT



· Label 3

· IMDG, IATA



· Class	3 Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

(Contd. on page 9)

Revision date 04/20/2023 Printing date 04/20/2023

Trade name: (S)-AM1241

	(Contd. from page 8)
 Hazard identification number (Kemler code) EMS Number: Stowage Category Stowage Code 	i: 33 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis

15 Regulatory information

· UN "Model Regulation":

Quantities exemption, per IATA 2.6.10.
Therefore packaging does not have to be labeled as

Dangerous Goods/Excepted Quantity.

UN 1648 ACETONITRILE SOLUTION, 3, II

 Safety, health and environmental regulations/legislation specific for the substance or mi No further relevant information available. 	xture
Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
75-05-8 Acetonitrile	
· TSCA (Toxic Substances Control Act):	
75-05-8 Acetonitrile	ACTIVE
· Hazardous Air Pollutants	
75-05-8 Acetonitrile	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	

Printing date 04/20/2023 Revision date 04/20/2023

Trade name: (S)-AM1241

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

75-05-8 | Acetonitrile | CBD, D

TLV (Threshold Limit Value)

75-05-8 | Acetonitrile | A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 04/20/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

- US