

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/13/2025

Revision date 02/13/2025

Page 1/11

1 Identification

- · Product identifier
- · Trade name: <u>RCS-4 2-methoxy isomer</u>
- · Synonym (2-methoxyphenyl)(1-pentyl-1H-indol-3-yl)-methanone
- · Other means of identification

· Article number: 10865

- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number:
- During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture	
GHS02 Flame	
Flammable liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute toxicity - oral 3	H301 Toxic if swallowed.
Acute toxicity - dermal 3	H311 Toxic in contact with skin.
Acute toxicity - inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific target organ toxicity (single exposure) 7	H370 Causes damage to the central nervous system and the visual organs.
	(Contd. on page 2)

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

	(Contd. from page 1)
· Label elements	
GHS label elements	
The product is cla • Hazard pictogra	assified and labeled according to the Globally Harmonized System (GHS). I ms
GHS02 GHS0	6 GHS08
· Signal word Dar	nger
 Hazard-determine Methanol 	ning components of labeling:
• Hazard stateme	nts
H225	Highly flammable liquid and vapor.
	31 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
• Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
P240	No smoking. Ground / bond container and receiving equipment.
P240 P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P35	i3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a poison center/doctor.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Information per 	taining to particular dangers for man and environment:
Classification s	ystem:
NFPA ratings (s	cale 0 - 4)
	alth = 2
	e = 3 activity = 0
	(Contd. on page 3)
	US

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH *2	Health = *2
	Fire = 3
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-56-1 Methanol RTECS: PC1400000

99.0%

1.0%

· Other ingredients

1345966-76-8 RCS-4 2-methoxy isomer

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

• Special hazards arising from the substance or mixture

Accide	ental release measures	
Persona	Il precautions, protective equipment and emergency procedures	
	espiratory protective device.	
	otective equipment. Keep unprotected persons away.	
	mental precautions: th plenty of water.	
	llow to enter sewers/ surface or ground water.	
	s and material for containment and cleaning up:	
Absorb v	with liquid binding material (and distamite asid binders universal binders a	
_ ·	vith liquid-binding material (sand, diatomite, acid binders, universal binders, s	awdust).
	contaminated material as waste according to section 13.	awdust).
Ensure a	contaminated material as waste according to section 13. adequate ventilation.	awdust).
Ensure a	contaminated material as waste according to section 13.	awdust).
Ensure a Protecti PAC-1 :	contaminated material as waste according to section 13. adequate ventilation.	awdust).
Ensure a Protecti PAC-1 :	contaminated material as waste according to section 13. adequate ventilation. ve Action Criteria for Chemicals	
Ensure a Protecti PAC-1: 67-56-1 PAC-2:	contaminated material as waste according to section 13. adequate ventilation. ve Action Criteria for Chemicals	
Ensure a Protecti PAC-1: 67-56-1 PAC-2:	contaminated material as waste according to section 13. adequate ventilation. ve Action Criteria for Chemicals Methanol	530 ppr
Ensure a Protection PAC-1: 67-56-1 PAC-2: 67-56-1 PAC-3:	contaminated material as waste according to section 13. adequate ventilation. ve Action Criteria for Chemicals Methanol	530 ppr
Ensure a Protective PAC-1: 67-56-1 PAC-2: 67-56-1 PAC-3: 67-56-1 Reference	contaminated material as waste according to section 13. adequate ventilation. ve Action Criteria for Chemicals Methanol Methanol Ce to other sections	530 ppr 2,100 ppr
Ensure a Protective PAC-1: 67-56-1 PAC-2: 67-56-1 PAC-3: 67-56-1 Reference See Sec	contaminated material as waste according to section 13. adequate ventilation. ve Action Criteria for Chemicals Methanol Methanol	530 ppr 2,100 ppr

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

115

(Contd. from page 3)

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

(Contd. from page 4)

•	trol parameters
	ponents with limit values that require monitoring at the workplace:
	6-1 Methanol
	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc
Ingr	edients with biological limit values:
67-5	6-1 Methanol
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
. ∿YY	itional information: The lists that were valid during the creation were used as basis.
lmm Was	eral protective and hygienic measures: a away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work.
Imm Was Store Avoi Brea In ca expo	o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes and skin. it hing equipment:
Imm Was Store Avoi Brea In ca expo	o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes and skin. athing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or long usure use respiratory protective device that is independent of circulating air.
Imm Was Store Avoi Brea In ca expo Prot	b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes and skin. In thing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or long sure use respiratory protective device that is independent of circulating air. ection of hands:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemica	al properties
· General Information	
 Physical state 	Liquid
· Color:	Colorless
· Odor:	Alcohol-like
· Structural Formula	C21H23NO2
· Molecular Weight	321.4 g/mol
· Storage Buffer	5
· Odor threshold:	Not determined.
· Formulation	A solution in methanol
• Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flammability:	Highly flammable.
· Explosion limits:	righty hannasie.
· Lower:	5.5 Vol %
· Upper:	44 Vol %
· Flash point:	11 °C (51.8 °F)
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	Not determined.
· Kinematic:	Not determined.
	DMF: 1 mg/ml; DMSO: 1 mg/ml; Ethanol: 0.3 mg/ml
· Dynamic:	Not determined.
· Solubility in / Miscibility with	Not determined.
	1000 ~//
• Water at 20 °C (68 °F):	1000 g/l
• Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Vapor pressure:	
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Particle characteristics	Not applicable.
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of hea	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation o
- -	explosive air/vapor mixtures are possible.
	(Contd. on page 7

(Contd. from page 5)

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

(Contd.	from	page 6)	
(

 Solvent content: 	
 Organic solvents: 	99.0 %
· VOC content:	99.00 %
	990.0 g/l / 8.26 lb/gal
 Solids content: 	0.0 %
Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)			
	LD50	101 mg/kg (rat)	
Dermal	LD50	101 mg/kg (rat) 303 mg/kg (rabbit)	
Inhalative	LC50/4 h	3.13 mg/l (rat)	

67-56-1 M	ethanol	
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Inhalative	LC50/4 h	 3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.
· Primary ir		
· on the ski		
on the eye		ting effect.

· Sensitization: No sensitizing effects known.

(Contd. on page 8)

US

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1230

(Contd. on page 9)

(Contd. from page 7)

US

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

	(Contd. from pag
· UN proper shipping name · DOT, IATA · IMDG	Methanol METHANOL
· Transport hazard class(es)	
DOT	
· Class · Label	3 Flammable liquids 3, 6.1
· IMDG	
· Class · Label	3 Flammable liquids 3/6.1
· IATA	3 Flammable liquids 3 (6.1)
· Packing group · DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
 Transport/Additional information: DOT Quantity limitations 	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
[·] IMDG [·] Limited quantities (LQ) [·] Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
	(Contd. on page

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
Warning: Flammable liquids
): 336
F-E,S-D
В
SW2 Clear of living quarters.
UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIV
Hazardous Air Pollutants	
67-56-1 Methanol	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for fema	les:
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males	s:
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and	Health)
None of the ingredients is listed.	

(Contd. on page 11)

Date of issue: 02/13/2025

Revision date 02/13/2025

Trade name: RCS-4 2-methoxy isomer

(Contd. from page 10)

16 Other information All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein. · Department issuing SDS: Environment protection department. · Contact: - Date of previous version 06/20/2022 Date of preparation 02/13/2025 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Acute toxicity - oral 3: Acute toxicity - Category 3 Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) - Category 1 ** Data compared to the previous version altered.