

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/28/2025 Revision date 02/28/2025

1 Identification

· Product identifier

· Trade name: (R)-Tetrahydrofuran-3-ylamine

· **Synonym** tetrahydro-3R-furanamine

· CAS Number: 111769-26-7

· Other means of identification

· Article number: 11391

· EC number: 807-409-0

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



GHS07

Acute toxicity - oral 4 H302 Harmful if swallowed. Skin irritation 2 H315 Causes skin irritation.

Eye irritation 2A H319 Causes serious eye irritation. Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation.

Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

· Hazard pictograms





· Signal word Warning

· Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smokina.

Ground / bond container and receiving equipment. P240

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools. P242

P243 Take action to prevent static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

If swallowed: Call a poison center/doctor if you feel unwell. P301+P312

P330 Rinse mouth.

P321 Specific treatment (see on this label).

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. P332+P313 P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Information pertaining to particular dangers for man and environment:
- Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 2 Reactivity = 0

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

· HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = 2
FIRE 2 Fire = 2
REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 111769-26-7 (R)-Tetrahydrofuran-3-ylamine
- Identification number(s)
- **EC number:** 807-409-0

4 First-aid measures

- · Description of first aid measures
- General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

US

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

(Contd. from page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- Protective Action Criteria for Chemicals
- · PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eves and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. from page 4)

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Physical state Liquid

Color: Not determined.
 Odor: Characteristic
 Structural Formula C4H9NO
 Molecular Weight 87.1 g/mol

Storage Buffer

· Odor threshold: Not determined.

· Formulation

Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Undetermined.
 Flammable.

Explosion limits:

Lower: Not determined.
 Upper: Not determined.
 Flash point: ≤60 °C (≤140 °F)
 Decomposition temperature: Not determined.
 pH-value: Not determined.

· Viscosity:

· **Kinematic:** Not determined.

· SOLUBILITY DMF: 30 mg/ml; DMSO: 30 mg/ml; Ethanol: 30 mg/

ml; PBS (pH 7.2): 10 mg/ml

· **Dynamic:** Not determined.

· Solubility in / Miscibility with

Water: Not determined.
 Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 6)

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

(Contd. from page 5)

· Vapor pressure: Not determined.

· Vapor pressure:

Density: Not determined.
 Relative density Not determined.
 Vapor density Not determined.
 Particle characteristics Not applicable.

· Other information

· Appearance:

· Form: neat oil

· Important information on protection of health

and environment, and on safety.

Ignition temperature: Not determined.Danger of explosion: Not determined.

Change in condition

• Evaporation rate Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.
- · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

(Contd. from page 6)

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

			 ormation		
7/1		V 17 T			nη
	-101	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	OI II	1011	UII

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. ((R)-Tetrahydrofuran-3-ylamine)
· IMDG	FLAMMABLE LIQUID, N.O.S. ((R)-Tetrahydrofuran-3-ylamine)
· IATA	Flammable liquid, n.o.s. ((R)-Tetrahydrofuran-3-ylamine)

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids · Label 3

· IMDG, IATA



· Class 3 Flammable liquids

· Label 3

(Contd. on page 8)

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

	(Contd. from page 7
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
 Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category 	Warning: Flammable liquids : 30 F-E, <u>S-E</u> A
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. ((R)- TETRAHYDROFURAN-3-YLAMINE), 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

(Contd. on page 9)

Date of issue: 02/28/2025 Revision date 02/28/2025

Trade name: (R)-Tetrahydrofuran-3-ylamine

(Contd. from page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of previous version 08/26/2022
- · Date of preparation 02/28/2025
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 3: Flammable liquids – Category 3

Acute toxicity - oral 4: Acute toxicity - Category 4

Skin irritation 2: Skin corrosion/irritation - Category 2

Eye irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

US