

Printing date 03/21/2023

Revision date 03/21/2023

Page 1/10

### **1** Identification

- · Product identifier
- · Trade name: UR-144 N-(4-chloropentyl) analog
- Article number: 13117
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

# 2 Hazard(s) identification

Classification of the substance or mixture		
GHS02 Flame		
Flammable Liquids 2	H225 Highly flammable liquid and vapor.	
GHS07		
Acute Toxicity - Oral 4	H302 Harmful if swallowed.	
Acute Toxicity - Dermal 4	H312 Harmful in contact with skin.	
Acute Toxicity - Inhalation 4	H332 Harmful if inhaled.	
Eye Irritation 2A	H319 Causes serious eye irritation.	
• <b>Label elements</b> • <b>GHS label elements</b> The product is classified and	d labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)	

Printing date 03/21/2023

Revision date 03/21/2023

## Trade name: UR-144 N-(4-chloropentyl) analog

Hazard pictogr	(Contd. from page 2
<u>&lt;@&gt;<!--</u--></u>	>
$\nabla$ $\nabla$	
GHS02 GHS0	)7
<b>Signal word</b> Da	anger
	ining components of labeling:
Acetonitrile	
Hazard stateme	
H225	Highly flammable liquid and vapor.
	32 Harmful if swallowed, in contact with skin or if inhaled.
H319	Causes serious eye irritation.
Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification	system:
NFPA ratings (	scale 0 - 4)
	palth = 2
	e = 3 eactivity = 0
HMIS-ratings (	scale 0 - 4)
HEALTH 2 H	ealth = 2
FIRE 3 F	ire = 3
REACTIVITY 0 R	eactivity = 0

(Contd. on page 3)

US

Printing date 03/21/2023

Revision date 03/21/2023

(Contd. from page 2)

99.9%

0.1%

#### Trade name: UR-144 N-(4-chloropentyl) analog

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### **3 Composition/information on ingredients**

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 75-05-8 Acetonitrile

RTECS: AL7700000

Other ingredients

2365471-17-4 UR-144 N-(4-chloropentyl) analog

### **4 First-aid measures**

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 03/21/2023

Revision date 03/21/2023

#### Trade name: UR-144 N-(4-chloropentyl) analog

(Contd.	from page 3)
<ul> <li>Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> </ul>	,
· PAC-1:	
75-05-8 Acetonitrile	13 ppm
· PAC-2:	
75-05-8 Acetonitrile	50 ppm
PAC-3:	
75-05-8 Acetonitrile	150 ppm

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

• Components with limit values that require monitoring at the workplace:

#### 75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m<sup>3</sup>, 40 ppm

REL Long-term value: 34 mg/m<sup>3</sup>, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 03/21/2023

Revision date 03/21/2023

#### Trade name: UR-144 N-(4-chloropentyl) analog

(Contd. from page 4)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

Information on basic physical and chemical properties

• General Information

· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Aromatic	
• Structural Formula	C21H28CINO	
• Molecular Weight	345.9 g/mol	
· Odor threshold:	Not determined.	
· Formulation	A solution in acetonitrile	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-46 °C (-50.8 °F)	
		(Contd. on page 6)

US

Printing date 03/21/2023

#### Revision date 03/21/2023

### Trade name: UR-144 N-(4-chloropentyl) analog

	(Contd. from page 5
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits: Lower: Upper:	4.4 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
<sup>·</sup> Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY	0.39 mPas Not determined. DMF: 30 mg/ml; DMSO: 30 mg/ml; Ethanol: 30 mg/ml
<ul> <li>Solvent content: VOC content:</li> </ul>	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

(Contd. on page 7)

115

Printing date 03/21/2023

Revision date 03/21/2023

# Trade name: UR-144 N-(4-chloropentyl) analog

(Contd. from page 6)

	τοχιςοίος	ical effects	
LD/LC50 values	that are i	relevant for classification:	
ATE (Acute Tox	icity Estir	nate)	
Oral	LD50	501 mg/kg	
Dermal	LD50	1,101 mg/kg	
Inhalative	LC50/4 h	11 mg/l	
75-05-8 Acetoni	trile	•	
Oral	TDLO	64 ml/kg (man)	
	LD50	2,460 mg/kg (rat)	
Dermal	LD50	980 mg/kg (rabbit)	
Inhalative		7,551 mg/m³ (rat)	
	LC50	7,551 mg/m³/8h (rat)	
	TCLO	160 mg/m³/4h (hmn)	
Irritation of eyes		100 µl/24 hr (rabbit)	
<b>,</b>	Irritation	100 ìl/24 hr (rabbit)	
Irritant Carcinogenic ca IARC (Internatio	-	cy for Research on Cancer)	
None of the ingre	•	-	
	oxicology	y Program)	
NTP (National T			
NTP (National T None of the ingre			
None of the ingre		Safety & Health Administration)	
None of the ingre	pational		
None of the ingre OSHA-Ca (Occu None of the ingre	upational s edients is l	isted.	
OSHA-Ca (Occu	upational s edients is l	isted.	

Printing date 03/21/2023

Revision date 03/21/2023

### Trade name: UR-144 N-(4-chloropentyl) analog

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1648	
UN proper shipping name		
DOT, IATA	Acetonitrile solution	
IMDG	ACETONITRILE solution	
Transport hazard class(es)		
DOT		
FLAMMABLE LIQUID		
V		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
·		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable liquids	
Hazard identification number (Ken		
EMS Number:	F-E,S-D	
Stowage Category	В	

(Contd. from page 7)

Printing date 03/21/2023

Revision date 03/21/2023

### Trade name: UR-144 N-(4-chloropentyl) analog

	(Contd. from page 8
· Stowage Code	SW2 Clear of living quarters.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1648 ACETONITRILE SOLUTION, 3, II

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

· TSCA (Toxic Substances Control Act):

75-05-8 Acetonitrile

· Hazardous Air Pollutants

75-05-8 Acetonitrile

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 03/21/2023

#### Revision date 03/21/2023

#### Trade name: UR-144 N-(4-chloropentyl) analog

(Contd. from page 9)

CBD, D

A4

- Carcinogenic categories
- · EPA (Environmental Protection Agency)

75-05-8 Acetonitrile

TLV (Threshold Limit Value)

75-05-8 Acetonitrile

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

- · Contact: -
- Date of preparation / last revision 03/21/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

us ·