

Printing date 05/02/2023


Revision date 05/02/2023

Page 1/10

### **1** Identification

- Product identifier
- Trade name: FKGK 11
- · Article number: 13179
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification



Printing date 05/02/2023

Revision date 05/02/2023

### Trade name: FKGK 11

		(Contd. from page 1)
· Signal word Da	inder	(Conta: noin page 1)
Hazard stateme		
H225 Highly flan	nmable liquid and vapor.	
	erious eye irritation.	
· Precautionary s		
P210	Keep away from heat/sparks/open flames/hot surfaces No sn	noking.
P233	Keep container tightly closed.	-
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face p	
	53 If on skin (or hair): Take off immediately all contaminated clo water/shower.	0
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Ren	nove contact lenses, if
	present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	l/notional/international
P501	Dispose of contents/container in accordance with local/regiona regulations.	il/national/international
· Classification s	•	
• NFPA ratings (s		
Fire	alth = 2 e = 3 activity = 0	
FIRE 3 Fi	ealth = 2 re = 3 eactivity = 0	
Other hazards		
Results of PBT	and vPvB assessment	
<ul> <li>• PBT: Not applica</li> </ul>	able.	
· vPvB: Not applie	cable.	
3 Composition	n/information on ingredients	
· Chemical chara	acterization: Mixtures	
	xture of the substances listed below with nonhazardous additions.	
<ul> <li>Dangerous con</li> </ul>	nponents:	
CAS: 64-17-5	ethanol	99.5%
RTECS: KQ630	0000	
· Other ingredier	nts	
1071000-98-0 F	FKGK 11	0.5%
		US

(Contd. on page 3)

Printing date 05/02/2023

Revision date 05/02/2023

(Contd. from page 2)

#### Trade name: FKGK 11

**4 First-aid measures** 

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
  Wear protective equipment. Keep unprotected persons away.
   Environmental precautions:
  Dilute with plenty of water.
  Do not allow to enter sewers/ surface or ground water.
   Methods and material for containment and cleaning up:
  Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
PAC-2:	
64-17-5 ethanol	3300* ppm
PAC-3:	
64-17-5 ethanol	15000* ppm

(Contd. on page 4)

Printing date 05/02/2023

Revision date 05/02/2023

(Contd. from page 3)

#### Trade name: FKGK 11

7 Handling and storage

- · Handling:
- **Precautions for safe handling** No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition.
- Take precautionary measures against static discharge.re. Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1000 ppm A3

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

US

Printing date 05/02/2023

Revision date 05/02/2023

#### Trade name: FKGK 11

(Contd. from page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### • **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

### **9** Physical and chemical properties

General Information	
Appearance: Form:	Liquid
Color:	Liquid Colorless
Odor:	Alcohol-like
Structural Formula	C13H13F5O
Molecular Weight	280.2 g/mol
Odor threshold:	Not determined.
Formulation	A solution in ethanol
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-114 °C (-173.2 °F)
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	3.3 Vol %
Upper:	19 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.

US

Printing date 05/02/2023

Revision date 05/02/2023

Trade name: FKGK 11

	(Contd. from page 5
<ul> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water at 20 °C (68 °F):</li> </ul>	1,000 g/l
· Partition coefficient (n-octanol/w	ater): Not determined.
<sup>·</sup> Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY	1.2 mPas Not determined. DMF: 20 mg/ml; DMSO: 20 mg/ml; Ethanol: 30 mg/ml; PBS (pH 7.2): 2 mg/ml
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	99.5 % 99.50 % 995.0 g/l / 8.30 lb/gal
Solids content:	0.5 %
· Other information	No further relevant information available.

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** alkali metals; ammonia; peroxides; strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide; carbon monoxide

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

### · LD/LC50 values that are relevant for classification:

64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	117–125 mg/l (rat)

### OECD 403 (rat)

### Primary irritant effect:

- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)

Printing date 05/02/2023

Revision date 05/02/2023

#### Trade name: FKGK 11

(Contd. from page 6)

1

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
IMDG	ETHANOL SOLUTION (ETHYL ALCOH)
	SOLUTION)
ΙΑΤΑ	Ethanol solution

Printing date 05/02/2023

Revision date 05/02/2023

Trade name: FKGK 11

DOT Class 3 Flammable liquids 3 IMDG, IATA Class 1 Shammable liquids 3 Class 3 Flammable liquids 3 Shammable liquids 3 Shammable liquids 3 Shammable liquids 3	There are the second along (1, 1)	(Contd. from page
Class       3 Flammable liquids         Label       3         IMDG, IATA       3         IMDG, IATA       1         Image: Class       3 Flammable liquids         Label       3         Packing group       1         DOT, IMDG, IATA       11         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL7378 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         DOT       Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L       Excepted quantities (LQ)       1L         Excepted quantities (LQ)       1L       Code: E2         Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IAT A 2.6.10.         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity. Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IAT A 2.6.10. <t< td=""><td>Transport hazard class(es)</td><td></td></t<>	Transport hazard class(es)	
Label       3         IMDG, IATA         IMDG, IATA         Imposed in the imposed of the imposed	DOT	
Label       3         IMDG, IATA         IMDG, IATA         Imposed in the imposed of the imposed		
Label       3         IMDG, IATA         IMDG, IATA         Imposed in the imposed of the imposed	RAMMABLE LOUD	
Label       3         IMDG, IATA         IMDG, IATA         Image: Class       3         Label       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Not applicable.         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DO         DOT       Quantity limitations         On passenger aircraft/rail: 5 L       On cargo aircraft only: 60 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, C 4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele	3	
IMDG, IATA         View         Class       3 Flammable liquids         Label       3         Packing group       DOT, IMDG, IATA         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         DOT       Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml       IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging dos not have to be labeled and Dangerous Good&Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOMICS)		3 Flammable liquids
Class       3 Flammable liquids         Label       3         Packing group       1         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Excepted quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.0. Therefore packaging does not have to be labeled in Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR	Label	
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Mininr Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled i Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR	IMDG, IATA	
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled i Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR		
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOM		
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOM	3	
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled i Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR	Class	3 Flammable liquids
DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Not applicable.         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOME)	Label	
DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       MARPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       On cargo aircraft only: 60 L         IMDG       1L         Excepted quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOMED) <td>Packing group</td> <td></td>	Packing group	
Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOME)	DOT, IMDG, IATA	II
Hazard identification number (Kemler code): 33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.       UN '100 ETHANOL SOLUTION (ETHYL ALCOHOMIC)	Environmental hazards:	Not applicable.
EMS Number: Stowage CategoryF-E,S-D ATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		Warning: Flammable liquids
Stowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG Limited quantities (LQ)       1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		_ · · ·
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L         DOT       On passenger aircraft/rail: 5 L         Quantity limitations       On passenger aircraft/rail: 5 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		Π
Transport/Additional information:         DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L         IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		Not applicable.
DOT       Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		······································
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOM	•	
IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":	-	On passenger aircraft/rail: 5 l
IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":		
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOMERAL	IMDG	
Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)	-	1L
IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOME)		
IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOME)		
Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOME)		Maximum net quantity per outer packaging: 500 ml
or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":         UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		
E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.         UN "Model Regulation":       UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)	Remarks:	
Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.         UN "Model Regulation":         UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		
UN "Model Regulation":         UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		
UN "Model Regulation":         UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		
UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		
	UN "Model Regulation":	

(Contd. on page 9)

Printing date 05/02/2023

Revision date 05/02/2023

Trade name: FKGK 11

(Contd. from page 8)

Safetv. h	ealth and environmental regulations/legislation specific for the substance or mixture
	r relevant information available.
Sara	
	355 (extremely hazardous substances):
None of t	he ingredients is listed.
	313 (Specific toxic chemical listings):
None of t	he ingredients is listed.
TSCA (To	oxic Substances Control Act):
64-17-5	ethanol ACTIV
Hazardo	us Air Pollutants
None of t	he ingredients is listed.
Proposit	
	Is known to cause cancer:
None of t	he ingredients is listed.
	Is known to cause reproductive toxicity for females:
None of t	he ingredients is listed.
Chemica	Is known to cause reproductive toxicity for males:
None of t	he ingredients is listed.
Chemica	Is known to cause developmental toxicity:
64-17-5	ethanol
Carcinog	jenic categories
EPA (En	vironmental Protection Agency)
None of t	he ingredients is listed.
TLV (Thr	eshold Limit Value)
64-17-5	ethanol
NIOSH-C	a (National Institute for Occupational Safety and Health)
None of t	he ingredients is listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 05/02/2023
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 05/02/2023

Revision date 05/02/2023

(Contd. from page 9)

#### Trade name: FKGK 11

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A