

Printing date 11/04/2022

Revision date 11/04/2022

Page 1/11


1 Identification

- · Product identifier
- · Trade name: Prostaglandin E2 methyl ester
- Article number: 14011
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 11/04/2022

Revision date 11/04/2022

Safety Data Sheet acc. to OSHA HCS Trade name: Prostaglandin E2 methyl ester (Contd. from page 1) · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methyl acetate Prostaglandin E2 methyl ester Hazard statements H225 Highly flammable liquid and vapor. H302 Harmful if swallowed. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child. H336 May cause drowsiness or dizziness. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. P242 Take precautionary measures against static discharge. P243 P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271 P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. P330

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- IF exposed or concerned: Get medical advice/attention. P308+P313
- If eve irritation persists: Get medical advice/attention. P337+P313
- In case of fire: Use CO2, powder or water spray to extinguish. P370+P378
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- Store locked up. P405
 - Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:

· NFPA ratings (scale 0 - 4)



P501

(Contd. on page 3)

US

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



Fire = 3 Reactivity = 0

· Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

[·] Dangerous components:		
CAS: 79-20-9 RTECS: AI9100000	Methyl acetate	99.5%
CAS: 31753-17-0 RTECS: MJ9678000	Prostaglandin E2 methyl ester	0.5%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full iet
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4) us

Printing date 11/04/2022

Revision date 11/04/2022

(Contd. from page 3)

Trade name: Prostaglandin E2 methyl ester

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
79-20-9 Methyl acetate	250 ppm
PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
• PAC-3:	
79-20-9 Methyl acetate	10000* ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester (Contd. from page 4) · Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 79-20-9 Methyl acetate PEL Long-term value: 610 mg/m³, 200 ppm REL Short-term value: 760 mg/m³, 250 ppm Long-term value: 610 mg/m³, 200 ppm TLV Short-term value: 250 ppm Long-term value: 200 ppm • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles (Contd. on page 6)

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester

(Contd. from page 5)

Information on basic physical and c	hemical properties
General Information	-
Appearance:	11.21
Form:	Liquid
Color: Odor:	Colorless Pleasant
Structural Formula	C21H34O5
Molecular Weight	366.5 g/mol
Odor threshold:	Not determined.
Formulation	A solution in methyl acetate
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98.05 °C (-144.5 °F)
Boiling point/Boiling range:	57 °C (134.6 °F)
Flash point:	-13 °C (8.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	3.1 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)
Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)
Bulk density:	1 kg/m³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	220 ~//
Water at 20 °C (68 °F):	330 g/l
Partition coefficient (n-octanol/wate	rj: Not aeterminea.
Viscosity:	Not data wain a d
Dynamic: Kinematic:	Not determined. Not determined.
SOLUBILITY	DMF: >25 mg/ml; DMSO: >30 mg/ml; Ethanol: >50 mg/m
	PBS pH 7.2: >150 µg/ml
Solvent content:	
Organic solvents:	99.5 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal

Printing date 11/04/2022

Revision date 11/04/2022

(Contd. from page 6)

Trade name: Prostaglandin E2 methyl ester

Solids content:

0.0 %

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents, bases, acids
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:
 79-20-9 Methyl acetate

79-20-9 Methyla	20-9 Methyl acetate		
Oral	LD50	>5,000 mg/kg (rat)	
		3,705 mg/kg (rabbit)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	TCLO	15,000 mg/m³ (hmn)	
Irritation of skin	Irritation	500 mg/24h (rabbit)	
	Irritation	40 mg/kg/24h (rabbit)	
Irritation of eyes	Irritation	100 mg/24h (rabbit)	
	Intraperitoneal LD50	70 mg/kg (mouse)	
21752 17 0 Prostaglandin E2 mothul actor			

31753-17-0 Prostaglandin E2 methyl ester

Subcutaneous TDLO 2 mg/kg/4 days after concept (ham)

Primary irritant effect:

· on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester

(Contd. from page 7)

• OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1231	
UN proper shipping name		
DOT, IATA	Methyl acetate solution	
IMDĠ	METHYL ACETATE solution	
Transport hazard class(es)		
DOT		
RAMIABLE LOND		
3		
Class	3 Flammable liquids	

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester

	(Contd. from page
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	33 F-E,S-D
Stowage Category	B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 10)

⁻ US

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester

• TSCA (Toxic Substances Control Act):

(Contd. from page 9)

ACTIVE

· Hazardous Air Pollutants

79-20-9 Methyl acetate

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

Contact: -

• Date of preparation / last revision 11/04/2022 • Abbreviations and acronyms:

 ADDreviations and actornyms.

 IMDG: International Maritime Code for Dangerous Goods

 DOT: US Department of Transportation

 IATA: International Air Transport Association

 EINECS: European Inventory of Existing Commercial Chemical Substances

 ELINCS: European List of Notified Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 NFPA: National Fire Protection Association (USA)

 HMIS: Hazardous Materials Identification System (USA)

 VOC: Volatile Organic Compounds (USA, EU)

 LC50: Lethal concentration, 50 percent

 D50: Lethal dose, 50 percent

 PBT: Persistent, Bioaccumulative and Toxic

 vPvB: very Persistent and very Bioaccumulative

 NIOSH: National Institute for Occupational Safety

 OSHA: Occupational Safety & Health

115

Safety Data Sheet acc. to OSHA HCS

Printing date 11/04/2022

Revision date 11/04/2022

Trade name: Prostaglandin E2 methyl ester

(Contd. from page 10) TLV: Threshold Limit Value PEL: Permissible Exposure Limit PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Toxic to Reproduction 1B: Reproductive toxicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered.