

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/12/2023

Revision date 10/12/2023

Page 1/10


## **1 Identification**

## · Product identifier

 Trade name: <u>Sulprostone</u>
 Synonym
 (5Z)-7-[(1R,2R,3R)-3-hydroxy-2-[(1E,3R)-3-hydroxy-4-phenoxy-1-buten-1-yl]-5-oxocyclopentyl]-N-(methylsulfonyl)-5-heptenamide

- · Article number: 14765
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



Printing date 10/12/2023

Revision date 10/12/2023

Trade name: Sulprostone

	(Contd. from page 1)
• Hazard pictog	rams
_ <u>{%}</u> {!	
<u> </u>	
GHS02 GHS	
GHOUZ GHO	07 GHS08
· Signal word D	anger
-	nining components of labeling:
Methyl acetate	ining components of labeling.
Sulprostone	
· Hazard statem	ients
	mmable liquid and vapor.
	serious eye irritation.
	age fertility or the unborn child.
	se drowsiness or dizziness.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
D004 - D040	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
D200 - D242	present and easy to do. Continue rinsing.
P308+P313 P312	IF exposed or concerned: Get medical advice/attention.
P312 P337+P313	Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
1001	regulations.
<ul> <li>Classification</li> </ul>	0
· NFPA ratings (	
He He	ealth = 2
	re = 3
	eactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

(Contd. on page 3)

Printing date 10/12/2023

Revision date 10/12/2023

### Trade name: Sulprostone

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

•	Da	ng	er	ous	5 C	on	۱p	on	en	Its	:
---	----	----	----	-----	-----	----	----	----	----	-----	---

· Dangerous compon	ents.	
CAS: 79-20-9 RTECS: Al9100000	Methyl acetate	99.5%
CAS: 60325-46-4 RTECS: MJ8810000	Sulprostone	0.5%

## **4 First-aid measures**

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

(Contd. from page 2)

Printing date 10/12/2023

Revision date 10/12/2023

### Trade name: Sulprostone

(Co	ontd. from page 3)
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawd	ust).
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
79-20-9 Methyl acetate	250 ppm
· PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
· PAC-3:	
79-20-9 Methyl acetate	10000* ppm

## 7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
  Open and handle receptacle with care.
  Prevent formation of aerosols.
  Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
  Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

## 79-20-9 Methyl acetate

PEL Long-term value: 610 mg/m<sup>3</sup>, 200 ppm

(Contd. on page 5)

JS

Printing date 10/12/2023

Revision date 10/12/2023

## Trade name: Sulprostone

	(Contd. from page 4)
REL Short-term value: 760 mg/m <sup>3</sup> , 2 Long-term value: 610 mg/m <sup>3</sup> , 2	50 ppm
TLV Short-term value: 250 ppm	oo ppin
Long-term value: 200 ppm	
Additional information: The lists the	at were valid during the creation were used as basis.
<ul> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic m Keep away from foodstuffs, beverage Immediately remove all soiled and co Wash hands before breaks and at th Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.</li> <li>Breathing equipment:</li> </ul>	easures: es and feed. ontaminated clothing. e end of work.
	llution use respiratory filter device. In case of intensive or longer levice that is independent of circulating air.
<ul> <li>Due to missing tests no recomme preparation/ the chemical mixture. Selection of the glove material on degradation</li> <li>Material of gloves The selection of the suitable gloves quality and varies from manufactu substances, the resistance of the globe checked prior to the application. </li> <li>Penetration time of glove material</li> </ul>	eable and resistant to the product/ the substance/ the preparation. Indation to the glove material can be given for the product/ the consideration of the penetration times, rates of diffusion and the does not only depend on the material, but also on further marks of rer to manufacturer. As the product is a preparation of several ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has
9 Physical and chemical properties of the second structure of the second struc	chemical properties Liquid According to product specification Characteristic C23H31NO7S
	(Contd. on page 6) 

Printing date 10/12/2023

Revision date 10/12/2023

## Trade name: Sulprostone

	(Contd. from page s
· Molecular Weight · Odor threshold:	465.6 g/mol Not determined.
· Formulation	A solution in methyl acetate
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	57 °C (134.6 °F)
· Flash point:	-13 °C (8.6 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	454 °C (849.2 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	3.1 Vol %
Upper:	16 Vol %
<ul> <li>Vapor pressure at 20 °C (68 °F):</li> <li>Vapor pressure at 50 °C (122 °F):</li> </ul>	220 hPa (165 mm Hg) 800 hPa (600 mm Hg)
• Density at 20 °C (68 °F):	0.93 g/cm <sup>3</sup> (7.76085 lbs/gal)
· Bulk density:	1 kg/m <sup>3</sup>
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with Water at 20 °C (68 °F):</li> </ul>	330 g/l
. ,	-
Partition coefficient (n-octanol/water):	Not determined.
<ul> <li>Viscosity: Dynamic at 20 °C (68 °F):</li> </ul>	0.381 mPas
Kinematic:	Not determined.
SOLUBILITY	DMF: >10 mg/ml; DMSO: >14 mg/ml; PBS (pH 7.2): >4 mg
	ml; Ethanol: >25 mg/ml
· Solvent content:	
Organic solvents:	99.5 %
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 10/12/2023

Revision date 10/12/2023

(Contd. from page 6)

#### Trade name: Sulprostone

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

6,482 mg/kg (rat)

## **11 Toxicological information**

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 valu	ues that are rel	evant for classi	fication:

- 79-20-9 Methyl acetate
- Oral LD50

Inhalative LC50/4 h >49.2 mg/l (rabbit)

60325-46-4 Sulprostone

Intraperitoneal LD50 18 mg/kg (mouse) 12 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

US

Printing date 10/12/2023

Revision date 10/12/2023

(Contd. from page 7)

## Trade name: Sulprostone

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN1231	
· UN proper shipping name · DOT, IATA · IMDG	Methyl acetate solution METHYL ACETATE solution	
· Transport hazard class(es)		
DOT		
RAMARE COD		
Class	3 Flammable liquids	
· Label	3	
· Class	3 Flammable liquids	
· Label	3	
· Packing group · DOT, IMDG, IATA	II	
· Environmental hazards:	Not applicable.	
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids <b>):</b> 33 F-E,S-D B	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	

— US

Printing date 10/12/2023

Revision date 10/12/2023

Trade name: Sulprostone

	(Contd. from page 8
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IATA	
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

ACTIVE

• Hazardous Air Pollutants None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

## · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 10/12/2023

Revision date 10/12/2023

### Trade name: Sulprostone

(Contd. from page 9)

115

## · TLV (Threshold Limit Value)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 10/12/2023

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Toxic to Reproduction 1B: Reproductive toxicity - Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 \* \* Data compared to the previous version altered.