

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/05/2023 Revision date 04/05/2023

1 Identification

· Product identifier

· Trade name: <u>U-46619</u> · Article number: 16450

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
 Cayman Chemical Co.
 1180 E. Ellsworth Rd.
 Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Revision date 04/05/2023 Printing date 04/05/2023

Trade name: U-46619

· Hazard pictograms

(Contd. from page 1)







· Signal word Danger

· Hazard-determining components of labeling:

Methyl acetate

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray P261

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

· **vPvB:** Not applicable.

(Contd. from page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 79-20-9 RTECS: Al9100000	Methyl acetate	99.0%
CAS: 56985-40-1 RTECS: MJ9681090	U-46619	1.0%

4 First-aid measures

- · Description of first aid measures
- · **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Revision date 04/05/2023 Printing date 04/05/2023

Trade name: U-46619

(Contd. from page 3)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
79-20-9 Methyl acetate	250 ppm
· PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
· PAC-3:	
79-20-9 Methyl acetate	10000* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame.

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- **Storage:** Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	D-9 Methyl acetate
PEL	Long-term value: 610 mg/m³, 200 ppm
	Short-term value: 760 mg/m³, 250 ppm Long-term value: 610 mg/m³, 200 ppm
	Short-term value: 250 ppm Long-term value: 200 ppm
	(Contd. on page 5)

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

(Contd. from page 4)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Structural Formula C21H34O4
 Molecular Weight 350.5 g/mol
 Odor threshold: Not determined.

• Formulation A solution in methyl acetate

· **pH-value:** Not determined.

(Contd. on page 6)

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

Change in condition Melting point/Melting range: Boiling point/Boiling range: 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: Relative density Not determined. Vapor density Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined.			
Melting point/Melting range:		(Contd. from page	
Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. SoluBilITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 mg/PBS pH 7.2: >2 mg/ml Solivent content: Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	Melting point/Melting range:		
Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 3.1 Vol % Upper: 46 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 mg/PBs pH 7.2: >2 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.00 %	· Flash point:	-13 °C (8.6 °F)	
Decomposition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 mg/ml; PBS pH 7.2: >2 mg/ml Solivent content: Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Flammability (solid, gaseous):	Highly flammable.	
Ignition temperature: Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density: Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Not determined. Not determined. Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 mg/ml; PBS pH 7.2: >2 mg/ml Solids content: Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	· Auto igniting:	455 °C (851 °F)	
Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 800 hPa (165 mm Hg) Density at 20 °C (68 °F): 1 kg/m³ Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml; PBS pH 7.2: >2 mg/ml Solivent content: Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content:	· Decomposition temperature:	Not determined.	
vapor mixtures are possible.	· Ignition temperature:	Product is not selfigniting.	
Lower: Upper: 3.1 Vol % 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml; PBS pH 7.2: >2 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 % Solids content: 0.00 %	Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.	
Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Vinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml; PBS pH 7.2: >2 mg/ml Solvent content: 0.00 % Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Lower:	*** *** **	
Bulk density: Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Mot determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 mg/; PBS pH 7.2: >2 mg/ml Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content:			
Relative density Vapor density Vapor density Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml;PBS pH 7.2: >2 mg/ml Solvent content: Organic solvents: Organic solvents: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.00 %	Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)	
Water at 20 °C (68 °F): 330 g/l · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml; PBS pH 7.2: >2 mg/ml · Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Relative density Vapor density	Not determined. Not determined.	
Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml;PBS pH 7.2: >2 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 % Solids content: 0.0 %	· Solubility in / Miscibility with Water at 20 °C (68 °F):	330 g/l	
Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 m ml;PBS pH 7.2: >2 mg/ml Solvent content: 99.0 % VOC content: 0.00 % Solids content: 0.0 %	· Partition coefficient (n-octanol/wate	r): Not determined.	
Organic solvents: 99.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Dynamic: Kinematic:	Not determined. DMF: >100 mg/ml; DMSO: >100 mg/ml; Ethanol: >100 mg/ml	
23.000	Organic solvents:	0.00 %	
• Other information No further relevant information available.	Solids content:	0.0 %	
	Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

- No decomposition if used according to specifications.

 Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 7)

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

(Contd. from page 6)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

79-20-9 Methyl a	acetate	
Oral	LD50	>5,000 mg/kg (rat)
		3,705 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	TCLO	15,000 mg/m³ (hmn)
Irritation of skin	Irritation	500 mg/24h (rabbit) mild
	Irritation	40 mg/kg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit) moderate
	Intraperitoneal LD50	70 mg/kg (mouse)

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

Intraperitoneal TDLO 3 µg/kg (mouse)

- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

· Additional ecological information:

(Contd. from page 7)

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

14 Transport information

· Environmental hazards:

· Special precautions for user

· Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN1993	
· UN proper shipping name · DOT · IMDG	Flammable liquids, n.o.s. (Methyl acetate)	
·IATA	FLAMMABLE LIQUID, N.O.S. (Methyl acetate) Flammable liquid, n.o.s. (Methyl acetate)	
· Transport hazard class(es)		
· DOT		
RAMMARE LOUD.		
Class	3 Flammable liquids	
· Label		
IMDG, IATA		
· Class	3 Flammable liquids	
· Label	3	
Packing group		
· DOT, IMDG, IATA	II	

Not applicable.

Warning: Flammable liquids

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

	(Contd. from page
Hazard identification number (Kemler co	ode): 33 F-E,S-E
Stowage Category	B
Transport in bulk according to Annex II on MARPOL73/78 and the IBC Code	of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHY ACETATE), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 04/05/2023 Revision date 04/05/2023

Trade name: U-46619

(Contd. from page 9)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- · Date of preparation / last revision 04/05/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.