

Printing date 03/14/2022


Revision date 03/14/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: (±)-CP 47,497 (exempt preparation)
- · Article number: 16851
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

. ,				
· Hazard pictogra	(Contd. from page 1)			
\wedge				
GHS02 GHS0	6 GHS08			
· Signal word Da	nger			
 Hazard-determi Methanol 	ning components of labeling:			
 Hazard stateme 	ents			
H225	Highly flammable liquid and vapor.			
H301+H311+H3	31 Toxic if swallowed, in contact with skin or if inhaled.			
H370	Causes damage to the central nervous system and the visual organs.			
• Precautionary s				
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.			
P240	Ground/bond container and receiving equipment.			
P241	Use explosion-proof electrical/ventilating/lighting/equipment.			
P242	Use only non-sparking tools.			
P243	Take precautionary measures against static discharge.			
P260	Do not breathe dust/fume/gas/mist/vapors/spray.			
P264	Wash thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P301+P310	If swallowed: Immediately call a poison center/doctor.			
P321	Specific treatment (see on this label).			
P330	Rinse mouth.			
	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.			
P312	Call a poison center/doctor if you feel unwell.			
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.			
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.			
P403+P235	Store in a well-ventilated place. Keep cool.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Classification system:				
· NFPA ratings (scale 0 - 4)				
He:	alth = 0			



· HMIS-ratings (scale 0 - 4)

HEALTH*0FIRE3REACTIVITY0

(Contd. on page 3)

US

Printing date 03/14/2022

Revision date 03/14/2022

(Contd. from page 2)

99.0%

1.0%

Trade name: (±)-CP 47,497 (exempt preparation)

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- CAS: 67-56-1 Methanol RTECS: PC1400000
- RIECS. FC 1400000

Other ingredients

CAS: 70434-82-1 (±)-CP 47,497 RTECS: SL1952000

4 First-aid measures

Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed
- May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

(Contd. from page 3)

Personal precautions, protective equipment a	and emergency procedures
Mount respiratory protective device. Wear protective equipment. Keep unprotected pe	ersons away
• Environmental precautions:	soono anay.
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground v • Methods and material for containment and cla	
Absorb with liquid-binding material (sand, diatom	
Dispose contaminated material as waste accordi	ng to item 13.
Ensure adequate ventilation. Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protec	tion equipment.
See Section 13 for disposal information. Protective Action Criteria for Chemicals	
PAC-1:	
67-56-1 Methanol	530 ppm
PAC-2:	
67-56-1 Methanol	2,100 ppm
PAC-3:	
67-56-1 Methanol	7200* ppm
' Handling and storage	
 Handling: Precautions for safe handling 	
Ensure good ventilation/exhaustion at the workpl	ace.
Open and handle receptacle with care.	
Prevent formation of aerosols. Information about protection against explosion	one and fires:
Keep ignition sources away - Do not smoke.	
Protect against electrostatic charges.	
Keep respiratory protective device available.	
Conditions for safe storage, including any inc	compatibilities
 Storage: Requirements to be met by storerooms and response and respons	ecentacles: Store in a cool location
Information about storage in one common sto	
 Further information about storage conditions 	
	racles
Keep receptacle tightly sealed.	
Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed recept Specific end use(s) No further relevant informat	

• Additional information about design of technical systems: No further data; see item 7. (Contd. on page 5)

US

Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

(Contd. from page 4)

Com	ponents with limit values that require monitoring at the workplace:
67-5	6-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
Ingre	dients with biological limit values:
67-5	5-1 Methanol
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Imme Was Store Avoid Brea In ca expo	away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work. In protective clothing separately. If contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longe sure use respiratory protective device that is independent of circulating air. ection of hands:
	Protective gloves
Due prepa Sele degra Mate The quali	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks o ty and varies from manufacturer to manufacturer. As the product is a preparation of severa tances, the resistance of the glove material can not be calculated in advance and has therefore to necked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 03/14/2022

Revision date 03/14/2022

(Contd. from page 5)

Trade name: (±)-CP 47,497 (exempt preparation)

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: Colorless · Odor: Alcohol-like · Structural Formula C21H34O2 · Molecular Weight 318.5 g/mol · Odor threshold: Not determined. · Formulation A solution in methanol · pH-value: Not determined. · Change in condition Melting point/Melting range: -98 °C (-144.4 °F) **Boiling point/Boiling range:** 64.7 °C (148.5 °F) · Flash point: 11 °C (51.8 °F) · Flammability (solid, gaseous): Not applicable. 455 °C (851 °F) · Ignition temperature: Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: 5.5 Vol % Lower: 44 Vol % Upper: · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm3 (6.59255 lbs/gal) Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscositv: Dynamic: Not determined. **Kinematic:** Not determined. (Contd. on page 7)

US

Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

	(Contd. from page 6)
SOLUBILITY	DMF: 10 mg/ml; DMSO: 15 mg/ml; Ethanol: 10 mg/ml; Methanol: 12.5 mg/ml
· Solvent content:	
Organic solvents:	99.0 %
VOC content:	99.00 %
	782.1 g/l / 6.53 lb/gal
Solids content:	1.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:		
67-56-1 Methan	ol	
Oral	LDLO	143 mg/kg (hmn)
	TDLO	5 ml/kg (rat)
	LD50	5,600 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 mg/m³ (rat)
	LC50	61,100 mg/m³/134 m (mouse)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	Irritation	(rabbit)
	Irritation	5.63 mg/kg/exempt preparation (rabbit)
Irritation of eyes	Irritation	40 mg (rabbit)
	Intraperitoneal TDLO	5 mg/kg (rat)
	Intraperitoneal LD50	10,765 mg/kg (mouse)
	Subcutaneous LD50	143 mg/kg/human (mouse)
	Data	20 mg/24h (rabbit)
· Primary irritant effect:		

Primary irritant effect:

· on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

(Contd. on page 8)

⁻US

Printing date 03/14/2022

Revision date 03/14/2022

(Contd. from page 7)

Trade name: (±)-CP 47,497 (exempt preparation)

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, IMDG, IATA	UN1230	
· UN proper shipping name		
DOT, IATA	Methanol solution	

Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

WD0	(Contd. from page
IMDG	METHANOL solution
Transport hazard class(es)	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
Class Label	3 Flammable liquids
IATA	3/6.1
Class	3 Elammable liquids
Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis
	(Contd. on page

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

	(Contd. from page 9)
	Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

Printing date 03/14/2022

Revision date 03/14/2022

Trade name: (±)-CP 47,497 (exempt preparation)

	(Contd. from page 10)
 Department issuing SDS: Environment protection department. 	
· Contact: -	
Date of preparation / last revision 03/14/2022 / -	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 3: Acute toxicity – Category 3	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	
	US