

Printing date 01/11/2023

Revision date 01/11/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Methaqualone (CRM)
- · Article number: 20283
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	H301 Toxic if swallowed.
Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic in swallowed. H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to the central nervou system and the visual organs.

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

	(Contd. from page 1)
· Label element	ts
· GHS label ele	
The product is • Hazard pictog	classified and labeled according to the Globally Harmonized System (GHS). Irams
GHS02 GHS	606 GHS08
· Signal word D	-
	nining components of labeling:
Methanol	
Methaqualone	
· Hazard staten	
H225	Highly flammable liquid and vapor.
	I331 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Classification NFPA ratings 	
	lealth = 1
	real = 3
	eactivity = 0
\checkmark	•
	(Contd. on page 3)
	- US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

(Contd. from page 2)

99.9%

0.1%

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 67-56-1 RTECS: PC1400000	Methanol
CAS: 72-44-6 RTECS: VA3850000	Methaqualone

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 3)

Trade name: Methaqualone (CRM)

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol 530 ppm PAC-2: 67-56-1 Methanol 7200* ppm	 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. 	
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol 530 ppm PAC-2: 67-56-1 Methanol 2,100 ppm		
Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol 530 ppm PAC-2: 67-56-1 Methanol 2,100 ppm		
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol 530 ppm · PAC-2: 67-56-1 Methanol 2,100 ppm		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol 530 ppm PAC-3:		
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol · PAC-2: 67-56-1 Methanol · PAC-3:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sa Dispose contaminated material as waste according to item 13.	wdust).
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: 67-56-1 Methanol • PAC-2: 67-56-1 Methanol • PAC-3:	•	
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol 9AC-2: 67-56-1 Methanol 2,100 ppm PAC-3:	See Section 7 for information on safe handling.	
Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol 530 ppm PAC-2: 67-56-1 Methanol 2,100 ppm PAC-3:	See Section 8 for information on personal protection equipment.	
· PAC-1: 67-56-1 Methanol 530 ppm · PAC-2: 67-56-1 Methanol 2,100 ppm · PAC-3:		
67-56-1 Methanol 530 ppm · PAC-2: 67-56-1 Methanol 2,100 ppm · PAC-3: · · · · · · · · · · · · · · · · · · ·	 Protective Action Criteria for Chemicals 	
PAC-2: 67-56-1 Methanol 2,100 ppm PAC-3:	PAC-1:	
67-56-1 Methanol 2,100 ppm	67-56-1 Methanol	530 ppm
PAC-3:	· PAC-2:	
	67-56-1 Methanol	2,100 ppm
67-56-1 Methanol 7200* ppm	· PAC-3:	
	67-56-1 Methanol	7200* ppm

7 Handling and storage

- Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

(Contd. from page 4)

8 Exposure controls/p	ersonal protection
· Additional information al	bout design of technical systems: No further data; see item 7.
The following constituen recommended exposure li	alues that require monitoring at the workplace: It is the only constituent of the product which has a PEL, TLV or other mit. constituent has no known exposure limits.
67-56-1 Methanol	
PEL Long-term value: 260 REL Short-term value: 329 Long-term value: 260 Skin	5 mg/m³, 250 ppm) mg/m³, 200 ppm
TLV Short-term value: 250 Long-term value: 200 Skin; BEI	
· Ingredients with biologic	al limit values:
67-56-1 Methanol	
BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol	(background, nonspecific)
Wash hands before breaks Store protective clothing se Avoid contact with the eyes • Breathing equipment: In case of brief exposure exposure use respiratory p • Protection of hands:	ygienic measures: s, beverages and feed. iled and contaminated clothing. s and at the end of work. eparately.
Protective gloves	S
Due to missing tests no preparation/ the chemical r Selection of the glove ma degradation • Material of gloves The selection of the suitab	be impermeable and resistant to the product/ the substance/ the preparation. recommendation to the glove material can be given for the product/ the mixture. aterial on consideration of the penetration times, rates of diffusion and the ole gloves does not only depend on the material, but also on further marks of nanufacturer to manufacturer. As the product is a preparation of several
substances, the resistance be checked prior to the ap	e of the glove material can not be calculated in advance and has therefore to

— US

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 5)

Trade name: Methaqualone (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
Structural Formula	C16H14N2O
Molecular Weight	250.3 g/mol
Odor threshold:	Not determined.
Formulation	A 1 mg/ml solution in methanol
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully missible
Walti.	Fully miscible.

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

(Contd.	from page 6
Not determined.	
Not determined.	
99.90 %	
999.0 g/l / 8.34 lb/gal	
0.1 %	
No further relevant information available.	
	Not determined. Not determined. 99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal 0.1 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

Irritation of eyes Irritation

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	100,000 mg/kg
Inhalative	LC50/4 h	3 mg/l
67-56-1 Methar	ol	
Oral	LDLO	143 mg/kg (hmn)
	TDLO	5 ml/kg (rat)
	LD50	5,600 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 mg/m³ (rat)
	LC50	61,100 mg/m³/134 m (mouse)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	Irritation	(rabbit)
	Irritation	5.63 mg/kg/exempt preparation (rabbit)

40 mg (rabbit)

10,765 mg/kg (mouse)

20 mg/24h (rabbit)

143 mg/kg/human (mouse)

Intraperitoneal TDLO 5 mg/kg (rat)

Intraperitoneal LD50 Subcutaneous LD50

Data

(Contd. on page 8)

– us

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

72-44-6 Methag	ualone	(Contd. from page 7
Oral	LDLO	114 mg/kg (man)
	LD50	185 mg/kg (rat)
	Intraperitoneal LD50	125 mg/kg (rat)
on the eye: No		
• Additional toxic The product sh preparations: Toxic	-	:
• Additional toxic The product sh preparations: Toxic • Carcinogenic c	cological information: ows the following dan ategories	: gers according to internally approved calculation methods for
• Additional toxic The product sh preparations: Toxic • Carcinogenic c	cological information: ows the following dan ategories onal Agency for Rese	ers according to internally approved calculation methods for
Additional toxic The product sh preparations: Toxic Carcinogenic c IARC (Internation None of the ingr	cological information: ows the following dan ategories onal Agency for Rese	ers according to internally approved calculation methods for
 Additional toxic The product sh preparations: Toxic Carcinogenic c IARC (Internation None of the ingreparation) 	cological information: ows the following dan ategories onal Agency for Rese edients is listed. Foxicology Program)	ers according to internally approved calculation methods for
 Additional toxic The product sh preparations: Toxic Carcinogenic c IARC (International None of the ingr NTP (National None of the ingr 	cological information: ows the following dan ategories onal Agency for Rese edients is listed. Foxicology Program)	gers according to internally approved calculation methods for a second s

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

US

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1992
UN proper shipping name	
DOT	Flammable liquids, toxic, n.o.s. (Methanol)
IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL
ΙΑΤΑ	Flammable liquid, toxic, n.o.s. (METHANOL)
Transport hazard class(es)	
DOT	
RAMARE LODO	
Class	3 Flammable liquids
Label	3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
	2 Elemenable liquide
Class Label	3 Flammable liquids 3 (6.1)
Packing group	- (···)
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemle	
EMS Number:	F-E,S-D
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.

Printing date 01/11/2023

(Contd. from page 8)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

	(Contd. from page 9
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
·IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
72-44-6 Methaqualone	INACTIVE
· Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
[·] Chemicals known to cause cancer:	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for females: 	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
	(Contd. on page 1

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Methaqualone (CRM)

(Contd. from page 10)

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 01/11/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 ** Data compared to the previous version altered.