

Page 1/10

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/26/2025 Revision date 03/26/2025

#### 1 Identification

· Product identifier

· Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

· Synonym

(R)-2,3-bis(((5Z,8Z,11Z,14Z)-icosa-5,8,11,14-tetraenoyl)oxy)propyl (2-(trimethylammonio)ethyl) phosphate;DAPC; 1,2-Diarachidonoyl-sn-glycero-3-Phosphatidylcholine; 20:4 (cis) PC

· Other means of identification

· Article number: 20953

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable liquids 2 H225 Highly flammable liquid and vapor.



Eye irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

· Hazard pictograms





GHS02 GHS07

### · Signal word Danger

#### · Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

#### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210

No smoking.

P233 Keep container tightly closed.

Ground / bond container and receiving equipment. P240

Use explosion-proof [electrical/ventilating/lighting] equipment. P241

Use non-sparking tools. P242

P243 Take action to prevent static discharge.

Wash thoroughly after handling. P264

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

- · Information pertaining to particular dangers for man and environment:
- Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3Reactivity = 0

#### HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3

Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 3)

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

(Contd. from page 2)

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5 RTECS: KQ6300000	ethanol	99.0%	
· Other ingredients			
17688-29-8 1,2-Diarachidonoyl-sn-glycero-3-PC		1.0%	

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

· Protective Action Criteria for Chemicals

(Contd. from page 3)

#### · PAC-1:

64-17-5 ethanol

1,800 ppm

#### · PAC-2:

64-17-5 ethanol

3300\* ppm

#### · PAC-3:

64-17-5 ethanol

15000\* ppm

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

(Contd. from page 4)

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin. **Breathing equipment:** Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

General Information

Physical state
Color:
Odor:
Structural Formula
Molecular Weight
Liquid
Colorless
Alcohol-like
C48H80NO8P
830.1 g/mol

· Storage Buffer

Odor threshold:
 Formulation
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Not determined.
 A solution in ethanol
 114 °C (-173.2 °F)
 78 °C (172.4 °F)
 Highly flammable.

· Explosion limits:

Lower:
Upper:
19 Vol %
Flash point:
Auto igniting:
Decomposition temperature:
PH-value:
3.3 Vol %
19 Vol %
19 Vol %
125 °C (797 °F)
Not determined.

(Contd. on page 6)

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

(Contd. from page 5)

· Viscosity:

Kinematic: Not determined.SOLUBILITY Ethanol: 25 mg/ml

• **Dynamic at 20 °C (68 °F):** 1.2 mPas

Solubility in / Miscibility with

Water at 20 °C (68 °F):
Partition coefficient (n-octanol/water):
Vapor pressure at 20 °C (68 °F):
Vapor pressure at 50 °C (122 °F):
1,000 g/l
Not determined.
59 hPa (44.3 mm Hg)
280 hPa (210 mm Hg)

• Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)
• Relative density Not determined.

Relative density
 Vapor density
 Particle characteristics
 Not determined.
 Not applicable.

· Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

· Solvent content:

· Organic solvents: 99.0 % · VOC content: 99.00 %

990.0 g/l / 8.26 lb/gal

· Solids content: 1.0 %

· Change in condition

• Evaporation rate Not determined.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

64-17-5 etha
--------------

Oral LD50 10,470 mg/kg (rat)
OECD Test Guideline 401

(Contd. on page 7)

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

Inhalative LC50/4 h OECD 403 (rat) (Contd. from page 6)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

64-17-5 ethanol

1

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. from page 7)

UN-Number	
DOT, IMDG, IATA	UN1170
UN proper shipping name DOT IMDG	Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOH SOLUTION) Ethanol solution
Transport hazard class(es)	
DOT	
RAMMARE LOUIS  Class	3 Flammable liquids
Label	3
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 500 ml

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

	(Contd. from page 8	
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.	
Special precautions for user	Warning: Flammable liquids	
· Hazard identification number (Kemler code): 33		
· EMS Number:	F-E,S-D	
· Stowage Category	A	
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture. No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

64-17-5 ethanol

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

64-17-5 ethanol A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Date of issue: 03/26/2025 Revision date 03/26/2025

Trade name: 1,2-Diarachidonoyl-sn-glycero-3-PC

(Contd. from page 9)

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- · Date of previous version 10/17/2022
- Date of preparation 03/26/2025
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

\* Data compared to the previous version altered.

US