

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/27/2025

Revision date 02/27/2025

Page 1/11

US

1 Identification · Product identifier Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt) • Synonym (R)-2,3-bis(oleoyloxy)propyl hydrogen phosphate, monoammoniumsalt · Other means of identification · Article number: 20956 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute toxicity - dermal 2 H310 Fatal in contact with skin. Acute toxicity - inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the Reproductive toxicity 2 unborn child. Specific target organ toxicity (repeated exposure) 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. (Contd. on page 2)

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

(Contd. from page 1)

		(Contd. from page
\wedge		
GHS0	17	
\mathbf{V}		
Acute toxicity -	oral 4	H302 Harmful if swallowed.
Skin irritation 2		
		H315 Causes skin irritation.
Eye irritation 2A		H319 Causes serious eye irritation.
Specific target of	organ toxicity (single exposure) 3	H336 May cause drowsiness or dizziness.
Label elements	5	
GHS label elen	nents	
The product is a	classified and labeled according to t	he Globally Harmonized System (GHS).
Hazard pictogi	rams	
\wedge		
325		
GHS06 GHS	07 GHS08	
Signal word Da	anger	
Hazard-determ	ining components of labeling:	
Chloroform		
Hazard statem	ents	
H302 Harmful if	f swallowed.	
H310 Fatal in co	ontact with skin.	
H331 Toxic if in		
H315 Causes s		
	erious eye irritation.	
	d of causing cancer.	
	d of damaging fertility or the unborr	i child.
	e drowsiness or dizziness.	
		em, the kidneys, the liver and the respiratory syste
	rolonged or repeated exposure.	
Precautionary		
P201	Obtain special instructions befo	
P202		ecautions have been read and understood.
P260	Do not breathe dust/fume/gas/n	
P262	Do not get in eyes, on skin, or c	
P264	Wash thoroughly after handling	
P270	Do not eat, drink or smoke whe	
P271	Use only outdoors or in a well-v	
P280		tive clothing/eye protection/face protection/heari
D201+D242	protection.	or/doctor if you fool upwoll
P301+P312 P302+P352	If swallowed: Call a poison cent If on skin: Wash with plenty of v	
P302+P352 P304+P340		
		esh air and keep comfortable for breathing. water for several minutes. Remove contact lenses
P305+P351+P3	nrecent and easy to do Continu	
	present and easy to do. Continu	
P310	Immediately call a poison cente	r/doctor.
P310 P308+P313	Immediately call a poison cente IF exposed or concerned: Get r	r/doctor. nedical advice/attention.
P310 P308+P313 P321	Immediately call a poison cente IF exposed or concerned: Get r Specific treatment (see on this l	r/doctor. nedical advice/attention. abel).
P310 P308+P313 P321 P314	Immediately call a poison cente IF exposed or concerned: Get r Specific treatment (see on this I Get medical advice/attention if y	r/doctor. nedical advice/attention. abel).
P310 P308+P313 P321	Immediately call a poison cente IF exposed or concerned: Get r Specific treatment (see on this I Get medical advice/attention if y Rinse mouth.	r/doctor. nedical advice/attention. abel).

us -----

Date of issue: 02/27/2025

Revision date 02/27/2025

rade name: 1,2-Dioleoyl-sn-glyc	ero-3-PA (ammonium salt)	
P337+P313If eye irritationP403+P233Store in a wP405Store lockedP501Dispose of corregulations.	ion occurs: Get medical advice/attention. on persists: Get medical advice/attention. ell-ventilated place. Keep container tightly closed. d up. contents/container in accordance with local/regional/ ticular dangers for man and environment:	(Contd. from page 2) /national/international
Health = 2 Fire = 0 Reactivity = 0		
· HMIS-ratings (scale 0 - 4)		
HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0		
precursor products. Hazards not otherwise classi	ject to the classifications provided by importers of fied or health effects known that are not covered by the h	
3 Composition/informatio	n on ingredients	
 Chemical characterization: M Description: Mixture of the sul 	lixtures bstances listed below with nonhazardous additions.	
Dangerous components: CAS: 67-66-3 Chlorofor		99.5%
CAS: 67-66-3 Chlorofor RTECS: FS9100000		99.0%
Other ingredients		
1,2-Dioleoyl-sn-glycero-3-PA (a	ımmonium salt)	0.5%
4 First-aid measures		
· Description of first aid measure	ures	

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

(Contd. on page 4)

US

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

(Contd. from page 3)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed
 No further relevant information available.
 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2.0 ppm
PAC-2:	
67-66-3 Chloroform	64 ppm
PAC-3:	
67-66-3 Chloroform	3200 ppm
Potoronco to other sections	

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

(Contd. on page 5)

US

Date of issue: 02/27/2025

Revision date 02/27/2025

(Contd. from page 4)

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

• **Information about protection against explosions and fires:** Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• Storage: Store in accordance with information listed on the product insert.

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

REL Short-term value: 9.78* mg/m³, 2* ppm

*60-min; See Pocket Guide App. A

TLV Long-term value: 10 ppm

A3

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

(Contd. from page 5)

al properties
Liquid
According to product specification
Pleasant
C39H72O8P • NH4
718.0 g/mol
Not determined.
A solution in chloroform
-63.5 °C (-82.3 °F)
61 °C (141.8 °F)
Not applicable.
Not determined.
Not determined.
Not applicable.
982 °C (1,799.6 °F)
Not determined.
Not determined.
Not determined
Not determined.
Chloroform: 20 mg/ml 0.56 mPas
0.00 IIIF a5
8 g/l
Not determined.
211 hPa (158.3 mm Hg)
211 m a (188.8 mm ng)
1.48 g/cm³ (12.3506 lbs/gal)
Not determined.
Not determined.
Not applicable.
Liquid
llth
Droduct is not colfigniting
Product is not selfigniting. Product does not present an explosion hazard.

(Contd. on page 7)

US

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

(Contd. from page 6)

- Solvent content:
 VOC content:
- · Solids content:
- · Change in condition
- · Evaporation rate

0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %

Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents, strong bases
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, hydrogen chloride gas

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

OralLD50913 mg/kg (rat)InhalativeLC50/4 h3.12 mg/l (rat)

67-66-3 Chloroform

Oral	LD50	908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert judgment

Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Toxic
- Harmful Irritant
- Intere

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

 IARC (International Agency for Research on Cancer) 	
67-66-3 Chloroform	2B
· NTP (National Toxicology Program)	
67-66-3 Chloroform	R
	(Contd. on page 8)

- US

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1888	
 UN proper shipping name DOT, IATA IMDG 	Chloroform solution CHLOROFORM solution	
· Transport hazard class(es)		
DOT		
TOXIC		
Class	6.1 Toxic substances	

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

	(Contd. from page
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code EMS Number:	e): 60 F-A,S-A
Segregation groups	(SGG10) Liquid halogenated hydrocarbons
Stowage Category	Â
Stowage Code	SW2 Clear of living quarters.
UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

67-66-3 Chloroform

(Contd. on page 10)

US

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

	(Contd. from page
Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
· TSCA (Toxic Substances Control Act):	
67-66-3 Chloroform	ACTIVE
· Hazardous Air Pollutants	
67-66-3 Chloroform	
Chemicals known to cause cancer:	
67-66-3 Chloroform	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, NI
· TLV (Threshold Limit Value)	
67-66-3 Chloroform	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	·
67-66-3 Chloroform	
Chemical safety assessment: A Chemical Safety Assessment has not be	en carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of previous version 08/18/2022
- Date of preparation 02/27/2025
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

US

Date of issue: 02/27/2025

Revision date 02/27/2025

Trade name: 1,2-Dioleoyl-sn-glycero-3-PA (ammonium salt)

(Contd. from page 10) vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute toxicity - oral 4: Acute toxicity - Category 4 Acute toxicity - oral 4: Acute toxicity - Category 2 Acute toxicity - inhalation 3: Acute toxicity - Category 3 Skin irritation 2: Skin corrosion/irritation - Category 2 Eye irritation 2: Skin corrosion/irritation - Category 2 Reproductive toxicity 2: Carcinogenicity - Category 2 Reproductive toxicity 2: Reproductive toxicity - Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3 Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) - Category 1

** Data compared to the previous version altered.

US -