

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 01/21/2025

Revision date 01/21/2025

Page 1/11

1 Identification · Product identifier Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC · Synonym (7R,17Z,20Z)-4-hydroxy-N,N,N-trimethyl-9-oxo-7-[[(1-oxohexadecyl)oxy]methyl]-3,5,8-trioxa-4phosphahexacosa-17,20-dien-1-aminium-4-oxide, inner salt · Other means of identification · Article number: 20962 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department · Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute toxicity - inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. Reproductive toxicity 2 H361 Suspected of damaging fertility or the unborn child. Specific target organ toxicity (repeated exposure) 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. (Contd. on page 2) US

1

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

(Contd. from page 1)

		(Contd. from page 1
\wedge		
GHS(זר	
	anal 4	1200 Llamaful if availanced
Acute toxicity -		H302 Harmful if swallowed.
Skin irritation 2		H315 Causes skin irritation.
Eye irritation 2A	A	H319 Causes serious eye irritation.
Specific target	organ toxicity (single exposure) 3	H336 May cause drowsiness or dizziness.
Label element	S	
GHS label eler		
The product is	classified and labeled according to	the Globally Harmonized System (GHS).
Hazard pictog	rams	
\wedge		
285		
GHS06 GHS	607 GHS08	
Signal word D	obdor	
-	C	
	nining components of labeling:	
Chloroform		
Hazard statem		
H302 Harmful i		
H331 Toxic if ir		
H315 Causes s		
	serious eye irritation.	
	ed of causing cancer.	n shild
	ed of damaging fertility or the unborn se drowsiness or dizziness.	n child.
		tem, the kidneys, the liver and the respiratory syster
	prolonged or repeated exposure.	
Precautionary		
P201	Obtain special instructions befo	pre use.
P202		ecautions have been read and understood.
P260	Do not breathe dust/fume/gas/r	
P264	Wash thoroughly after handling	J.
P270	Do not eat, drink or smoke whe	
P271	Use only outdoors or in a well-v	
P280		ctive clothing/eye protection/face protection/hearin
	protection.	
P301+P312	If swallowed: Call a poison cen	ter/doctor if you feel unwell.
P330	Rinse mouth.	
P302+P352	If on skin: Wash with plenty of y	
P304+P340		resh air and keep comfortable for breathing.
F303+F331+P	present and easy to do. Continu	water for several minutes. Remove contact lenses,
P308+P313	IF exposed or concerned: Get i	
P321	Specific treatment (see on this	
P314	Get medical advice/attention if	
P362+P364	Take off contaminated clothing	
P332+P313	If skin irritation occurs: Get me	
P337+P313	If eye irritation persists: Get me	
P403+P233	Store in a well-ventilated place.	
	[·····	(Contd on page


(Contd. on page 3)

US

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC



17708-90-6 1-Hexadecanoyl-2-(cis-9,12-octadecadienoyl)-sn-glycero-3-phosphocholine

4 First-aid measures

Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)

US

Date of issue: 01/21/2025

Revision date 01/21/2025

(Contd. from page 3)

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2 ppm
· PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3,200 ppm
Reference to other sections	· · · · ·

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

(Contd. on page 5)

US -

Date of issue: 01/21/2025

Revision date 01/21/2025

(Contd. from page 4)

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

- PEL Ceiling limit value: 240 mg/m³, 50 ppm
- REL Short-term value: 9.78* mg/m³, 2* ppm
 - *60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm

A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

(Contd. from page 5) • Eye protection: Safety glasses Tightly sealed goggles **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Physical state Liquid · Color: Colorless · Odor: Pleasant · Structural Formula C42H80NO8P · Molecular Weight 758.1 g/mol · Storage Buffer · Odor threshold: Not determined. · Formulation A solution in chloroform · Melting point/Melting range: -63.5 °C (-82.3 °F) Boiling point/Boiling range: 61 °C (141.8 °F) · Flammability: Not applicable. · Explosion limits: · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. Auto igniting: 982 °C (1,799.6 °F) · Decomposition temperature: Not determined. pH-value: Not determined. · Viscosity: · Kinematic: Not determined. · SOLUBILITY Ethanol: 50 mg/ml; Ethanol:PBS(pH 7.2) (1:1): 0.5 mg/ml · Dynamic at 20 °C (68 °F): 0.56 mPas · Solubility in / Miscibility with · Water at 20 °C (68 °F): 8 g/l Partition coefficient (n-octanol/water): Not determined. · Vapor pressure at 20 °C (68 °F): 211 hPa (158.3 mm Hg) · Vapor pressure: Density at 20 °C (68 °F): 1.48 g/cm³ (12.3506 lbs/gal) · Relative density Not determined. · Vapor density Not determined. Particle characteristics Not applicable. Other information · Appearance: · Form: Liquid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 7)

-US

Date of issue: 01/21/2025

Revision date 01/21/2025

(Contd. from page 6)

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

 Solvent content: 	
 VOC content: 	

· Solids content:

- Change in condition
- · Evaporation rate

0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %

Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents, strong bases
- · Hazardous decomposition products:
- carbon monoxide, chlorine, hydrogen chloride gas, nitrogen oxides, phosgene gas

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 917 mg/kg (rat) Inhalative LC50/4 h 3.13 mg/l (rat)

67-66-3 Chloroform

Oral	LD50	908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert iudgment

Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Toxic
- Harmful
- Irritant

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-66-3 Chloroform

(Contd. on page 8)

2B

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

(Contd. from page 7)

R

· NTP (National Toxicology Program)

67-66-3 Chloroform

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information
 No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1888	
· UN proper shipping name		
	Chloroform solution	
·IMDG	CHLOROFORM solution	

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

	(Contd. from page
Transport hazard class(es)	
DOT	
Тохіс	
6	
₩	
Class	6.1 Toxic substances
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IATA	
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimi
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-A
Segregation groups	(SGG10) Liquid halogenated hydrocarbons
Stowage Category Stowage Code	A SW2 Clear of living quarters.
UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III
LIN "Model Pequilation"	

(Contd. on page 10)

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

(Contd. from page 9)

	ealth and environmental regulations/legislation specific for the substance or relevant information available.	mixture
· Sara		
	55 (extremely hazardous substances):	
67-66-3	Chloroform	
Section 3	13 (Specific toxic chemical listings):	
67-66-3 C	Chloroform	
•	oxic Substances Control Act):	
67-66-3 C	Chloroform	ACTIV
	is Air Pollutants	
67-66-3	Chloroform	
	s known to cause cancer:	
67-66-3	Chloroform	
Chemical	s known to cause reproductive toxicity for females:	
None of th	ne ingredients is listed.	
	s known to cause reproductive toxicity for males:	
None of the	ne ingredients is listed.	
	s known to cause developmental toxicity:	
67-66-3	Chloroform	
Carcinog	enic categories	
•	ironmental Protection Agency)	
67-66-3	Chloroform	B2, L, N
TLV (Thre	eshold Limit Value)	
67-66-3	Chloroform	A
NIOSH-C	a (National Institute for Occupational Safety and Health)	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- Date of previous version 04/07/2022
- Date of preparation 01/21/2025
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Date of issue: 01/21/2025

Revision date 01/21/2025

Trade name: 1-Palmitoyl-2-linoleoyl-sn-glycero-3-PC

	om page 10)
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute toxicity - oral 4: Acute toxicity – Category 4	
Acute toxicity - inhalation 3: Acute toxicity – Category 3	
Skin irritation 2: Skin corrosion/irritation – Category 2	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Reproductive toxicity 2: Reproductive toxicity – Category 2	
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	
Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1	
• * Data compared to the previous version altered.	
	US -