

Printing date 05/31/2023

Revision date 05/31/2023

Page 1/10

#### **1** Identification


- · Product identifier
- · Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture
- Article number: 21393
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

#### · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



Printing date 05/31/2023

Revision date 05/31/2023

### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

	(Contd. from page 1)
· Signal word D	-
<ul> <li>Hazard statem</li> </ul>	
	mmable liquid and vapor.
	serious eye irritation.
• Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
<ul> <li>Classification</li> </ul>	system:
· NFPA ratings	(scale 0 - 4)
	ealth = 2
	re = 3 eactivity = 0
· HMIS-ratings (	(scale 0 - 4)
FIRE 3	lealth = 2 Fire = 3 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

<ul> <li>Dangerous compon</li> </ul>	ents:	
CAS: 64-17-5 RTECS: KQ6300000		99.9991%
· Other ingredients		
CAS: 745-64-2 RTECS: UK8358000	Prostaglandin F3α	0.0001%
CAS: 802-31-3	Prostaglandin E3	0.0001%
CAS: 86282-92-0	15(S)-HEPE	0.0001%
	(Con	td. on page 3)

Printing date 05/31/2023

Revision date 05/31/2023

#### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

		(Contd. from page 2)
CAS: 92008-51-0	5(S)-HEPE	0.0001%
CAS: 99217-77-3	(±)8-HEPE	0.0001%
CAS: 99217-78-4	(±)11-HEPE	0.0001%
CAS: 116180-17-7	12(S)-HEPE	0.0001%
CAS: 141110-17-0	(±)18-HEPE	0.0001%
CAS: 286390-03-2	(±)9-HEPE	0.0001%

#### **4 First-aid measures**

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

#### • After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
  Wear protective equipment. Keep unprotected persons away.
   Environmental precautions:
  Dilute with plenty of water.
  Do not allow to enter sewers/ surface or ground water.
   Methods and material for containment and cleaning up:
  Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  Dispose contaminated material as waste according to section 13.
  Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

PAC-1:

#### 64-17-5 ethanol

1,800 ppm (Contd. on page 4)

US

Printing date 05/31/2023

Revision date 05/31/2023

#### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

(Contd. from page 3)

3300\* ppm

15000\* ppm

· PAC-3:

· PAC-2:

64-17-5 ethanol

64-17-5 ethanol

## 7 Handling and storage

· Handling:

- Precautions for safe handling
   No special precautions are necessary if used correctly.
   Avoid breathing dust/fume/gas/mist/vapours/spray.

   Avoid prolonged or repeated exposure.
   Keep away from sources of ignition.
   Take precautionary measures against static discharge.re.
   Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

#### Control parameters

Components with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

- PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1000 ppm

A3

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: Not required.

(Contd. on page 5)

US

Printing date 05/31/2023

Revision date 05/31/2023

#### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

(Contd. from page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

### **9** Physical and chemical properties

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	a chemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Alcohol-like
Odor threshold:	Not determined.
· Formulation	A solution in ethanol (1 µg/ml each compound)
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-114 °C (-173.2 °F)
Boiling point/Boiling range:	78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
<sup>.</sup> Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.
· Explosion limits:	
Lower:	3.3 Vol %

Printing date 05/31/2023

Revision date 05/31/2023

#### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

	(Contd. from page	e 5)
Upper:	19 Vol %	
<ul> <li>Vapor pressure at 20 °C (68 °F):</li> <li>Vapor pressure at 50 °C (122 °F):</li> </ul>	59 hPa (44.3 mm Hg) 280 hPa (210 mm Hg)	
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with Water at 20 °C (68 °F):</li> </ul>	1,000 g/l	
· Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic at 20 °C (68 °F):</li> <li>Kinematic:</li> </ul>	1.2 mPas Not determined.	
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	100.0 % 100.00 % 1,000.0 g/l / 8.35 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

#### 64-17-5 ethanol

LD50	10,470 mg/kg (rat)
	10,470 mg/kg (rat) OECD Test Guideline 401
LC50/4 h	117–125 mg/l (rat)
	OECD 403 (rat)
	LC50/4 h

#### · Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 7)

Printing date 05/31/2023

Revision date 05/31/2023

(Contd. from page 6)

1

#### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

#### • Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

#### 64-17-5 ethanol

#### • NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

#### · Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1170	
· UN proper shipping name		
DOT	Ethanol solutions	

Printing date 05/31/2023

Revision date 05/31/2023

## Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

IMDG       ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION)         IATA       Ethanol solution         Transport hazard class(es)       DOT         Image: Solution Solution       Stammable liquids         Class       3 Flammable liquids         Label       3         IMDG, IATA       Stammable liquids         IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG Limited quantities (EQ)       1L         Excepted quantities (EQ)       1L         Excepted quantities (EQ)       1L         Kamarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.		
SOLUTION)         IATA         Ethanol solution         Transport hazard class(es)         DOT         Class         Import For the second of the secon		(Contd. from page
Transport hazard class(es)         DOT         IDC         Class       3 Flammable liquids         Label       3         IMDG, IATA         IMDG, IATA         Image: Class       3 Flammable liquids         Label       3         Packing group       1         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       EMS Number:         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport /Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 500 ml         Maximum net quantity per outer packaging: 500 ml         Maximum net quantity per outer packaging: 500 ml         Maximum net accepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 26.10.         Remarks:       When sold i	· IMDG	
DOT Class 3 Flammable liquids Label 3 IMDG, IATA Class 3 Flammable liquids Label 3 Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard Identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging des not have to be labeled a		
Class       3         Label       3         IMDG, IATA       3         IMDG, IATA       5         Class       3         Flammable liquids       3         IMDG, IATA       5         Class       3         Packing group       1         DOT, IMDG, IATA       1         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       8         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1       Excepted quantities (LQ)         Limited quantities (LQ)       1       Excepted quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 500 ml Maximum net scoepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities excepted Quantity code of E1, E2, E4, or E5, this item to to the labeled a Therefore packaging dees not have to be labeled a Therefore packaging dees not have to be labeled a Therefore packaging dees not have tor	· Transport hazard class(es)	
Label       3         IMDG, IATA       IMDG, IATA         IMDG, IATA       Image: State of the state of	DOT	
Label       3         IMDG, IATA       IMDG, IATA         IMDG, IATA       Image: State of the state of	PAMARE DOD	
IMDG, IATA         View         Class       3 Flammable liquids         Label       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled an Company of the period of the period of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.	· Class	3 Flammable liquids
Class       3 Flammable liquids         Label       3         Packing group       J         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E, S-D         Stowage Category       A         Transport in bulk according to Annex II of       MARPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml       Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 26.10.         Therefore packaging does not have to be labeled an to the to be labeled an to 1 may compare the packaging does not have to be labeled an to 1 may compare the packaging does not have to be labeled an to 1 may compare theoremeackaging does not have to	<sup>.</sup> Label	3
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Excepted quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.	· IMDG, IATA	
Label       3         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Excepted quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.		
DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       Fe,S.D         EMS Number:       F-E,S.D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       Limited quantities (LQ)         Limited quantities (EQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       Remarks:         When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.	· Class · Label	
Environmental hazards:       Not applicable.         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	Packing group	П
Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 33       33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.		
Hazard identification number (Kemler code): 33         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.		
EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LDOT Quantity limitationsIL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG Limited quantities (LQ)       1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         IATA Remarks:       When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	EMS Number:	
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L         On cargo aircraft only: 60 L       On cargo aircraft only: 60 L         IMDG       1L         Excepted quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minimi         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a	· Stowage Category	
DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	Transport/Additional information:	
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	-	
IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minimi         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a	-	On passenger aircraft/rail: 5 L
Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         IATA         Remarks:       When sold in quantities of less than or equal to 1 ml         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minimi         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a	-	On cargo aircraft only: 60 L
Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	IMDG	
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATARemarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a		
IATARemarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	Excepted quantities (EQ)	
IATARemarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a		
Remarks:When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	. IATA	
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a		When sold in quantities of less than or equal to 1 ml
Dangerous Goods/Excepted Quantity.		or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a
		Dangerous Goods/Excepted Quantity.

US -

Printing date 05/31/2023

Revision date 05/31/2023

#### Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

(Contd. from page 8)

· UN "Model Regulation":

UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

## **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

None of the ingredients is listed.	
• Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
64-17-5 ethanol	ACTIVE
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
64-17-5 ethanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been ca	rried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 10)

<sup>-</sup> ÚS

Printing date 05/31/2023

Revision date 05/31/2023

## Trade name: EPA Oxylipin MaxSpec® LC-MS Mixture

	(Contd. from page 9
Department issuing SDS: Environment protection department.	
Contact: -	
Date of preparation / last revision 05/31/2023	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, ÉU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	