

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Page 1/10

1 Identification

- · Product identifier
- [·] Trade name: <u>EOS (d18:1/32:1/18:2)</u>
- · Synonym
- 9Z,12Z-octadecadienoic acid, (10Z)-32-[[(1S,2R,3E)-2-hydroxy-1-(hydroxymethyl)-3-heptadecen-1-yl] amino]-32-oxo-10-dotriaconten-1-yl ester
- · Other means of identification
- · Article number: 22442
- · Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department

• Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Germ cell mutagenicity 2	H341 Suspected of causing genetic defects.
Carcinogenicity 2	H351 Suspected of causing cancer.
Specific target organ toxicity (repeated exposure) 1	H372 Causes damage to organs through
	prolonged or repeated exposure.

GHS07

Acute toxicity - oral 4 Skin irritation 2 Eye irritation 2A H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation.

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2) (Contd. from page 1) Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation. Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Dichloromethane · Hazard statements H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H372 Causes damage to organs through prolonged or repeated exposure. · Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P330 Rinse mouth. P302+P352 If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. P304+P340 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. P308+P313 P321 Specific treatment (see on this label). P314 Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Information pertaining to particular dangers for man and environment: · Classification system: · NFPA ratings (scale 0 - 4) Health = 2 Fire = 0Reactivity = 0 (Contd. on page 3)

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2)

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH 2		Health = 2
	-	Fire = 0
		Reactivity =

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

0

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 75-09-2 Dichloromethane RTECS: PA8050000

99.9%

0.1%

· Other ingredients

1318771-31-1 EOS (d18:1/32:1/18:2)

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

(Contd. on page 4)

US

Date of issue: 03/27/2025

Revision date 03/27/2025

(Contd. from page 3)

Trade name: EOS (d18:1/32:1/18:2)

· Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

· Protective Action Criteria for Chemicals

Protective Action Criteria for Chemicals	
· PAC-1:	
75-09-2 Dichloromethane	200 ppm
PAC-2:	
75-09-2 Dichloromethane	560 ppm
· PAC-3:	
75-09-2 Dichloromethane	6,900 ppm
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

75-09-2 Dichloromethane

PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052

(Contd. on page 5)

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2)

(Contd. from page 4)

Inar	dients with biological limit values:
-	9-2 Dichloromethane
	0.3 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Dichloromethane (semi-quantitative)
Add	litional information: The lists that were valid during the creation were used as basis.
Evn	osure controls
	propriate engineering controls No further data; see section 7.
	sonal protective equipment:
	eral protective and hygienic measures:
Kee	p away from foodstuffs, beverages and feed.
	rediately remove all soiled and contaminated clothing.
	sh hands before breaks and at the end of work.
	e protective clothing separately. id contact with the eyes and skin.
	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or long
	osure use respiratory protective device that is independent of circulating air.
Prof	tection of hands:
111	Protective gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation
	to missing tests no recommendation to the glove material can be given for the product/ t
	paration/ the chemical mixture.
	ection of the glove material on consideration of the penetration times, rates of diffusion and t radation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks
qua	lity and varies from manufacturer to manufacturer. As the product is a preparation of seve
	stances, the resistance of the glove material can not be calculated in advance and has therefore
	checked prior to the application.
	etration time of glove material exact break through time has to be found out by the manufacturer of the protective gloves and h
	e observed.
	protection:
	ety glasses
	Tightly sealed goggles
	Tighting scaled goggles

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2)

(Contd. from page 5)

Information on basic physical and chemic	al properties
General Information	
Physical state	Liquid
Color:	Colorless
Odor:	Like chlorine
Structural Formula	C68H127NO5
Molecular Weight	1038.8 g/mol
Storage Buffer	
Odor threshold:	Not determined.
Formulation	A solution in dichloromethane
Melting point/Melting range:	-95 °C (-139 °F)
Boiling point/Boiling range:	40 °C (104 °F)
Flammability:	Not applicable.
Explosion limits:	.h.h
Lower:	13 Vol %
Upper:	22 Vol %
Flash point:	Not applicable.
Auto igniting:	605 °C (1,121 °F)
Decomposition temperature:	Not determined.
pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
SOLUBILITY	DMF: 0.15 mg/ml
Dynamic at 20 °C (68 °F):	0.43 mPas
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	20 g/l
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
Vapor pressure:	
Density at 20 °C (68 °F):	1.33 g/cm³ (11.09885 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	99.9 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
Change in condition	
Evaporation rate	Not determined.

(Contd. on page 7)

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2)

(Contd. from page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	· LD/LC50 values that are relevant for classification:		
	75-09-2 Dichloromethane		
	Oral	LD50	>2,000 mg/kg (rat) OECD Test Guideline 401
	Dermal	LD50	>2,000 mg/kg (rat) OECD Test Guideline 402
	Inhalative	LC50/4 h	86 mg/l (rat)
1	· Primary irritant offoct:		

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Harmful
- Irritant
- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
75-09-2 Dichloromethane	2A			
· NTP (National Toxicology Program)				
75-09-2 Dichloromethane	R			
· OSHA-Ca (Occupational Safety & Health Administration)				
75-09-2 Dichloromethane				
Alternative sources for toxicological information				

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

US

Date of issue: 03/27/2025

Revision date 03/27/2025

(Contd. from page 7)

Trade name: EOS (d18:1/32:1/18:2)

• Mobility in soil No further relevant information available.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1593	
UN proper shipping name DOT, IATA IMDG	Dichloromethane DICHLOROMETHANE	
Transport hazard class(es)		
DOT		
TOXIC 6		
Class Label	6.1 Toxic substances 6.1	
IMDG, IATA		
Class	6.1 Toxic substances	
Label	6.1	
Packing group DOT, IMDG, IATA	Ш	
Environmental hazards:	Not applicable.	

US

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	(Contd. from page Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Toxic substances 60 F-A,S-A
Segregation groups Stowage Category	(SGG10) Liquid halogenated hydrocarbons A
UN "Model Regulation":	UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

 Section 	355 (extremely hazardous substances):
None of	the ingredients is listed.
· Section	313 (Specific toxic chemical listings):
75-09-2	Dichloromethane
· TSCA (T	oxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- 75-09-2 Dichloromethane
 Hazardous Air Pollutants
- 75-09-2 Dichloromethane
- · Chemicals known to cause cancer:
- 75-09-2 Dichloromethane
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

⁻ US

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: EOS (d18:1/32:1/18:2)

(Contd. from page 9)

L

A3

119

city:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

75-09-2 Dichloromethane

TLV (Threshold Limit Value)

75-09-2 Dichloromethane

· NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2 Dichloromethane

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of previous version 10/19/2022
- Date of preparation 03/27/2025
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Acute toxicity - oral 4: Acute toxicity - Category 4 Skin irritation 2: Skin corrosion/irritation - Category 2 Eye irritation 2A: Serious eye damage/eye irritation - Category 2A Germ cell mutagenicity 2: Germ cell mutagenicity - Category 2 Carcinogenicity 2: Carcinogenicity – Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3 Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) - Category 1 * Data compared to the previous version altered.