

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/21/2025

Revision date 02/21/2025

Page 1/11

## **1** Identification · Product identifier • Trade name: Meperidine-d5 (hydrochloride) (exempt preparation) • Synonym 1-methyl-4-(phenyl-d5)-4-piperidinecarboxylic acid, ethyl ester, monohydrochloride · Other means of identification · Article number: 23788 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute toxicity - oral 3 H301 Toxic if swallowed. Acute toxicity - dermal 3 H311 Toxic in contact with skin. Acute toxicity - inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard Sensitization - respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Specific target organ toxicity (single exposure) 1 H370 Causes damage to the central nervous system and the visual organs.

(Contd. on page 2)

<sup>•</sup> US

Date of issue: 02/21/2025

Revision date 02/21/2025

## Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

(Contd. from page 1)


	(Contd. from page 1)
<b>^</b>	
GHS07	
V	
Sensitization - skir	H317 May cause an allergic skin reaction.
Label elements	
GHS label elemer	
The product is class	ssified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogram	ns
<b>&lt; () &gt; &lt; &gt; &gt; &gt; &gt; &gt; &gt; &gt; &gt; &gt; &gt;</b>	
$\nabla$ $\vee$	
GHS02 GHS06	GHS08
Signal word Dang	ner
-	-
	ing components of labeling:
Methanol	
Meperidine-d5 (hy	drochloride)
Hazard statement	ts
H225	Highly flammable liquid and vapor.
H301+H311+H331	1 Toxic if swallowed, in contact with skin or if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H370	Causes damage to the central nervous system and the visual organs.
Precautionary sta	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
1210	No smoking.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
0004	protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P353	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a poison center/doctor.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
	(Contd. on page 3)

(Contd. on page 3)

<sup>-</sup>US

Date of issue: 02/21/2025

Revision date 02/21/2025



· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 67-56-1	Methanol	99.9%
RTECS: PC1400000		
CAS: 1330180-05-6	Meperidine-d5 (hydrochloride)	0.1%

### 4 First-aid measures

### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

US

Date of issue: 02/21/2025

Revision date 02/21/2025

(Contd. from page 3)

#### Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
   Dilute with plenty of water.
   Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Protective Action Criteria for Chemicals
- • PAC-1:
   67-56-1
   Methanol
   530 ppm

   • PAC-2:
   530 ppm
   530 ppm

67-56-1 Methanol

PAC-3:

67-56-1 Methanol

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• **Storage:** Store in accordance with information listed on the product insert.

(Contd. on page 5)

2,100 ppm

7200\* ppm

US

Date of issue: 02/21/2025

Revision date 02/21/2025

Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)				
(Contd. from page 4) • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No further relevant information available.				
8 Exposure controls/personal protection				
<ul> <li>Control parameters</li> <li>Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.</li> </ul>				
67-56-1 Methanol				
PEL Long-term value: 260 mg/m <sup>3</sup> , 200 ppm REL Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin				
TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc				
· Ingredients with biological limit values:				
67-56-1 Methanol				
BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)				
• Additional information: The lists that were valid during the creation were used as basis.				
<ul> <li>Exposure controls</li> <li>Appropriate engineering controls No further data; see section 7.</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.</li> <li>Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li>Protection of hands:</li> </ul>				
Protective gloves				
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)				

(Contd. on page 6)

US -

Date of issue: 02/21/2025

Revision date 02/21/2025

#### Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

#### • Material of gloves

(Contd. from page 5)

7)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### • Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

<ul> <li>Information on basic physical and chemical Concernent information</li> </ul>	properties	
· General Information	Linuid	
· Physical state	Liquid	
Color:	According to product specification	
· Odor:	Alcohol-like	
Structural Formula	C15H16D5NO2 • HCI	
· Molecular Weight	288.8 g/mol	
Storage Buffer		
· Odor threshold:	Not determined.	
· Formulation	A 1 mg/ml solution in methanol	
<ul> <li>Melting point/Melting range:</li> </ul>	-98 °C (-144.4 °F)	
<ul> <li>Boiling point/Boiling range:</li> </ul>	64.7 °C (148.5 °F)	
· Flammability:	Highly flammable.	
· Explosion limits:		
· Lower:	5.5 Vol %	
· Upper:	44 Vol %	
· Flash point:	9.7 °C (49.5 °F)	
· Auto igniting:	455 °C (851 °F)	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· pH-value:	Not determined.	
Viscosity:		
· Kinematic:	Not determined.	
·SOLUBILITY		
· Dynamic:	Not determined.	
<ul> <li>Solubility in / Miscibility with</li> </ul>		
· Water at 20 °C (68 °F):	1000 g/l	
· Partition coefficient (n-octanol/water):	Not determined.	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
· Vapor pressure:		
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Particle characteristics	Not applicable.	
	· ·	(Contd. on page 7
		(

Date of issue: 02/21/2025

Revision date 02/21/2025

#### Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

	(Contd. from page 6)
• Other information	
· Appearance:	
· Form:	Liquid
<ul> <li>Important information on protection of hea and environment, and on safety.</li> </ul>	lth
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Solvent content:	
· Organic solvents:	99.9 %
· VOC content:	99.90 %
	999.0 g/l / 8.34 lb/gal
· Solids content:	0.1 %
· Change in condition	
Evaporation rate	Not determined.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	100 mg/kg (rat)	
Dermal	LD50	300 mg/kg (rabbit)	
Inhalative	LC50/4 h	100 mg/kg (rat) 300 mg/kg (rabbit) 3.08 mg/l (rat)	

#### 67-56-1 Methanol

Г

Oral	LD50	100.1 mg/kg (rat)
		(Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table
		3.1/3.2)
		Symptoms: Nausea, Vomiting
		(Contd. on page 8)

(Contd. on page 8)

Date of issue: 02/21/2025

Revision date 02/21/2025

		(Contd. from page	
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Tab 3.1/3.2)	
Inhalative	LC50/4 h	<ul> <li>3.1 mg/l (rat)</li> <li>(Expert judgment)</li> <li>Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Tab 3.1/3.2)</li> <li>Symptoms: Irritation symptoms in the respiratory tract.</li> </ul>	
· Primary ir			
· on the sk			
on the ey		ting effect.	
Sensitizat			
		le through inhalation. le through skin contact.	
		gical information:	
The product shows the following dangers according to internally approved calculation methods for preparations:			
Toxic			
Harmful			
Irritant			
· Interactiv	e effects l	No interactive effects between components are known.	
· Carcinogenic categories			
· IARC (Inte	ernational	Agency for Research on Cancer)	
None of th	e ingredie	nts is listed.	
· NTP (Nati	NTP (National Toxicology Program)		
None of the ingredients is listed.			
OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			
None of th	Alternative sources for toxicological information		
· Alternativ		s for toxicological information urces for toxicological information where used.	

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 9)

US

Date of issue: 02/21/2025

Revision date 02/21/2025

### Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

(Contd. from page 8)

### **13 Disposal considerations**

· Waste treatment methods

### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

	UN1992
UN proper shipping name DOT IMDG IATA	Flammable liquids, toxic, n.o.s. (Methanol) FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol) Flammable liquid, toxic, n.o.s. (Methanol)
Transport hazard class(es)	
DOT	
I LAMAREE LOUD 3 6	
Class Label	3 Flammable liquids 3, 6.1
IMDG	0, 0.1
Class	3 Flammable liquids
Label	3/6.1
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Date of issue: 02/21/2025

Revision date 02/21/2025

### Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

	(Contd. from page
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
· IMDG	
<ul> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler cod</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	Warning: Flammable liquids <b>le):</b> 336 F-E,S-D B SW2 Clear of living quarters.
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II

## **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
· Hazardous Air Pollutants	
67-56-1 Methanol	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
<ul> <li>Chemicals known to cause reproductive toxicity for females:</li> </ul>	
None of the ingredients is listed.	
<ul> <li>Chemicals known to cause reproductive toxicity for males:</li> </ul>	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
	(Contd. on page 11)
	US

Date of issue: 02/21/2025

#### Trade name: Meperidine-d5 (hydrochloride) (exempt preparation)

(Contd. from page 10)

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of previous version 08/08/2022
- Date of preparation 02/21/2025
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- BEI: Biological Exposure Limit
- Flammable liquids 2: Flammable liquids Category 2
- Acute toxicity oral 3: Acute toxicity Category 3
- Sensitization respiratory 1: Respiratory sensitisation Category 1
- Sensitization skin 1: Skin sensitisation Category 1
- Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) Category 1
- \* \* Data compared to the previous version altered.