

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/04/2025 Revision date 02/04/2025

1 Identification

· Product identifier

· Trade name: γ-Lindane

· **Synonym** 1α,2α,3β,4α,5α,6β-hexachloro-cyclohexane

· CAS Number:

58-89-9

· Other means of identification

· Article number: 23952

• EC number: 200-401-2 • Index number: 602-043-00-6

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CĂNADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute toxicity - oral 3

H301 Toxic if swallowed.



GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.

Specific target organ toxicity (repeated exposure) 2 H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: y-Lindane

(Contd. from page 1)



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting

effects.



Acute toxicity - dermal 4 H312 Harmful in contact with skin.

Acute toxicity - inhalation 4 H332 Harmful if inhaled.

Reproductive toxicity - effects on or via lactation H362 May cause harm to breast-fed children.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS06 GHS08 GHS09

· Signal word Danger

Hazard statements

H301 Toxic if swallowed.

H312+H332 Harmful in contact with skin or if inhaled.

H350 May cause cancer.

H362 May cause harm to breast-fed children.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists.

P263 Avoid contact during pregnancy and /while nursing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.
P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: y-Lindane

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Information pertaining to particular dangers for man and environment:

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2
Fire = 0
Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description 58-89-9 γ-Lindane

Identification number(s)
EC number: 200-401-2
Index number: 602-043-00-6

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 4)

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: γ-Lindane

(Contd. from page 3)

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- · Protective Action Criteria for Chemicals
- · PAC-1: 9.1 mg/m³
- · PAC-2: 100 mg/m³
- · PAC-3: 1,000 mg/m³
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

US

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: y-Lindane

(Contd. from page 4)

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

58-89-9 γ-Lindane

PEL Long-term value: 0.5 mg/m³

Skin

REL Long-term value: 0.5 mg/m³

Skir

TLV Long-term value: 0.5 mg/m³

Skin, A3

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- 119

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: y-Lindane

(Contd. from page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Solid

Color: Not determined.
 Odor: Nearly odorless
 Structural Formula C6H6Cl6
 Molecular Weight 290.8 g/mol

· Storage Buffer

· Odor threshold: Not determined.

· Formulation

· Melting point/Melting range: 112–114 °C (233.6–237.2 °F)

Boiling point/Boiling range: 323.4 °C (614.1 °F)
Flammability: Product is not flammable.

Explosion limits:

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH-value: Not applicable.

· Viscosity:

· Kinematic: Not applicable.

SOLUBILITY Chloroform: 50 mg/ml; Ethanol: >1 mg/ml; Methanol:

>1 mg/ml; Water: 8.35 mg/ml

• **Dynamic:** Not applicable.

Solubility in / Miscibility with

• Water at 20 °C (68 °F): 0.01 g/l

Partition coefficient (n-octanol/water): Not determined.

• Vapor pressure at 20 °C (68 °F): 0.000012 hPa (0 mm Hg)

· Vapor pressure:

Density at 20 °C (68 °F): 1.9 g/cm³ (15.8555 lbs/gal)

Relative density
 Vapor density
 Particle characteristics
 Not determined.
 Not applicable.
 Not determined.

· Other information · Appearance:

· Form: Solid

· Important information on protection of health

and environment, and on safety.

Ignition temperature: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

Change in condition

· Evaporation rate Not applicable.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 7)

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: γ-Lindane

(Contd. from page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, hydrogen chloride gas

11 Toxicological information

- · RTECS Number GV4900000
- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LDLO	840 mg/kg (human)	
	TDLO	111 ml/kg (chd)	
	LD50	76 mg/kg (rat)	
Dermal	LD50	900 mg/kg (rat)	
	Intraperitoneal LD50	35 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 1
- · NTP (National Toxicology Program) R
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.
- · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 8)

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: γ-Lindane

Very toxic for aquatic organisms

(Contd. from page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· UN-Number · DOT, IMDG, IATA	UN2811
· UN proper shipping name · DOT · IMDG · IATA	Toxic solids, organic, n.o.s. (γ-Lindane) TOXIC SOLID, ORGANIC, N.O.S. (γ-Lindane) Toxic solid, organic, n.o.s. (γ-Lindane)
Transport hazard class(es)	
DOT	
TOXIC	
· Class · Label	6.1 Toxic substances 6.1
·IMDG	
· Class	6.1 Toxic substances
· Label	6.1
·IATA	
Class	6.1 Toxic substances
· Label	6.1
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Environmentally hazardous substance, solid

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: y-Lindane

	(Contd. from page 8
· Marine pollutant:	Symbol (fish and tree)
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg
· IMDG	E.l.o.
· Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at Dangerous Goods/Excepted Quantity.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Toxic substances 60 F-A,S-A A
· UN "Model Regulation":	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (γ LINDANE), 6.1, III, ENVIRONMENTALL HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) A3
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

(Contd. on page 10)

Date of issue: 02/04/2025 Revision date 02/04/2025

Trade name: y-Lindane

(Contd. from page 9)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- Date of previous version 05/19/2022
- Date of preparation 02/04/2025
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute toxicity - oral 3: Acute toxicity - Category 3 Acute toxicity - dermal 4: Acute toxicity - Category 4

Carcinogenicity 1A: Carcinogenicity – Category 1A

Reproductive toxicity - effects on or via lactation: Reproductive toxicity - effects on or via lactation

Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.