

Printing date 02/22/2022


Revision date 02/22/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: <u>Hydroxyzine</u>
- · Article number: 24039
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

P308+P313

P337+P313

P342+P311 P370+P378

P403+P235

P314

P405

P501

| · Hazard pictograr | (Contd. from page 1) |
|---|---|
| | |
| | |
| GHS02 GHS08 | |
| · Signal word Dang | ger |
| · Hazard-determin | ing components of labeling: |
| Hydroxyzine | |
| Hazard statemen | ts |
| H225 Highly flamr | nable liquid and vapor. |
| H319 Causes seri | |
| | allergy or asthma symptoms or breathing difficulties if inhaled. |
| | e fertility or the unborn child. |
| | nage to organs through prolonged or repeated exposure. |
| Precautionary state | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P284 | [In case of inadequate ventilation] wear respiratory protection. |
| P303+P361+P353 | B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P341 | If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable |

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international

In case of fire: Use CO2, powder or water spray to extinguish.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Get medical advice/attention if you feel unwell.

regulations. · Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 3 Reactivity = 0

for breathing.

Store locked up.

(Contd. on page 3)

US

Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

(Contd. from page 2)

99.0%

1.0%

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:CAS: 64-17-5ethanolRTECS: KQ6300000

CAS: 68-88-2 Hydroxyzine RTECS: KK2275000

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

Printing date 02/22/2022

Revision date 02/22/2022

(Contd. from page 3)

Trade name: Hydroxyzine

· Advice for firefighters

• Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

| Personal precautions, protective equipment and emergency procedures | |
|---|------------|
| Mount respiratory protective device. | |
| Wear protective equipment. Keep unprotected persons away. | |
| Environmental precautions: Dilute with plenty of water | |
| Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. | |
| · Methods and material for containment and cleaning up: | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawd | uet) |
| Dispose contaminated material as waste according to item 13. | ust). |
| Ensure adequate ventilation. | |
| · Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| Protective Action Criteria for Chemicals | |
| · PAC-1: | |
| 64-17-5 ethanol | 1,800 ppm |
| · PAC-2: | |
| 64-17-5 ethanol | 3300* ppm |
| · PAC-3: | |
| 64-17-5 ethanol | 15000* ppm |
| | |
| | |
| 7 Handling and storage | |
| | |

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Store in cool, any containons in wen search receptacies.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

US

Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

(Contd. from page 4)

US

8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 64-17-5 ethanol PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1000 ppm A3 • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 6)

Printing date 02/22/2022

Revision date 02/22/2022

(Contd. from page 5)

Trade name: Hydroxyzine

· Eye protection:



Tightly sealed goggles

| 9 Physical and chemical prope | rties |
|---|--|
| · Information on basic physical and o | chemical properties |
| · General Information | siemen properties |
| · Appearance: | |
| Form: | Liquid |
| Color: | Colorless |
| · Odor: | Alcohol-like |
| · Structural Formula | C21H27CIN2O2 |
| · Molecular Weight | 374.9 g/mol |
| Odor threshold: | Not determined. |
| · Formulation | A solution in ethanol |
| · pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | -114.5 °C (-174.1 °F) |
| Boiling point/Boiling range: | 78 °C (172.4 °F) |
| · Flash point: | 13 °C (55.4 °F) |
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | 425 °C (797 °F) |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| [.] Danger of explosion: | Product is not explosive. However, formation of explosive air vapor mixtures are possible. |
| · Explosion limits: | |
| Lower: | 3.5 Vol % |
| Upper: | 15 Vol % |
| · Vapor pressure at 20 °C (68 °F): | 59 hPa (44.3 mm Hg) |
| · Density at 20 °C (68 °F): | 0.79 g/cm³ (6.59255 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water at 20 °C (68 °F): | 1,000 g/l |
| · Partition coefficient (n-octanol/wate | er): Not determined. |
| · Viscosity: | |
| Dynamic at 20 °C (68 °F): | 1.2 mPas |
| Kinematic: | Not determined. |
| | (Contd. on page |

US

Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

| | (Contd. from page 6) |
|---------------------|---|
| SOLUBILITY | Ethanol: 10 mg/ml; Methanol: slightly soluble; DMSO: slightly soluble |
| · Solvent content: | |
| Organic solvents: | 99.0 % |
| VOC content: | 99.00 % |
| | 990.0 g/l / 8.26 lb/gal |
| Solids content: | 1.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides, phosgene

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

| ATE (Acute To | xicity Estimate) | |
|--------------------|----------------------|---------------------------|
| Oral | LD50 | 50,000 mg/kg |
| 64-17-5 ethano | I | |
| Oral | TDLO | 1.14 ml/kg (man) |
| | LD50 | 7,060 mg/kg (rat) |
| | TDLO | 650 (man) |
| Dermal | LD50 | 40,000 mg/kg (rat) |
| Inhalative | TCLO | 1,800 (hmn) |
| | LC50 | 10 h - 20,000 mg/m³ (rat) |
| | LD50 Inhalation TCLO | 1,800 mg/m³/30m (hmn) |
| Irritation of skin | TDLO | 1,800 mg/kg (wmn) |
| | Intraperitoneal LD50 | 280 mg/kg (rat) |
| 68-88-2 Hydrox | yzine | |
| Oral | LD50 | 840 mg/kg (rat) |
| | Intraperitoneal LD50 | 81,300 μg/kg (mouse) |
| | Intraperitoneal LD50 | 160 mg/kg (rat) |

• on the skin: No irritant effect.

• on the eye: Irritating effect.

· Sensitization: Sensitization possible through inhalation.

(Contd. on page 8)

US

Printing date 02/22/2022

Revision date 02/22/2022

(Contd. from page 7)

1

Trade name: Hydroxyzine

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

Imiani

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- $^{\cdot}$ DOT, IMDG, IATA

UN1170

(Contd. on page 9)

US -

Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

| | (Contd. from page |
|---|---|
| UN proper shipping name | |
| DOT | Ethanol solutions |
| IMDG | ETHANOL SOLUTION (ETHYL ALCOHO |
| ΙΑΤΑ | SOLUTION) Ethanol solution |
| Transport hazard class(es) | |
| | |
| | |
| Class | 3 Flammable liquids |
| | 3 |
| IMDG, IATA | |
| | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group DOT, IMDG, IATA | 11 |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): | |
| EMS Number: | F-E,S-D |
| Stowage Category | A |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| - | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| ΙΑΤΑ | ······································ |
| | |

Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

| | (Contd. from page 9) |
|--------------------------|--|
| · Remarks: | When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. |
| · UN "Model Regulation": | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

64-17-5 ethanol

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of

Printing date 02/22/2022

Revision date 02/22/2022

Trade name: Hydroxyzine

| (Contd. from page these data. It shall be the user's responsibility to develop proper methods of handling and person protection based on the actual conditions of use. While this SDS is based on technical data judged be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy the information contained herein. | naÍ I to |
|---|-------------|
| Department issuing SDS: Environment protection department. Contact: - Date of preparation / last revision 02/22/2022 / - Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPW: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLY: Threshold Limit Value PEL: Permissible Exposure Limit Recommended Exposure Limit Rel: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2A Resp. 5: Respiratory sensitisation – Category 1 Repr. 18: Reproductive toxicity – Category 18 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 | — US — |
| | 00 |