

Page 1/10

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 11/08/2024 Revision date 11/08/2024

#### 1 Identification

· Product identifier

· Trade name: Captan

· Synonym NSC 36726

3a,4,7,7a-tetrahydro-2-[(trichloromethyl)thio]-1H-isoindole-1,3(2H)-dione

· CAS Number: 133-06-2

· Other means of identification

· Article number: 24138

• EC number: 205-087-0 • Index number: 613-044-00-6

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute toxicity - inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

(Contd. on page 2)

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 1)



Eye damage 1 H318 Causes serious eye damage.



Aquatic Acute 1 H400 Very toxic to aquatic life.



Sensitization - skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



P310









GHS05 GHS06 GHS07 GHS08 GHS09

#### · Signal word Danger

#### · Hazard statements

H331 Toxic if inhaled.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

### **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

(Contd. on page 3)

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 2)

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Information pertaining to particular dangers for man and environment:
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 4 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.12000

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description 133-06-2 Captan

Identification number(s)

· EC number: 205-087-0

· Index number: 613-044-00-6

### 4 First-aid measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 3)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- · Protective Action Criteria for Chemicals
- · PAC-1: 15 mg/m<sup>3</sup>
- · PAC-2: 26 mg/m<sup>3</sup>
- · **PAC-3**: 160 mg/m<sup>3</sup>
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

110

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 4)

### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### 133-06-2 Captan

REL Long-term value: 5 mg/m³

See Pocket Guide App. A
TLV Long-term value: 5\* mg/m³
DSEN;\*as inhalable fraction, A3

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

- US

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 5)

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Solid

Color: Not determined.
 Odor: Characteristic
 Structural Formula C9H8Cl3NO2S
 Molecular Weight 300.6 g/mol

· Storage Buffer

· Odor threshold: Not determined.

· Formulation

Melting point/Melting range:
 Boiling point/Boiling range:
 Undetermined.

· **Flammability:** Product is not flammable.

**Explosion limits:** 

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH-value: Not applicable.

Viscosity:

· Kinematic: Not applicable.

· SOLUBILITY Chloroform: Slightly Soluble; Methanol: Slightly

Soluble

· **Dynamic:** Not applicable.

Solubility in / Miscibility with

Water at 20 °C (68 °F):
 Partition coefficient (n-octanol/water):
 Vapor pressure:
 Vapor pressure:

· Vapor pressure:

Density: Not determined.
 Relative density Not determined.
 Vapor density Not applicable.
 Particle characteristics Not determined.

Other information Appearance:

Form: Solid Important information on protection of health

and environment, and on safety.

Ignition temperature: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

Change in condition

· Evaporation rate Not applicable.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 7)

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong bases
- · Hazardous decomposition products:

carbon dioxide, carbon monoxide, hydrogen chloride gas, nitrogen oxides, sulfur oxides

### 11 Toxicological information

- · RTECS Number GW5075000
- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

Oral	LDLO	1,071 mg/kg (human)
		,
	TDLO	150 ml/kg (woman)
	LD50	9 g/kg (rat)
	Interperitoneal LDLO	25 mg/kg (rat)
	Intraperitoneal LD50	30 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer) 3
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.
- Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

### 12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

Very toxic for aquatic organisms

(Contd. from page 7)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2811
UN proper shipping name	
DOT	Toxic solids, organic, n.o.s. (Captan)
IMDG	TOXIC SOLID, ORGANIC, N.O.S. (Captan)
IATA	Toxic solid, organic, n.o.s. (Captan)
Transport hazard class(es)	
DOT	
TOXIC 6	
Class	6.1 Toxic substances
Label	6.1
IMDG	
**************************************	
Class	6.1 Toxic substances
Label	6.1
IATA	
6	
Class	6.1 Toxic substances
Label	6.1
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Environmentally hazardous substance, solid

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

	(Contd. from page
· Marine pollutant:	Symbol (fish and tree)
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	500 g Code: E4 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 500 g
· IATA · Remarks:	When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Toxic substances 60 F-A,S-A B
UN "Model Regulation":	UN 2811 TOXIC SOLID, ORGANIC, N.O.S (CAPTAN), 6.1, II, ENVIRONMENTALL HAZARDOUS

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) A3
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Date of issue: 11/08/2024 Revision date 11/08/2024

Trade name: Captan

(Contd. from page 9)

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- Contact: -
- · Date of previous version 09/20/2022
- Date of preparation 11/08/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute toxicity - inhalation 3: Acute toxicity - Category 3

Eye damage 1: Serious eye damage/eye irritation - Category 1

Sensitization - skin 1: Skin sensitisation - Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

\* Data compared to the previous version altered.

- US