

*

*

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/12/2025

Revision date 02/12/2025

Page 1/10

Ide	ntification
· Pro	duct identifier
• Syn (+-); 2,2- 2,2- 3,3- 3,3- Bicy dl-C • CAS 79-{ • Oth	er means of identification
• EC 201 • App	cle number: 24478 number: 234-8 lication of the substance / the mixture product is for research use - Not for human or veterinary diagnostic or therapeutic use.
• Maı Cay 118	nils of the supplier of the safety data sheet ufacturer/Supplier: man Chemical Co.) E. Ellsworth Rd. Arbor, MI 48108
· Em Dur US/	rmation department: Product safety department ergency telephone number: ng normal opening times: +1 (734) 971-3335 CANADA: 800-424-9300 side US/CANADA: 703-741-5970
) Ha	ard(s) identification
	sification of the substance or mixture
	GHS02 Flame
Flar	nmable solids 2 H228 Flammable solid.
	GHS08 Health hazard
Asp	ration hazard 1 H304 May be fatal if swallowed and enters airways. (Contd. on pa

(Contd. on page 3)


US

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene



Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH 2	Health = 2
	Fire = 2
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 79-92-5 (±)-Camphene
- Identification number(s)
- EC number: 201-234-8

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture** No further relevant information available.

- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

[·]U٤

Date of issue: 02/12/2025

Revision date 02/12/2025

(Contd. from page 3)

Trade name: (±)-Camphene

• Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Protective Action Criteria for Chemicals

- PAC-1: Substance is not listed.
- PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition. Take precautionary measures against static discharge.re.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

115

Safety Data Sheet acc. to OSHA HCS

Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene

(Contd. from page 4) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Physical stateSolidColor:Not determined.Odor:Turpentine-likeStructural FormulaC10H16Molecular Weight136.2 g/molStorage BufferStorage BufferOdor threshold:Not determined.FormulationFormulationMelting point/Beiling range:51.6 °C (124.9 °F)Boiling point/Boiling range:156-160 °C (312.8-320 °F)Flammability:Product is not flammable.Explosion limits:Product is not flammable.Upper:Not determined.Upper:Not determined.Flasmability:265 °C (509 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not applicable.Viscosity:Not applicable.SoluBility in / Miscibility withNot applicable.Water at 20 °C (68 °F):4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm² (7.0038 lbs/gal)Kalative densityNot applicable.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.Vapor densityNot applicable.Solubility at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Particle characteristicsNot determined.	· Information on basic physical and chemica	al properties
Color:Not determined.Odor:Turpentine-likeStructural FormulaC10H16Molecular Weight136.2 g/molStorage Buffer136.2 g/molOdor threshold:Not determined.Formulation51.6 °C (124.9 °F)Boiling point/Boiling range:51.6 °C (312.8–320 °F)Flammability:Product is not flammable.Explosion limits:Vot determined.Upper:Not determined.Upper:Not determined.Vaver :Not determined.Viscosity:265 °C (509 °F)PH-value:Not determined.Viscosity:Viscosity:Viscosity:Chloroform: Soluble; Ethanol: slightly solubleDynamic:Not determined.Solubility in / Miscibility with4.2 g/lWater at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lb/sgal)Vapor densityNot determined.Vapor densityNot determined.Particle characteristicsNot determined.	General Information	
Odor:Turpentine-likeStructural FormulaC10H16Molecular Weight136.2 g/molStorage Buffer		Solid
Structural FormulaC10H16Molecular Weight136.2 g/molStorage Buffer	· Color:	Not determined.
Molecular Weight136.2 g/molStorage BufferNot determined.Odor threshold:Not determined.Formulation51.6 °C (124.9 °F)Boiling point/Boiling range:156–160 °C (312.8–320 °F)Flammability:Product is not flammable.Explosion limits:Vot determined.Uoper:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.Viscosity:Kinematic:Solubility in / Miscibility withChloroform: Soluble; Ethanol: slightly solubleDynamic:Not determined.Solubility in / Miscibility with4.2 g/lVapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Particle characteristicsNot determined.		Turpentine-like
Storage BufferOdor threshold:Not determined.FormulationMelting point/Melting range:51.6 °C (124.9 °F)Bolling point/Bolling range:156–160 °C (312.8–320 °F)Flammability:Product is not flammable.Explosion limits:Product is not flammable.Lower:Not determined.Upper:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.vH-value:Not applicable.Viscosity:Kinematic:Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not determined.Solubility in / Miscibility with4.2 g/lVapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Vapor densityNot determined.Particle characteristicsNot determined.	Structural Formula	C10H16
Odor threshold:Not determined.Formulation51.6 °C (124.9 °F)Melting point/Boiling range:156-160 °C (312.8-320 °F)Flammability:Product is not flammable.Explosion limits:Product is not flammable.Lower:Not determined.Upper:Not determined.'Lower:Not applicable.'Solubility:Not applicable.'Viscosity:Vapor form: Soluble; Ethanol: slightly soluble'Dynamic:Not applicable.'Solubility in / Miscibility withVapor pressure at 20 °C (68 °F):'Yapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)'Vapor pressure at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot applicable.'Particle characteristicsNot determined.	• Molecular Weight	136.2 g/mol
FormulationMelting point/Melting range:51.6 °C (124.9 °F)Boiling point/Boiling range:156–160 °C (312.8–320 °F)Flammability:Product is not flammable.Explosion limits:Product is not flammable.Lower:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.PH-value:Not applicable.Viscosity:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not determined.Vater at 20 °C (68 °F):4.2 g/lVapor pressure at 20 °C (68 °F):3.3 hPa (2.5 m Hg)Vapor pressure at 20 °C (68 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Particle characteristicsNot determined.Particle characteristicsNot determined.	Storage Buffer	
Melting point/Melting range:51.6 °C (124.9 °F)Boiling point/Boiling range:156–160 °C (312.8–320 °F)Flammability:Product is not flammable.Explosion limits:Lower:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.Viscosity:Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not determined.Vator at 20 °C (68 °F):4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot applicable.Particle characteristicsNot determined.Particle characteristicsNot determined.	· Odor threshold:	Not determined.
Boiling point/Boiling range:156–160 °C (312.8–320 °F)Flammability:Product is not flammable.Explosion limits:Product is not flammable.Lower:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.Viscosity:Kinematic:Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not determined.Solubility in / Miscibility with4.2 g/lWater at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Nater densityNot determined.Not determined.9.4 g/cm³ (7.0098 lbs/gal)Particle characteristicsNot determined.	· Formulation	
Flammability:Product is not flammable.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Flash point:30 °C (80 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.Viscosity:Not applicable.Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not applicable.Solubility in / Miscibility with4.2 g/lWater at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot applicable.Vapor densityNot determined.Vapor densityNot determined.Particle characteristicsNot determined.	 Melting point/Melting range: 	51.6 °C (124.9 °F)
Explosion limits:Lower:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.'Viscosity:Kinematic:Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not applicable.'Solubility in / Miscibility with4.2 g/l'Partition coefficient (n-octanol/water):Not determined.'Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)'Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot applicable.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.		156–160 °C (312.8–320 °F)
Lower:Not determined.Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.'Viscosity:Kinematic:Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not applicable.Solubility in / Miscibility with4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Not determined.Not determined.Not determined.Yapor densityNot determined.Not determined.	· Flammability:	Product is not flammable.
Upper:Not determined.Flash point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.'Viscosity:	· Explosion limits:	
Fish point:30 °C (86 °F)Auto igniting:265 °C (509 °F)Decomposition temperature:Not determined.pH-value:Not applicable.'Viscosity:	· Lower:	Not determined.
 Auto igniting: 265 °C (509 °F) Decomposition temperature: Not determined. pH-value: Not applicable. Viscosity: Kinematic: Not applicable. SOLUBILITY Chloroform: Soluble; Ethanol: slightly soluble Dynamic: Not applicable. Solubility in / Miscibility with Water at 20 °C (68 °F): 4.2 g/l Partition coefficient (n-octanol/water): Not determined. Vapor pressure at 20 °C (68 °F): 3.3 hPa (2.5 mm Hg) Vapor pressure at 50 °C (122 °F): 21.5 hPa (16.1 mm Hg) Density at 20 °C (68 °F): 0.84 g/cm³ (7.0098 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Particle characteristics Not determined. 	· Upper:	Not determined.
Decomposition temperature:Not determined.pH-value:Not applicable.Viscosity:Not applicable.Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not applicable.Solubility in / Miscibility withNot applicable.Water at 20 °C (68 °F):4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 20 °C (68 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.	· Flash point:	30 °C (86 °F)
 pH-value: Not applicable. Viscosity: Kinematic: Not applicable. SOLUBILITY Chloroform: Soluble; Ethanol: slightly soluble Dynamic: Not applicable. Solubility in / Miscibility with Water at 20 °C (68 °F): 4.2 g/l Partition coefficient (n-octanol/water): Not determined. Vapor pressure at 20 °C (68 °F): 3.3 hPa (2.5 mm Hg) Vapor pressure at 50 °C (122 °F): 21.5 hPa (16.1 mm Hg) Density at 20 °C (68 °F): 0.84 g/cm³ (7.0098 lbs/gal) Relative density Not determined. Vapor density Not applicable. Not applicable. Particle characteristics Not determined. 	· Auto igniting:	265 °C (509 °F)
Viscosity:Kinematic:Not applicable.SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not applicable.Solubility in / Miscibility withNot applicable.Water at 20 °C (68 °F):4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.	 Decomposition temperature: 	Not determined.
 Kinematic: Not applicable. SOLUBILITY Chloroform: Soluble; Ethanol: slightly soluble Dynamic: Not applicable. Solubility in / Miscibility with Water at 20 °C (68 °F): 4.2 g/l Partition coefficient (n-octanol/water): Not determined. Vapor pressure at 20 °C (68 °F): 3.3 hPa (2.5 mm Hg) Vapor pressure at 50 °C (122 °F): 21.5 hPa (16.1 mm Hg) Density at 20 °C (68 °F): 0.84 g/cm³ (7.0098 lbs/gal) Relative density Not determined. Vapor density Not applicable. Particle characteristics Not determined. 	· pH-value:	Not applicable.
SOLUBILITYChloroform: Soluble; Ethanol: slightly solubleDynamic:Not applicable.Solubility in / Miscibility with4.2 g/lWater at 20 °C (68 °F):4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.	· Viscosity:	
Dynamic:Not applicable.Solubility in / Miscibility with4.2 g/lWater at 20 °C (68 °F):4.2 g/lPartition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.	· Kinematic:	Not applicable.
Solubility in / Miscibility withWater at 20 °C (68 °F):Partition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityVapor densityParticle characteristicsNot determined.	· SOLUBILITY	Chloroform: Soluble; Ethanol: slightly soluble
• Water at 20 °C (68 °F):4.2 g/l• Partition coefficient (n-octanol/water):Not determined.• Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)• Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)• Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)• Relative densityNot determined.• Vapor densityNot applicable.• Particle characteristicsNot determined.		Not applicable.
Partition coefficient (n-octanol/water):Not determined.Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.		
Vapor pressure at 20 °C (68 °F):3.3 hPa (2.5 mm Hg)Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Particle characteristicsNot determined.		4.2 g/l
· Vapor pressure at 50 °C (122 °F):21.5 hPa (16.1 mm Hg)· Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)· Relative densityNot determined.· Vapor densityNot applicable.· Particle characteristicsNot determined.	 Partition coefficient (n-octanol/water): 	Not determined.
• Density at 20 °C (68 °F):0.84 g/cm³ (7.0098 lbs/gal)• Relative densityNot determined.• Vapor densityNot applicable.• Particle characteristicsNot determined.		3.3 hPa (2.5 mm Hg)
· Relative density Not determined. · Vapor density Not applicable. · Particle characteristics Not determined.		
· Vapor density Not applicable. · Particle characteristics Not determined.		0.84 g/cm³ (7.0098 lbs/gal)
Particle characteristics Not determined.		
		Not applicable.
(Contd. on page 6	• Particle characteristics	Not determined.
(Oond: on page o		(Contd. on page 6

Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene

	(Contd. from page 5
• Other information	
· Appearance:	
· Form:	Solid
 Important information on protection and environment, and on safety. 	of health
· Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation or explosive air/vapor mixtures are possible.
· Change in condition	
· Evaporation rate	Not applicable.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LD50	>5,000 mg/kg (rat)	
Dermal		2,500 mg/kg (rab)	
		Reizwirkung an der Haut: nicht reizend	Spez.:Kaninchen
		Reizwirkung am Auge: reizend	Spez.:Kaninchenauge
	Intraperitoneal LD	>500 mg/kg (mouse)	

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.
- Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

(Contd. on page 7)

Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene

(Contd. from page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1325
UN proper shipping name	
DOT	Flammable solids, organic, n.o.s. ((±)-Camphene)
IMDG	FLAMMABLE SOLID, ORGANIC, N.O.S. ((±
ΙΑΤΑ	Camphene) Flammable solid, organic, n.o.s. ((±)-Camphene)
Transport hazard class(es)	
DOT	
Class	4.1 Flammable solids, self-reactive substances a

Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene

· Label	(Contd. from pag
	4.1, 9
· Class	4.1 Flammable solids, self-reactive substances a solid desensitised explosives 4.1/9
Class Label	4.1 Flammable solids, self-reactive substances a solid desensitised explosives4.1 (9)
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	Environmentally hazardous substance, solid Symbol (fish and tree)
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
IATA Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.
Special precautions for user	Warning: Flammable solids, self-reactive substanc and solid desensitised explosives
Hazard identification number (Kemler code) EMS Number:	
Stowage Category Segregation Code	B SG72 See 7.2.6.3.2.
	(Contd. on pag

Date of issue: 02/12/2025

Revision date 02/12/2025

Trade name: (±)-Camphene

(Contd. from page 8)

· UN "Model Regulation":

UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. ((±)-CAMPHENE), 4.1 (9), II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of previous version 06/15/2022
- Date of preparation 02/12/2025
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit**

(Contd. on page 10)

US

Date of issue: 02/12/2025

Revision date 02/12/2025

(Contd. from page 9)

Trade name: (±)-Camphene

Flammable solids 2: Flammable solids – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Aspiration hazard 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 • * **Data compared to the previous version altered.**

- US