

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 10/30/2024

Revision date 10/30/2024

Page 1/11

## **1** Identification · Product identifier Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC · Synonym (7R,13Z,16Z,19Z,22Z)-4-hydroxy-N,N,N-trimethyl-9-oxo-7-[[(1-oxohexadecyl)oxy]methyl]-3,5,8-trioxa-4phosphaoctacosa-13,16,19,22-tetraen-1-aminium 4-oxide, inner salt · Other means of identification · Article number: 25658 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department · Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. Reproductive toxicity 2 H361 Suspected of damaging fertility or the unborn child. Specific target organ toxicity (repeated exposure) 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. GHS07 Acute toxicity - oral 4 H302 Harmful if swallowed. Acute toxicity - inhalation 4 H332 Harmful if inhaled. Skin irritation 2 H315 Causes skin irritation. (Contd. on page 2)

Date of issue: 10/30/2024


Revision date 10/30/2024

Trade name: 1-Pal	Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC		
		(Contd. from page 1)	
Eye irritation 2A	A	H319 Causes serious eye irritation.	
Specific target	organ toxicity (single exposure) 3	H336 May cause drowsiness or dizziness.	
• Label element • GHS label eler The product is • Hazard pictog	<b>nents</b> classified and labeled according to t	he Globally Harmonized System (GHS).	
GHS07 GHS			
GIISUT GIIS			
· Signal word D	anger		
Chloroform Hazard statem H302+H332 Ha H315 Ca H319 Ca H351 Su H361 Su H336 Ma	armful if swallowed or if inhaled. auses skin irritation. auses serious eye irritation. Ispected of causing cancer. Ispected of damaging fertility or the ay cause drowsiness or dizziness.		
		us system, the kidneys, the liver and the respiratory	
	stem through prolonged or repeated	exposure.	
Precautionary			
P201	Obtain special instructions before		
P202		ecautions have been read and understood.	
P260	Do not breathe dust/fume/gas/n		
P264	Wash thoroughly after handling.		
P270 P271	Do not eat, drink or smoke when Use only outdoors or in a well-ve		
P280		tive clothing/eye protection/face protection/hearing	
F200	protection.	tive clothing/eye protection/race protection/nearing	
P301+P312	If swallowed: Call a poison cent	er/doctor if you feel unwell	
P330	Rinse mouth.		
P302+P352	If on skin: Wash with plenty of w	vater.	
P304+P340		esh air and keep comfortable for breathing.	
		water for several minutes. Remove contact lenses, if	
P308+P313	IF exposed or concerned: Get n		
P321	Specific treatment (see on this I		
P314	Get medical advice attention if y		
P362+P364	Take off contaminated clothing		
P332+P313	If skin irritation occurs: Get med		
P337+P313	If eye irritation persists: Get me	dical advice/attention.	
P403+P233	Store in a well-ventilated place.		
P405	Store locked up.		
P501		n accordance with local/regional/national/international	
	regulations.	(Contd. on page 3)	
		US	

Date of issue: 10/30/2024

Revision date 10/30/2024





· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform

RTECS: FS9100000

· Other ingredients

35418-58-7 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

# **4 First-aid measures**

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

99.0%

1.0%

US

Date of issue: 10/30/2024

Revision date 10/30/2024

(Contd. from page 3)

#### Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2 ppm
· PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3,200 ppm
· Poforance to other sections	

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

### Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- Information about protection against explosions and fires:
   Keep respiratory protective device available
- Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

US

Date of issue: 10/30/2024

Revision date 10/30/2024

(Contd. from page 4)

Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

### · Control parameters

Components with limit values that require monitoring at the workplace:

### 67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m<sup>3</sup>, 50 ppm

- REL Short-term value: 9.78\* mg/m<sup>3</sup>, 2\* ppm \*60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm A3

· Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye protection:

Safety glasses

(Contd. on page 6)

US

Date of issue: 10/30/2024

Revision date 10/30/2024

# Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

(Contd. from page 5)

US



Tightly sealed goggles

# 9 Physical and chemical properties

. Information on book abusical and abamical	nronortion
Information on basic physical and chemical	properues
· General Information	Calid
Physical state	Solid
· Color:	According to product specification
· Odor:	Characteristic
Structural Formula	C44H80NO8P
· Molecular Weight	782.1 g/mol
Storage Buffer	
Odor threshold:	Not determined.
Formulation	A solution in chloroform
Melting point/Melting range:	-63.5 °C (-82.3 °F)
<ul> <li>Boiling point/Boiling range:</li> </ul>	61 °C (141.8 °F)
· Flammability:	Not determined.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto igniting:	982 °C (1,799.6 °F)
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
· pH-value:	Not applicable.
· Viscosity:	
· Kinematic:	Not applicable.
· SOLUBILITY	Chloroform: Soluble
· Dynamic at 20 °C (68 °F):	0.56 mPas
<ul> <li>Solubility in / Miscibility with</li> </ul>	
· Water at 20 °C (68 °F):	8 g/l
Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	211 hPa (158.3 mm Hg)
· Vapor pressure:	
Density at 20 °C (68 °F):	1.48 g/cm³ (12.3506 lbs/gal)
· Relative density	Not determined.
Vapor density	Not applicable.
Particle characteristics	Not determined.
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	
· Solvent content:	Product does not present an explosion hazard.
	0.00 %
· VOC content:	
	(Contd. on page 7)

Date of issue: 10/30/2024

Revision date 10/30/2024

#### Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

(Contd. from page 6)

## <sup>·</sup> Change in condition

• Evaporation rate

Not applicable.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral LD50 917 mg/kg (rat)

Inhalative LC50/4 h 3.03 mg/l

#### 67-66-3 Chloroform

Oral	

908 mg/kg (rat) OECD Test Guideline 401

#### · Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.

.

LD50

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

.

· Interactive effects No interactive effects between components are known.

2B
R
1

(Contd. on page 8)

Date of issue: 10/30/2024

Revision date 10/30/2024

#### Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

(Contd. from page 7)

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1888	
· UN proper shipping name		
· DOT, IATA	Chloroform	
· IMDG	CHLOROFORM	
· Transport hazard class(es)		
·DOT		
TOXIC		
· Class	6.1 Toxic substances	
·Label	6.1	

Date of issue: 10/30/2024

Revision date 10/30/2024

## Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

	(Contd. from page
· IMDG, IATA	
6	
· Class · Label	6.1 Toxic substances 6.1
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	III
· Environmental hazards:	Not applicable.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
<ul> <li>Transport/Additional information:</li> <li>DOT</li> <li>Quantity limitations</li> </ul>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code)</li> <li>EMS Number:</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	Warning: Toxic substances : 60 F-A,S-A (SGG10) Liquid halogenated hydrocarbons A SW2 Clear of living quarters.
· UN "Model Regulation":	UN 1888 CHLOROFORM, 6.1, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

# · Section 355 (extremely hazardous substances):

67-66-3 Chloroform

## · Section 313 (Specific toxic chemical listings):

67-66-3 Chloroform

(Contd. on page 10)

US

Date of issue: 10/30/2024

Revision date 10/30/2024

## Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

TSCA (Toxic Substances Control Act):	(Contd. from page
67-66-3 Chloroform	ACTIV
Hazardous Air Pollutants	I
67-66-3 Chloroform	
Chemicals known to cause cancer:	
67-66-3 Chloroform	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, N
TLV (Threshold Limit Value)	
67-66-3 Chloroform	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
67-66-3 Chloroform	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out	ut.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- Date of previous version 10/29/2024

 Date of preparation 10/30/2024 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

(Contd. on page 11)

<sup>-</sup> US

Date of issue: 10/30/2024

Revision date 10/30/2024

### Trade name: 1-Palmitoyl-2-Arachidonoyl-sn-glycero-3-PC

(Contd. from page 10)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute toxicity - oral 4: Acute toxicity – Category 4 Skin irritation 2: Skin corrosion/irritation – Category 2

Skin Irritation 2: Skin corrosion/Irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Reproductive toxicity 2: Reproductive toxicity – Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3 Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1 \* Data commercial target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1

\* \* Data compared to the previous version altered.

US