

\*

\*

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/29/2024

Revision date 01/29/2024

Page 1/9

Trade name: <u>Piperonyl Butoxide</u>	
<ul> <li>Synonym</li> <li>5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-p</li> </ul>	ropyl-1 3-benzodioxole
NSC 8401	
PBO • Article number: 25820	
· CAS Number:	
51-03-6 · EC number:	
200-076-7	
• Index number: 604-096-00-0	
• Application of the substance / the mix	t <b>ure</b> human or veterinary diagnostic or therapeutic use.
· Details of the supplier of the safety da	
Manufacturer/Supplier:	
Cayman Chemical Co. 1180 E. Ellsworth Rd.	
Ann Arbor, MI 48108 USA	
· Information department: Product safety	v department
Emergency telephone number:	
During normal opening times: +1 (734) 9 US/CANADA: 800-424-9300	71-3335
Outside US/CANADA: 703-741-5970	
Hazard(s) identification	
	ture
· Classification of the substance or mix	ture
	ture
· Classification of the substance or mix	t <b>ure</b> H400 Very toxic to aquatic life.
GHS09 Environment	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasti
Classification of the substance or mix GHS09 Environment Aquatic Acute 1	H400 Very toxic to aquatic life.
Classification of the substance or mix GHS09 Environment Aquatic Acute 1	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasti effects.

Printing date 01/29/2024

Revision date 01/29/2024

## Trade name: Piperonyl Butoxide

GHS label elem The substance is Hazard pictogra	ents s classified and labeled according to the Globally Harmonized System (GHS).
	s classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogra	
$\wedge$	ams
GHS07 GHS0	9
Signal word Wa Hazard stateme	
	erious eye irritation.
	e respiratory irritation.
	to aquatic life with long lasting effects.
Precautionary s	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Classification s	
NFPA ratings (s	scale 0 - 4)
He	alth = 2
	e = 1
Z U Re	activity = 0
HMIS-ratings (s	scale 0 - 4)
HEALTH 2 He	ealth = 2
	re = 1
	eactivity = 0
REACTIVITY 0 Re	eactivity = 0
Other hazards	
Results of PBT	and vPvB assessment
PBT: Not applica	able.
vPvB: Not applie	

Printing date 01/29/2024

Revision date 01/29/2024

#### Trade name: Piperonyl Butoxide

(Contd. from page 2)

### **3 Composition/information on ingredients**

- · Chemical characterization: Substances
- CAS No. Description 51-03-6 Piperonyl Butoxide
- · Identification number(s)
- EC number: 200-076-7
- · Index number: 604-096-00-0

## **4 First-aid measures**

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
   Inform respective authorities in case of seepage into water course or sewage system.
   Do not allow to enter sewers/ surface or ground water.
   Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** 6.5 mg/m<sup>3</sup>
- PAC-2: 72 mg/m<sup>3</sup>

(Contd. on page 4)

US

Printing date 01/29/2024

Revision date 01/29/2024

#### Trade name: Piperonyl Butoxide

· PAC-3: 1,200 mg/m<sup>3</sup>

(Contd. from page 3)

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 01/29/2024

Revision date 01/29/2024

(Contd. from page 4)

### Trade name: Piperonyl Butoxide

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: Not determined. · Odor: Characteristic · Structural Formula C19H30O5 · Molecular Weight 338.4 g/mol · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 180 °C (356 °F) · Flash point: 171 °C (339.8 °F) · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. · Ignition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. Not determined. · Vapor pressure: Density at 20 °C (68 °F): 1.04 g/cm<sup>3</sup> (8.6788 lbs/gal) · Relative density Not determined. · Vapor density Not determined. **Evaporation rate** Not determined. · Solubility in / Miscibility with Water: Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not determined. **Kinematic:** Not determined. SOLUBILITY Chloroform: Slightly Soluble; Methanol: Slightly Soluble Other information No further relevant information available.

(Contd. on page 6)

Printing date 01/29/2024

Revision date 01/29/2024

#### Trade name: Piperonyl Butoxide

(Contd. from page 5)

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · RTECS Number XS8050000
- Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

Oral	LD50	2,600 mg/kg (mouse)
		7,181 mg/kg (rat)
	LD50	>6 g/kg (rat)
	Subcutaneous TDLO	1,000 mg/kg (mouse)
	Intraperitoneal LDLO	1 g/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 3
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

## **12 Ecological information**

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms

(Contd. on page 7)

Printing date 01/29/2024

Revision date 01/29/2024

### Trade name: Piperonyl Butoxide

(Contd. from page 6)

## · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3082
UN proper shipping name DOT, IATA	Environmentally hazardous substance, liquid, n.o (Piperonyl Butoxide)
IMDG	ÈNVIRÓNMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Piperonyl Butoxide)
Transport hazard class(es)	
DOT	
Class Label	9 Miscellaneous dangerous substances and articles 9
IMDG, IATA	
Class	0 Miccollongous dengerous substances and articles
Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances an articles
	allices

Printing date 01/29/2024

Revision date 01/29/2024

Trade name: Piperonyl Butoxide

	(Contd. from page 7
· EMS Number:	F-A,S-F
· Stowage Category	A
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
<ul> <li>Transport/Additional information:</li> </ul>	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 450 L
	On cargo aircraft only: 450 L
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
·IATA	
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PIPERONYI BUTOXIDE), 9, III

## **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes (Contd. on page 9)

\_\_\_\_\_ÚS

Printing date 01/29/2024

Revision date 01/29/2024

## Trade name: Piperonyl Butoxide

<ul> <li>Department issuing SDS: Environment protection department.</li> <li>Contact: -</li> <li>Date of preparation / last revision 01/29/2024</li> <li>Abbreviations and acronyms:</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>DOT: US Department of Transportation</li> <li>IATA: International Air Transport Association</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>NFPA: National Fire Protection Association (USA)</li> <li>HMIS: Hazardous Materials Identification System (USA)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>DD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>NIOSH: National Institute for Occupational Safety</li> <li>OSHA: Occupational Safety &amp; Health</li> <li>TV: Threshold Limit Value</li> <li>PEL: Permissible Exposure Limit</li> <li>REL: Recommended Exposure Limit</li> <li>Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A</li> <li>Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3</li> <li>Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1</li> <li>Aquatic Chronic 1: Hazardous to the aquatic environment - long-ferm aquatic hazard – Category 1</li> <li>* Data commanded than revision allocated</li> </ul>	(Contd. from page no responsibility for incidental or consequential damages, including lost profits, arising from the use these data. It shall be the user's responsibility to develop proper methods of handling and person protection based on the actual conditions of use. While this SDS is based on technical data judged be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy the information contained herein.	oḟ al to
	<ul> <li>Contact: -</li> <li>Date of preparation / last revision 01/29/2024</li> <li>Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety &amp; Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1</li> </ul>	-115