

Printing date 06/30/2023

Revision date 06/30/2023

Page 1/10

1 Identification

- · Product identifier
- · Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4
- · Article number: 29357
- Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

• Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.


· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

		(Contd. from page	
Skin Irritation 2		H315 Causes skin irritation.	
Sensitization - S	skin 1	H317 May cause an allergic skin reaction.	
Specific Target	Organ Toxicity - Single Exposure 3	H335 May cause respiratory irritation.	
Label elements GHS label elem The product is c Hazard pictogr	lents lassified and labeled according to th	e Globally Harmonized System (GHS).	
GHS05 GHS0)7 GHS08		
· Signal word Da	anger		
	ining components of labeling:		
Dichloromethan	-		
Stearic Acid me	•		
· Hazard statem			
H315 Causes sl			
	erious eye damage.		
	e an allergic skin reaction.		
	d of causing genetic defects.		
	d of causing cancer.		
	e respiratory irritation.		
H372 Causes d	amage to organs through prolonged	or repeated exposure.	
· Precautionary			
P201		Obtain special instructions before use.	
P202		cautions have been read and understood.	
P260	Do not breathe dust/fume/gas/mi	st/vapors/spray.	
P264	Wash thoroughly after handling.		
P270	Do not eat, drink or smoke when		
P271	Use only outdoors or in a well-ve		
P272		t not be allowed out of the workplace.	
P280		e clothing/eye protection/face protection.	
P302+P352	If on skin: Wash with plenty of wa		
P304+P340		fresh air and keep comfortable for breathing.	
P305+P351+P3		vater for several minutes. Remove contact lenses	
D 040	present and easy to do. Continue		
P310	Immediately call a poison center/		
P308+P313	IF exposed or concerned: Get m		
P321	Specific treatment (see on this la		
P314	Get medical advice/attention if yo		
P362+P364	Take off contaminated clothing a	nd wash it before reuse.	
P333+P313	If skin irritation or rash occurs: G		
P363	Wash contaminated clothing before		
P403+P233	Store in a well-ventilated place.	eep container tightly closed.	
P405	Store locked up.		
P501		accordance with local/regional/national/internation	
	regulations.	1	
		(Contd. on page	

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

(Contd. from page 2)

- Classification system:
- NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health = *3FIRE1Fire = 1REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 75-09 RTECS: PA		Dichloromethane	75.0%
CAS: 112-6 RTECS: W		Stearic Acid methyl ester	5.0%
· Other ingr	edients		
929-77-1	929-77-1 Docosanoic Acid methyl ester 5.0		5.0%
1120-28-1	8-1 Arachidic Acid methyl ester 5.0%		5.0%
1731-94-8	1731-94-8 Nonadecanoic Acid methyl ester 5.00		5.0%
6064-90-0	6064-90-0 Heneicosanoic Acid methyl ester 5.0		5.0%

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

U

Printing date 06/30/2023

Revision date 06/30/2023

(Contd. from page 3)

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	
· PAC-1:	ן ר
75-09-2 Dichloromethane 200 ppm	7
PAC-2:	ī
75-09-2 Dichloromethane 560 ppm	1
· PAC-3:	٦
75-09-2 Dichloromethane 6,900 ppm	1

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 5)

US

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

(Contd. from page 4)

· Conditions for safe storage, including any incompatibilities

• **Storage:** Store in accordance with information listed on the product insert.

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

Control	parameters
---------	------------

• Components with limit values that require monitoring at the workplace:	
--	--

75-09-2 Dichloromethane PEL Short-term value: 125 ppm

Long-term value: 25 ppm see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 50 ppm BEI. A3

DEI, AS

112-61-8 Stearic Acid methyl ester

TLV Long-term value: 10* 3** mg/m³

A4; Fraction: *inhalable **respirable

Ingredients with biological limit values:

75-09-2 Dichloromethane

BEI 0.3 mg/L

Medium: urine

Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. (Contd. on page 6)

Jage 0)

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

(Contd. from page 5)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Liquid
Color:	Not determined.
· Odor:	Characteristic
· Odor threshold:	Not determined.
· Formulation	A solution with dichloromethane
[·] pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	40 °C (104 °F)
· Flash point:	110 °C (230 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	605 °C (1,121 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	13 Vol %
Upper:	22 Vol %
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
	(Contd. on page 1

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

	(Contd. fro	m page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octano	I/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
SOLUBILITY	Dichloromethane: soluble	
· Solvent content:		
Organic solvents:	75.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	25.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)			
Oral	LD50	2,133 mg/kg (rat)	
75-09-2 Dichloromethane			
Oral	LDLO	357 mg/kg (hmn)	
	LD50	1,600 mg/kg (rat)	
	TDLO	1,429 μL/kg (man)	
Inhalative	LC50/4 h	88 mg/l (rat)	
	Intraperitoneal LD50	916 mg/kg (rat)	
	Subcutaneous LD50	6,460 mg/kg (mouse)	
112-61-8 Stearic Acid methyl ester			
Subcutaneous TDLO 5,200 mg/kg/26W intermittent (mouse)			

• on the eye: Strong irritant with the danger of severe eye injury.

(Contd. on page 8)

US

Printing date 06/30/2023

Revision date 06/30/2023

(Contd. from page 7)

2A

R

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

75-09-2 Dichloromethane

· NTP (National Toxicology Program)

75-09-2 Dichloromethane

· OSHA-Ca (Occupational Safety & Health Administration)

75-09-2 Dichloromethane

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

not regulated

(Contd. on page 9)

US

Printing date 06/30/2023

Revision date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

		(Contd. from page 8
· UN proper shipping name · DOT, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	t II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

• Section 355 (extremely hazardous substances): None of the ingredients is listed.	
• Section 313 (Specific toxic chemical listings):	
75-09-2 Dichloromethane	
• TSCA (Toxic Substances Control Act):	
This chemical/product is not and cannot be distribute	d in commerce (as defined in TSCA section 3(
or processed (as defined in TSCA section 3(13)) for co	onsumer paint or coating removal.
75-09-2 Dichloromethane	ACTIVE
112-61-8 Stearic Acid methyl ester	ACTIVE
929-77-1 Docosanoic Acid methyl ester	ACTIVE
1120-28-1 Arachidic Acid methyl ester	ACTIVE
Hazardous Air Pollutants	·
75-09-2 Dichloromethane	
Proposition 65	
· Chemicals known to cause cancer:	
75-09-2 Dichloromethane	
· Chemicals known to cause reproductive toxicity for	or females:
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for	or males:
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity	
None of the ingredients is listed.	
	(Contd. on page 1

US

Printing date 06/30/2023

Trade name: Long-chain Saturated Fatty Acid Methyl Ester Mixture 4

(Contd. from page 9)

L

A3

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- 75-09-2 Dichloromethane
- TLV (Threshold Limit Value)
- 75-09-2 Dichloromethane
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2 Dichloromethane

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/30/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity - Category 2 Carcinogenicity 2: Carcinogenicity - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1

US