



Safety Data Sheet acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

1 Identification

- **Product identifier**
- **Trade name:** 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard
- **Article number:** 30181
- **Application of the substance / the mixture**
This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cayman Chemical Co.
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108
USA
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (734) 971-3335
US/CANADA: 800-424-9300
Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Toxicity - Dermal 2

H310 Fatal in contact with skin.

Acute Toxicity - Inhalation 3

H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Toxic to Reproduction 2

H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure 1

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 1)



GHS07

Acute Toxicity - Oral 4

Skin Irritation 2

Eye Irritation 2A

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS06



GHS07



GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Chloroform

· **Hazard statements**

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

· **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 2)

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 67-66-3	Chloroform	99.99%
RTECS: FS9100000		

- **Other ingredients**

1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol	0.01%
--	-------

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Immediately call a doctor.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. from page 3)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
A solid water stream may be inefficient.
- **Special hazards arising from the substance or mixture**
67-56-1 During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

67-66-3	Chloroform	2 ppm
---------	------------	-------

- **PAC-2:**

67-66-3	Chloroform	64 ppm
---------	------------	--------

- **PAC-3:**

67-66-3	Chloroform	3,200 ppm
---------	------------	-----------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Store upright and unopened at -20C.
Warm to room temperature before opening.
Light sensitive.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep respiratory protective device available.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 4)

- **Conditions for safe storage, including any incompatibilities**
Keep container tightly closed.
Store in accordance with information listed on the product insert.
- **Storage:** Store in accordance with information listed on the product insert.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL	Ceiling limit value: 240 mg/m ³ , 50 ppm
REL	Short-term value: 9.78* mg/m ³ , 2* ppm *60-min; See Pocket Guide App. A
TLV A3	Long-term value: 10 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 5)

· **Eye protection:**

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:

A solution in chloroform

Color:

Not determined.

· **Odor:**

Characteristic

· **Structural Formula**

C51H89D9O6

· **Molecular Weight**

816.4 g/mol

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

Melting point/Melting range:

-63 °C (-81.4 °F)

Boiling point/Boiling range:

62 °C (143.6 °F)

· **Flash point:**

Not applicable.

· **Flammability (solid, gaseous):**

Not applicable.

· **Auto igniting:**

982 °C (1,799.6 °F)

· **Decomposition temperature:**

Not determined.

· **Ignition temperature:**

Product is not selfigniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

· **Vapor pressure at 20 °C (68 °F):**

210 hPa (157.5 mm Hg)

· **Density at 20 °C (68 °F):**1.47988 g/cm³ (12.3496 lbs/gal)· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

Water at 20 °C (68 °F):

8 g/l

· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

Dynamic at 20 °C (68 °F):

0.56 mPas

Kinematic:

Not determined.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 6)

· Solvent content:	
· VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
· Solids content:	0.0 %
· Other information	Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	500 mg/kg
Dermal	LD50	75 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l

67-66-3 Chloroform

Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
Irritation of eyes	Irritation	20 mg/24h (rabbit)
	Intraperitoneal LD50	623 mg/kg (mouse)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Toxic

(Contd. on page 8)

-US-

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 7)

Harmful
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

67-66-3 Chloroform

2B

· **NTP (National Toxicology Program)**

67-66-3 Chloroform

R

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

DOT, IMDG, IATA

UN2810

· **UN proper shipping name**

DOT

Toxic, liquids, organic, n.o.s. (Chloroform)

IMDG

TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM)

IATA

Toxic liquid, organic, n.o.s. (CHLOROFORM)

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 8)

· Transport hazard class(es)

· DOT



· Class

6.1 Toxic substances

· Label

6.1

· IMDG, IATA



· Class

6.1 Toxic substances

· Label

6.1

· Packing group

· DOT, IMDG, IATA

II

· Environmental hazards:

Not applicable.

· Special precautions for user

Warning: Toxic substances

· Hazard identification number (Kemler code):

60

· EMS Number:

F-A,S-A

· Segregation groups

(SGG10) Liquid halogenated hydrocarbons

· Stowage Category

B

· Stowage Code

SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· IMDG

· Limited quantities (LQ)

100 ml

· Excepted quantities (EQ)

Code: E4

Maximum net quantity per inner packaging: 1 ml

Maximum net quantity per outer packaging: 500 ml

· IATA

· Remarks:

When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

· UN "Model Regulation":

UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM), 6.1, II

US

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 9)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

67-66-3	Chloroform
---------	------------

- **Section 313 (Specific toxic chemical listings):**

67-66-3	Chloroform
---------	------------

- **TSCA (Toxic Substances Control Act):**

67-66-3	Chloroform
---------	------------

ACTIVE

- **Hazardous Air Pollutants**

67-66-3	Chloroform
---------	------------

- **Proposition 65**

- **Chemicals known to cause cancer:**

67-66-3	Chloroform
---------	------------

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

67-66-3	Chloroform
---------	------------

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

67-66-3	Chloroform
---------	------------

B2, L, NL

- **TLV (Threshold Limit Value)**

67-66-3	Chloroform
---------	------------

A3

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

67-66-3	Chloroform
---------	------------

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- **Department issuing SDS:** Environment protection department.

- **Contact:** -

- **Date of preparation / last revision** 03/17/2023

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2023

Revision date 03/17/2023

Trade name: 1-Palmitoyl-d9-2,3-Dipalmitoyl-sn-glycerol MaxSpec® Standard

(Contd. from page 10)

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Acute Toxicity - Dermal 2: Acute toxicity – Category 2
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Carcinogenicity 2: Carcinogenicity – Category 2
Toxic to Reproduction 2: Reproductive toxicity – Category 2
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

· *** Data compared to the previous version altered.**

US