

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

1 Identification

- **Product identifier**
- **Trade name:** **1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard**
- **Synonym**
hexadecanoic acid, 1-[[[(2,3-dihydroxypropoxy)hydroxyphosphinyl]oxy]methyl]-2-[(1-oxohexadecyl)oxy] ethyl ester, monoammonium salt; 1,2-Dipalmitoyl-rac-glycero-3-Phosphoglycerol;
- **Article number:** 30358
- **Application of the substance / the mixture** For research use only - not for human or veterinary use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cayman Chemical Co.
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108
USA
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (734) 971-3335
US/CANADA: 800-424-9300
Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT SE 2 H371 May cause damage to the central nervous system and the visual organs.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.



GHS09 Environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 1)



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2A H319 Causes serious eye irritation.
 Aquatic Acute 3 H402 Harmful to aquatic life.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS07



GHS08



GHS09

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Chloroform

Methanol

- **Hazard statements**

Highly flammable liquid and vapor.

Toxic if swallowed.

Fatal in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

Harmful to aquatic life.

Very toxic to aquatic life with long lasting effects.

- **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 2)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If exposed or concerned: Get medical advice/attention.
 Get medical advice/attention if you feel unwell.
 Take off immediately all contaminated clothing and wash it before reuse.
 If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Collect spillage.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 3
 Fire = 3
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = *3
 Fire = 3
 Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 67-66-3 RTECS: FS9100000	Chloroform	89.995%
CAS: 67-56-1 RTECS: PC1400000	Methanol	9.995%

- **Other ingredients**

73548-70-6	1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt)	0.01%
------------	--------------------------------------------------	-------

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 3)

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
67-56-1 During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

67-66-3	Chloroform	2 ppm
67-56-1	Methanol	530 ppm

· PAC-2:

67-66-3	Chloroform	64 ppm
67-56-1	Methanol	2,100 ppm

· PAC-3:

67-66-3	Chloroform	3,200 ppm
---------	------------	-----------

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

67-56-1 Methanol

(Contd. from page 4)

7200* ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Store upright and unopened at -20C.
Warm to room temperature before opening.
Light sensitive.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
Keep container tightly closed.
Store in accordance with information listed on the product insert.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL	Ceiling limit value: 240 mg/m ³ , 50 ppm
REL	Short-term value: 9.78* mg/m ³ , 2* ppm *60-min; See Pocket Guide App. A
TLV	Long-term value: 49 mg/m ³ , 10 ppm

67-56-1 Methanol

PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin
TLV	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 5)

Ingredients with biological limit values:

67-56-1 Methanol

BEI	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

A solution in chloroform:methanol

Color:

Not determined.

· Odor:

Characteristic

(Contd. on page 7)

-US-

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 6)

· Structural Formula	C38H74O10P • NH4
· Molecular Weight	740.0
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	62 °C (143.6 °F)
· Flash point:	0 °C (32 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	10.0 %
VOC content:	10.00 %
	100.0 g/l / 0.83 lb/gal
Solids content:	0.0 %
· Other information	Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 7)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	40 mg/kg (mouse)
Dermal	LD50	83.3 mg/kg (rat)

67-66-3 Chloroform

Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m ³ /4h (rat)
	TCLO	5,000 mg/m ³ /7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
Irritation of eyes	Irritation	20 mg/24h (rabbit)
	Intraperitoneal LD50	623 mg/kg (mouse)

67-56-1 Methanol

Oral	LDLO	143 mg/kg (hmn)
	TDLO	5 ml/kg (rat)
	LD50	5,600 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 mg/m ³ (rat)
	LC50	61,100 mg/m ³ /134 m (mouse)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	Irritation	(rabbit)
	Irritation	5.63 mg/kg/exempt preparation (rabbit)
Irritation of eyes	Irritation	40 mg (rabbit)
	Intraperitoneal TDLO	5 mg/kg (rat)
	Intraperitoneal LD50	10,765 mg/kg (mouse)
	Subcutaneous LD50	143 mg/kg/human (mouse)
	Data	20 mg/24h (rabbit)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

Irritant

(Contd. from page 8)

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

67-66-3 Chloroform

2B

- **NTP (National Toxicology Program)**

67-66-3 Chloroform

R

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**

- **DOT, IMDG, IATA**

UN1888

- **UN proper shipping name**

- **DOT, IATA**

Chloroform solution

- **IMDG**

CHLOROFORM solution

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 9)

· Transport hazard class(es)

· DOT



· Class

6.1 Toxic substances

· Label

6.1

· IMDG, IATA



· Class

6.1 Toxic substances

· Label

6.1

· Packing group

· DOT, IMDG, IATA

III

· Environmental hazards:

Not applicable.

· Special precautions for user

Warning: Toxic substances

· Hazard identification number (Kemler code):

60

· EMS Number:

F-A,S-A

· Segregation groups

Liquid halogenated hydrocarbons

· Stowage Category

A

· Stowage Code

SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: 60 L
On cargo aircraft only: 220 L

· IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· IATA

· Remarks:

When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

· UN "Model Regulation":

UN 1888 CHLOROFORM SOLUTION, 6.1, III

US

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 10)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 355 (extremely hazardous substances):**

67-66-3	Chloroform
---------	------------

- **Section 313 (Specific toxic chemical listings):**

67-66-3	Chloroform
---------	------------

67-56-1	Methanol
---------	----------

- **TSCA (Toxic Substances Control Act):**

67-66-3	Chloroform	ACTIVE
---------	------------	--------

67-56-1	Methanol	ACTIVE
---------	----------	--------

- **Hazardous Air Pollutants**

67-66-3	Chloroform
---------	------------

67-56-1	Methanol
---------	----------

- **Proposition 65**

- **Chemicals known to cause cancer:**

67-66-3	Chloroform
---------	------------

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.	
------------------------------------	--

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.	
------------------------------------	--

- **Chemicals known to cause developmental toxicity:**

67-66-3	Chloroform
---------	------------

67-56-1	Methanol
---------	----------

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

67-66-3	Chloroform	B2, L, NL
---------	------------	-----------

- **TLV (Threshold Limit Value established by ACGIH)**

67-66-3	Chloroform	A3
---------	------------	----

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

67-66-3	Chloroform
---------	------------

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS06 GHS07 GHS08 GHS09

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Chloroform

Methanol

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 11)

· **Hazard statements**

Highly flammable liquid and vapor.
 Toxic if swallowed.
 Fatal in contact with skin.
 Causes skin irritation.
 Causes serious eye irritation.
 Suspected of causing cancer.
 Suspected of damaging fertility or the unborn child.
 May cause damage to the central nervous system and the visual organs.
 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
 Harmful to aquatic life.
 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Do not get in eyes, on skin, or on clothing.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Avoid release to the environment.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call a poison center/doctor.
 Specific treatment (see on this label).
 Rinse mouth.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF exposed or concerned: Get medical advice/attention.
 Get medical advice/attention if you feel unwell.
 Take off immediately all contaminated clothing and wash it before reuse.
 If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Collect spillage.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:** -
- **Date of preparation / last revision** 05/11/2020 / -

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2020

Revision date 05/11/2020

Trade name: 1,2-Dipalmitoyl-rac-glycero-3-PG (ammonium salt) MaxSpec® Standard

(Contd. from page 12)

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 BEI: Biological Exposure Limit
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 2: Acute toxicity – Category 2
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Carc. 2: Carcinogenicity – Category 2
 Repr. 2: Reproductive toxicity – Category 2
 STOT SE 2: Specific target organ toxicity (single exposure) – Category 2
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

— US —