

Printing date 04/21/2023

Revision date 04/21/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Palmitic Acid MaxSpec® Standard
- · Article number: 30380
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

• Classification of the substance or mixture	
GHS06 Skull and crossbones	
Acute Toxicity - Dermal 2	H310 Fatal in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
Carcinogenicity 2 Toxic to Reproduction 2	H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the
	unborn child.
Specific Target Organ Toxicity - Repeated Exposure	e H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
	(Contd. on page 2)

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Revision date 04/21/2023


Trade name: Palmitic Acid MaxSpec® Standard

(Contd. from page 1) GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS06 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Chloroform · Hazard statements H302 Harmful if swallowed. H310 Fatal in contact with skin. H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. · Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P262 Do not get in eyes, on skin, or on clothing. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P302+P352 If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P308+P313 IF exposed or concerned: Get medical advice/attention. P321 Specific treatment (see on this label). P314 Get medical advice/attention if you feel unwell. P330 Rinse mouth. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Printing date 04/21/2023

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard



Dangerous components:			
		99.99%	
RTECS: FS9100000			
Other ingredients			
Other ingreatents			
CAS: 57-10-3 RTECS: RT4550000	Palmitic Acid	0.01%	

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

______US

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:			
67-66-3	Chloroform	2 ppm	
57-10-3	Palmitic Acid	0.19 mg/m³	
· PAC-2:			
67-66-3	Chloroform	64 ppm	
57-10-3	Palmitic Acid	2.1 mg/m ³	
· PAC-3:			
67-66-3	Chloroform	3,200 ppm	
57-10-3	Palmitic Acid	12 mg/m ³	

7 Handling and storage

- Handling:
- · Precautions for safe handling
- Store upright and unopened at -20C.
- Warm to room temperature before opening.
- Light sensitive.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

(Contd. on page 5)

(Contd. from page 3)

Printing date 04/21/2023

Printing date 04/21/2023

Revision date 04/21/2023

(Contd. from page 4)

Trade name: Palmitic Acid MaxSpec® Standard

• **Information about protection against explosions and fires:** Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities Keep container tightly closed.

Store in accordance with information listed on the product insert.

Storage: Store in accordance with information listed on the product insert.

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

- PEL Ceiling limit value: 240 mg/m³, 50 ppm
- REL Short-term value: 9.78* mg/m³, 2* ppm
- *60-min; See Pocket Guide App. A TLV Long-term value: 10 ppm
 - A3

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

⁻ US

Printing date 04/21/2023

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses



Tightly sealed goggles

Appearance:LiquidForm:LiquidColor:According to product specificationOdor:CharacteristicStructural FormulaC16H32O2Molecular Weight256.4 g/molOdor threshold:Not determined.FormulationA solution in chloroform at 100 µg/mlpH-value:Not determined.Change in condition-63 °C (-81.4 °F)Boiling point/Melting range:-63 °C (-81.4 °F)Boiling point/Melting range:62 °C (143.6 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.	Information on basic physical and chemical properties		
Form:LiquidColor:According to product specificationOdor:CharacteristicStructural FormulaC16H32O2Molecular Weight256.4 g/molOdor threshold:Not determined.FormulationA solution in chloroform at 100 µg/mlpH-value:Not determined.Change in condition-63 °C (-81.4 °F)Boiling point/Boiling range:62 °C (143.6 °F)Flash point:Not applicable.Flash point:Not applicable.Flash point:Not determined.Quot igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.	· General Information		
Color:According to product specificationOdor:CharacteristicStructural FormulaC16H32O2Molecular Weight256.4 g/molOdor threshold:Not determined.FormulationA solution in chloroform at 100 µg/mlPH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range:-63 °C (-81.4 °F) 62 °C (143.6 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withVetermined.		Liquid	
Odor:CharacteristicStructural FormulaC16H32O2Molecular Weight266.4 g/molOdor threshold:Not determined.FormulationA solution in chloroform at 100 µg/mlpH-value:Not determined.Change in conditionMelting point/Melting range: 62 °C (-81.4 °F)Boiling point/Boiling range:62 °C (-81.4 °F)Boiling point/Boiling range:62 °C (143.6 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:210 hPa (157.5 mm Hg)Vapor pressure at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.	-		
Molecular Weight256.4 g/molOdor threshold:Not determined.FormulationA solution in chloroform at 100 µg/mlpH-value:Not determined.Change in condition Melting point/Melting range: 62 °C (143.6 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Meletermined.Not determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.			
Odor threshold:Not determined.FormulationA solution in chloroform at 100 μg/mlpH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Boiling range: 62 °C (143.6 °F)-63 °C (-81.4 °F) 62 °C (143.6 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative density Vapor densityNot determined.Vapor density Not determined.Not determined.Vapor density Not determined.Not determined.Not determined.Not determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.	Structural Formula	C16H32O2	
FormulationA solution in chloroform at 100 μg/mlpH-value:Not determined.Change in condition Melting point/Melting range:-63 °C (-81.4 °F) 62 °C (143.6 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility withNot determined.			
pH-value: Not determined. ° pH-value: Not determined. ° Change in condition Melting point/Boiling range: -63 °C (-81.4 °F) 62 °C (143.6 °F) ° Flash point: Not applicable. ° Flash point: Not applicable. ° Flammability (solid, gaseous): Not applicable. ° Auto igniting: 982 °C (1,799.6 °F) ° Decomposition temperature: Not determined. ° Ignition temperature: Product is not selfigniting. ° Danger of explosion: Product does not present an explosion hazard. ° Explosion limits: Lower: Lower: Not determined. ° Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) ° Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) ° Relative density Not determined. ° Vapor density Not determined. ° Solubility in / Miscibility with *			
Change in condition -63 °C (-81.4 °F) Boiling point/Boiling range: 62 °C (143.6 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Auto igniting: 982 °C (1,799.6 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vappr pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Formulation	A solution in chloroform at 100 μg/ml	
Metting point/Melting range: Boiling point/Boiling range:-63 °C (-81.4 °F) 62 °C (143.6 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal) Not determined.Vapor density Vapor densityNot determined.Vapor density 	pH-value:	Not determined.	
Boiling point/Boiling range:62 °C (143.6 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with			
Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with			
Flammability (solid, gaseous):Not applicable.Auto igniting:982 °C (1,799.6 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor anateNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Boiling point/Boiling range:	62 °C (143.6 °F)	
Auto igniting: 982 °C (1,799.6 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Flash point:	Not applicable.	
Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Hiscibility with	Flammability (solid, gaseous):	Not applicable.	
Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Auto igniting:	982 °C (1,799.6 °F)	
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Decomposition temperature:	Not determined.	
Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility withNot determined.	Ignition temperature:	Product is not selfigniting.	
Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):210 hPa (157.5 mm Hg)Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Explosion limits:		
• Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg) • Density at 20 °C (68 °F): 1.47982 g/cm³ (12.3491 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with Vapor density			
Density at 20 °C (68 °F):1.47982 g/cm³ (12.3491 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor ation rateNot determined.Solubility in / Miscibility with	Upper:	Not determined.	
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Value of the second sec	Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)	
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Vation of the second seco			
Evaporation rate Not determined. Solubility in / Miscibility with Image: Solubility with			
Solubility in / Miscibility with			
	Evaporation rate	Not determined.	
Water at 20 °C (68 °F): 8 g/l			
	Water at 20 °C (68 °F):	8 g/l	

(Contd. from page 5)

Printing date 04/21/2023

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard

	(Contd. from page 6)
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	0.56 mPas Not determined.
 Solvent content: VOC content: 	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:				
ATE (Acute Tox	cicity Estimate)			
Oral	LD50	500 mg/kg		
Dermal	LD50	75 mg/kg (rat)		
Inhalative	LC50/4 h	3 mg/l		
67-66-3 Chlorof	67-66-3 Chloroform			
Oral	LDLO	2,514 mg/kg (man)		
	LD50	300 mg/kg (rat)		
Dermal	LD50	>20 g/kg (rabbit)		
	LD50	75 mg/kg (rat)		
Inhalative	LC50	47,702 mg/m³/4h (rat)		

		5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
		mild
Irritation of eyes		20 mg/24h (rabbit)
		moderate
	Intraperitoneal LD50	623 mg/kg (mouse)

Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

(Contd. on page 8)

Printing date 04/21/2023

Revision date 04/21/2023

(Contd. from page 7)

2B

R

Trade name: Palmitic Acid MaxSpec® Standard

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-66-3 Chloroform

• NTP (National Toxicology Program)

67-66-3 Chloroform

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN2810
· UN proper shipping name	
DOT	Toxic, liquids, organic, n.o.s. (Chloroform)

Printing date 04/21/2023

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard

IMDG IATA	TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM) Toxic liquid, organic, n.o.s. (CHLOROFORM)
Transport hazard class(es)	
DOT	
TOXIC 6	
Class Label	6.1 Toxic substances 6.1
IMDG, IATA	
6	
· Class · Label	6.1 Toxic substances 6.1
Packing group DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Toxic substances : 60 F-A,S-A (SGG10) Liquid halogenated hydrocarbons B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
	(Contd. on page 1

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard

(Contd. from page 9)

· UN "Model Regulation":

Printing date 04/21/2023

UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM), 6.1, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

Section 355 (extremely hazardous substances):	
67-66-3 Chloroform	
Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
67-66-3 Chloroform	
Proposition 65	
Chemicals known to cause cancer:	
67-66-3 Chloroform	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, N
TLV (Threshold Limit Value)	· ·
67-66-3 Chloroform	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	·
67-66-3 Chloroform	
· Chemical safety assessment: A Chemical Safety Assessment has not been ca	arried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 11)

⁻ ÚS

Printing date 04/21/2023

Revision date 04/21/2023

Trade name: Palmitic Acid MaxSpec® Standard

(Contd. from page	10)
· Department issuing SDS: Environment protection department.	
Contact: -	
· Date of preparation / last revision 04/21/2023	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Dermal 2: Acute toxicity – Category 2	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Repeated Exposure 1. Specific target organ toxicity (repeated exposure) – Category 1	
* Data compared to the previous version altered.	
· · ·	US –