

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/05/2024


Revision date 04/05/2024

Page 1/11

1 Identification

· Product identifier

- · Trade name: Tetrahydrocannabivarin
- Synonym
 6aR,7,8,10aR-tetrahydro-6,6,9-trimethyl-3-propyl-6H-dibenzo[b,d]pyran-1-ol;Δ9-Tetrahydrocannabivarin; Δ9-THCV; Δ9-THV; THCV; THV
- Article number: 30748
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970



Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

	(Contd. from page
Aquatic Acute 3	H402 Harmful to aquatic life.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lastineffects.
Label elements	
GHS label elemer	
	sified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogram	IS
$\wedge \land$	
GHS02 GHS06	GHS08
Signal word Dang	ler
	ng components of labeling:
Methanol Hazard statement	
H225	s Highly flammable liquid and vapor.
	Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
H412	Harmful to aquatic life with long lasting effects.
Precautionary sta	
P210	Keen ewey from beet/enerke/enen flemee/bet eurfages
	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w
004-0040	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.

(Contd. on page 3)

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

(Contd. from page 2)

Classification system:
 NFPA ratings (scale 0 - 4)

230

Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*2FIRE3REACTIVITY0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

[.] Dangerous compon	ents:	
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.0%
CAS: 31262-37-0 RTECS: HP8558000	Tetrahydrocannabivarin	1.0%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

(Contd. from page 3)

5 Fire-fighting measures

- Extinguishing media
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol 530 ppm · PAC-2: 67-56-1 Methanol 2,100 ppm · PAC-3: 67-56-1 Methanol 7200* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.

• Conditions for safe storage, including any incompatibilities

- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 5)

US

Printing date 04/05/2024

Revision date 04/05/2024

(Contd. from page 4)

Trade name: Tetrahydrocannabivarin

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-56-1 Methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

US

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

• Material of gloves

(Contd. from page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and one of the second second	chemical properties
 Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid According to product specification Characteristic C19H26O2 286.4 g/mol Not determined. A solution in methanol
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-98 °C (-144.4 °F) 64.7 °C (148.5 °F)
· Flash point:	9.7 °C (49.5 °F)
 Flammability (solid, gaseous): 	Highly flammable.
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
	(Contd. on page 7)

- U

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

	(Conto	l. from page
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	1000 g/l	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
SOLUBILITY	Methanol: 10 mg/ml	
Solvent content:		
Organic solvents:	99.0 %	
VOC content:	99.00 %	
	990.0 g/l / 8.26 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidising/reducing agents
- · Hazardous decomposition products: carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

ATE (Acu	te Toxicity Estir	nate)
Oral	LD50	101 mg/kg (rat)
Dermal	LD50	303 mg/kg (rabbit)
Inhalative	LC50/4 h	3.13 mg/l (rat)
67-56-1 M	ethanol	
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

		200.1 mg/kg (robbit)
Dermal LD50		300.1 mg/kg (rabbit) (Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Anne:
		VI (Table 3.1/3.2)
Inhalative	L CE0/4 h	3.1 mg/l (rat)
	L030/4 II	(Expert judgment)
		Remarks: Classified according to Regulation (EU) 1272/2008, Anne
		VI (Table 3.1/3.2)
		Symptoms: Irritation symptoms in the respiratory tract.
31262-37	0 Tetrahydrocannabi	
•	Intraperitoneal TDLO	
	Intravenous TDLo	0.3 mg/kg (mouse)
on the sk on the ey Sensitiza Additiona	rritant effect: in: No irritant effect. e: No irritating effect. tion: No sensitizing eff Il toxicological inform uct shows the followir	nation:
on the sk on the ey Sensitiza Additiona The produ preparatio Toxic	 in: No irritant effect. e: No irritating effect. tion: No sensitizing effect. I toxicological inform uct shows the followir ns: 	nation:
on the sk on the ey Sensitiza Additiona The produ preparatio Toxic Carcinog	 in: No irritant effect. e: No irritating effect. tion: No sensitizing effect. il toxicological information of the sensitizing effect. toxicological information of the sensitization of the sense sensitization of the se	
on the sk on the ey Sensitiza Additiona The produ preparatio Toxic Carcinog IARC (Inter-	 in: No irritant effect. e: No irritating effect. tion: No sensitizing effect. il toxicological information of the sensitizing effect. toxicological information of the sensitization of the sense sensitization of the se	nation: ng dangers according to internally approved calculation methods f
on the sk on the ey Sensitiza Additiona The produ preparatio Toxic Carcinog IARC (Inte None of th	 in: No irritant effect. e: No irritating effect. tion: No sensitizing effect. it toxicological inform out shows the followirens: enic categories ernational Agency form 	nation: ng dangers according to internally approved calculation methods t r Research on Cancer)
on the sk on the ey Sensitiza Additiona The produ preparatio Toxic Carcinog IARC (Inte None of the NTP (National Science)	 in: No irritant effect. e: No irritating effect. tion: No sensitizing effect. il toxicological inform uct shows the followirins: enic categories ernational Agency form the ingredients is listed. 	nation: ng dangers according to internally approved calculation methods f r Research on Cancer)
on the sk on the ey Sensitiza Additiona The produ preparatio Toxic Carcinog IARC (Inte None of th NONE of th NONE of th OSHA-Ca	 in: No irritant effect. e: No irritating effect. tion: No sensitizing effect. it toxicological inform uct shows the following effect. enic categories ernational Agency for the ingredients is listed. ional Toxicology Program in ingredients is listed. 	nation: ng dangers according to internally approved calculation methods t r Research on Cancer) gram) y & Health Administration)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Harmful to aquatic organisms
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 9)

US

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

· Other adverse effects No further relevant information available.


13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.



(Contd. from page 8)

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

	(Contd. from page 9
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 336 F-E,S-D B
· Stowage Code	SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
 Transport/Additional information: 	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIV
Hazardous Air Pollutants	ł
67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page

Printing date 04/05/2024

Revision date 04/05/2024

Trade name: Tetrahydrocannabivarin

(Contd. from page 10)

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 04/05/2024 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI:** Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * * Data compared to the previous version altered.