

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 08/31/2023 Revision date 08/31/2023

1 Identification

· Product identifier

· Trade name: T-2 Toxin-13C24

· Synonym Fusariotoxin T-2-13C24; Insariotoxin-13C24; Mycotoxin T-2-13C24

· Article number: 31300

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

· Hazard pictograms

(Contd. from page 1)





· Signal word Danger

· Hazard-determining components of labeling:

Acetonitrile

· Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment. P241

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

Take off contaminated clothing and wash it before reuse. P362+P364 If eye irritation persists: Get medical advice/attention. P337+P313

In case of fire: Use CO2, powder or water spray to extinguish. P370+P378

Store in a well-ventilated place. Keep cool. P403+P235

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	2001 Mar Mixtare of the Substantess helds below Mar Helmazar adds additione.				
	· Dangerous components:				
	CAS: 75-05-8 RTECS: AL7700000		99.9975%		
	· Other ingredients				
Ī	T-2 Toxin-13C24		0.0025%		

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

(Contd. on page 4)

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

(Contd. from page 3)

- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
75-05-8	Acetonitrile	13 ppm
· PAC-2:		
75-05-8	Acetonitrile	50 ppm
· PAC-3:		
75-05-8	Acetonitrile	150 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame.

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

(Contd. from page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

(Contd. from page 5)

Information on basic physical and chemical properties General Information Appearance: Form: Color: Appearance: Form: Color: Odor: Odor threshold: Odo	9 Physical and chemical proper	ties
Appearance: Form: Color: According to product specification Color: Characteristic Structural Formula Molecular Weight Odor threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Solubility in Vapor pressure at 20 °C (68 °F): Upper: - Explosion limits: Lower: Upper: - Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): Solubility in / Miscibility with Water at 25 °C (77 °F): Viscosity: Dynamic at 20 °C (68 °F): Not determined. - Viscosity: Dynamic at 20 °C (68 °F): Not determined. - Viscosity: Dynamic at 20 °C (68 °F): Not determined. - Viscosity: Dynamic at 20 °C (68 °F): Not determined. - Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubility in / Miscibility with Water at 25 °C (70 °F): Not determined. Solubility in / Miscibility with Not determined. Not determined. Not determined.	· Information on basic physical and c	hemical properties
Form: Liquid Color: According to product specification Odor: Characteristic Structural Formula [13C]24H34O9 Molecular Weight 490.3 g/mol Odor threshold: Not determined. Formulation A 25 µg/ml solution in acetonitrile PH-value: Not determined. Change in condition Melting point/Boiling range: 46 °C (-50.8 °F) Boiling point/Boiling range: 81 °C (177.8 °F) Flash point: 5 °C (41 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 4.4 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Not determined. Viscosity: Not determined. SolubilLITY Acetonitrile: soluble Solubilcy in / Miscibility with Water at 25 °C (77 °F): Not determined. Solubilcy in / Miscibility with Water at 25 °C (68 °F): Not determined. Solubilcy in / Miscibility with Water at 25 °C (68 °F): Not determined. Solubilcy in / Miscibility with Water at 25 °C (68 °F): Not determined. Solubilcy Occupance of the product in the product in the control of the product in the pro		
Color: Characteristic		15.21
Odor: Characteristic [13C]24H34O9 Molecular Weight Molecular Weight Odor threshold: A 25 μg/ml solution in acetonitrile · pH-value: Not determined. · pH-value: Not determined. · Change in condition Melting point/Boiling range: Boiling point/Boi		
Structural Formula 13C 24H34O9 490.3 g/mol Odor threshold: Not determined. Not determined. Pormulation A 25 µg/ml solution in acetonitrile Ph-value: Not determined. Not determined. Not determined. Ph-value: Not determined. Ph-value: Not determined. Ph-value: Not determined. Ph-value: A6 °C (-50.8 °F) Ph-value:		
Molecular Weight Odor threshold: Formulation A 25 μg/ml solution in acetonitrile pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling point/Boiling range: Boiling point/Boiling point/Boiling range: Boiling point/Boiling point		
Odor threshold: Formulation PH-value: Not determined. A 25 µg/ml solution in acetonitrile PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Boiling point/Boiling range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Highly flammable. Auto igniting: Solecomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: Lower: Upper: Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): Vapor density Vapor density Not determined. Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Viscosity: Solubility in / Miscibility with Water at 25 °C (68 °F): O.39 mPas Kinematic: Solubility in / Miscibility with Acetonitrile: soluble Solubility in / O.00 lb/gal Solids content: VOC content:		
pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Highly flammable. Auto igniting: Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): Relative density Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Voc content:		
Change in condition Melting point/Melting range: Boiling point/Boiling range: 81 °C (177.8 °F) Flash point: 5 °C (41 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: Upper: 4.4 Vol % Upper: 4.4 Vol % 16 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): Relative density Vapor density Vapor density Not determined. Vapor at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. SoluBilITY Acetonitrile: soluble Solvent content: VOC content: VOC content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content:	· Formulation	A 25 μg/ml solution in acetonitrile
Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Highly flammable. Auto igniting: Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Upper: Upper: Vapor pressure at 20 °C (68 °F): Relative density Vapor density Vapor density Vapor density Vapor density Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): O.39 mPas Kinematic: SOLUBILITY Acetonitrile: soluble Solids content: VOC cont	· pH-value:	Not determined.
Boiling point/Boiling range: 81 °C (177.8 °F) Flash point: 5 °C (41 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. Solubility in / Miscibility Acetonitrile: soluble Solubility in Content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 % 0.0 g/l / 0.00 lb/gal		
Flash point: 5 °C (41 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SoluBiLITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
Flammability (solid, gaseous): Highly flammable. Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive are vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: SOLUBILITY Acetomitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	<u> </u>	
Auto igniting: 525 °C (977 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY Accetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	<u> </u>	
Decomposition temperature: Ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): Relative density Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Acetonitrile: soluble Solvent content: VOC content: VOC content: O.00 % O.0 g/l / 0.00 lb/gal Solids content:	, , , , , ,	
Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: 4.4 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Not determined. SOLUBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible. Explosion limits: Lower: Upper: 4.4 Vol % 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: SOLUBILITY Not determined. Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content:	Decomposition temperature:	
Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): Vapor density Vapor density Vapor density Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Acetonitrile: soluble Solvent content: VOC content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	Ignition temperature:	Product is not selfigniting.
Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SoluBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Danger of explosion:	
Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: 0.39 mPas Kinematic: Not determined. SOLUBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Explosion limits:	
Vapor pressure at 20 °C (68 °F): 98.64 hPa (74 mm Hg) Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: 0.39 mPas Kinematic: Not determined. SOLUBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Lower:	*** * * * * * * * * * * * * * * * * * *
Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg) Density at 20 °C (68 °F): 0.7822 g/cm³ (6.52746 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: 0.39 mPas Kinematic: Not determined. SoluBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Upper:	16 Vol %
Density at 20 °C (68 °F): Relative density Vapor density Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility Not determined. Solubility Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Vapor pressure at 20 °C (68 °F):	98.64 hPa (74 mm Hg)
Relative density Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility Not determined. Solubility Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
Relative density Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility Not determined. Solubility Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Density at 20 °C (68 °F):	0.7822 g/cm³ (6.52746 lbs/gal)
 Evaporation rate Not determined. Solubility in / Miscibility with Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 %		
· Solubility in / Miscibility with Water at 25 °C (77 °F): · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY Acetonitrile: soluble · Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
Water at 25 °C (77 °F): 1000 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 0.39 mPas Kinematic: Not determined. SOLUBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Evaporation rate	Not determined.
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. SOLUBILITY Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %		
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY OLUBICATION OLUBI	Water at 25 °C (77 °F):	1000 g/l
Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Partition coefficient (n-octanol/water): Not determined.	
Kinematic: SOLUBILITY Not determined. Acetonitrile: soluble Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		
SOLUBILITY Acetonitrile: soluble • Solvent content: 0.00 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		
Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		Acetoritrie: Soluble
0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		0.00.0/
Solids content: 0.0 %	VUC content:	
	Oalida aantaut	
(Contd. on page	Solias content:	

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

(Contd. from page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
ATE (Acu	ATE (Acute Toxicity Estimate)			
Oral	LD50	617 mg/kg (mouse)		
Dermal	LD50	1,500 mg/kg (rabbit)		
Inhalative	LC50/4 h	11 mg/l		

75-05-8 A	75-05-8 Acetonitrile		
Oral	LD50	617 mg/kg (mouse) (OECD Test Guideline 401)	
Dermal	LD50	1,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)	
Inhalative	LC50/4 h	6.022 mg/l (mouse) (OECD Test Guideline 403)	

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, IMDG, IATA UN1648

· UN proper shipping name

· DOT, IATA Acetonitrile solution

· IMDG ACETONITRILE solution

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

(Contd. on page 9)

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

	(Contd. from page
Label	3
· IMDG, IATA	
Class	3 Flammable liquids
Label	3
· Packing group · DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
· EMS Number:	F-E,S-D B
· Stowage Category · Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA	
Remarks:	When sold in quantities of less than or equal to 1 m
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1648 ACETONITRILE SOLUTION, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

(Contd. on page 10)

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

(Contd. from page 9)

TSCA (Toxic Substances Control Act):

75-05-8 Acetonitrile

ACTIVE

· Hazardous Air Pollutants

75-05-8 Acetonitrile

· Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

75-05-8 Acetonitrile

CBD, D

· TLV (Threshold Limit Value)

75-05-8 Acetonitrile

Α4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 08/31/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 11)

Printing date 08/31/2023 Revision date 08/31/2023

Trade name: T-2 Toxin-13C24

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

* Data compared to the previous version altered.

(Contd. from page 10)