

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 09/20/2023 Revision date 09/20/2023

1 Identification

· Product identifier

· Trade name: Thymol

· Synonym

5-methyl-2-(1-methylethyl)-phenol

IPMP

p-Cymen-3-ol

2-isopropyl-5-Methylphenol

NSC 11215 NSC 47821 NSC 49142

· Article number: 34496

· CAS Number:

89-83-8

· EC number:

201-944-8

· Index number:

604-032-00-1

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co.

1180 E. Ellsworth Rd.

Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

(Contd. on page 2)

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

(Contd. from page 1)



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS05 GHS07 GHS09

· Signal word Danger

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 3 Fire = 1 Reactivity = 0

(Contd. on page 3)

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

· HMIS-ratings (scale 0 - 4)

(Contd. from page 2)



Fire = 1 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description 89-83-8 Thymol

Identification number(s) · EC number: 201-944-8 · Index number: 604-032-00-1

4 First-aid measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

(Contd. from page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

• PAC-1: 2.9 mg/m³ • PAC-2: 32 mg/m³ • PAC-3: 190 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

(Contd. on page 5)

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

Protection of hands:

(Contd. from page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physica	ıl and c	hemica	pro	perties

General Information Appearance:	
Form:	Crystalline
Color:	Not determined.
· Odor:	Characteristic
· Structural Formula	C10H14O
· Molecular Weight	150.2 g/mol
Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	51.5 °C (124.7 °F)
Boiling point/Boiling range:	233 °C (451.4 °F)

· Information on basic physical and chemical properties

· Flash point:	116 °C (240.8 °F)
Flammability (solid, gaseous):	Product is not flammable.

· ····································	
Decomposition temperature:	Not determined.

· Ignition temperature:	Not determined.
-------------------------	-----------------

Danger of explosion:	Product does not present an explosion hazard.
----------------------	---

· Explosion limits	:
--------------------	---

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 6)

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

(Contd. from page 5) Density at 20 °C (68 °F): 0.9699 g/cm³ (8.09382 lbs/gal) Relative density Not determined. · Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Not determined. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not applicable. Kinematic: Not applicable. **SOLUBILITY** PBS (pH 7.2): 5 mg/ml; Ethanol: 30 mg/ml; DMSO: 30 mg/ml; DMF: 30 mg/ml

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Other information

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong acids, strong bases, oxidizing agents
- · Hazardous decomposition products: carbon oxides

11 Toxicological information

- · RTECS Number XP2275000
- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values that a	are relevant fo	r classification:
-----------	---------------	-----------------	-------------------

Oral	LD50	640 mg/kg (mouse)
		980 mg/kg (rat)
	Intraperitoneal LD50	110 mg/kg (mouse)
	Subcutaneous LD50	243 mg/kg (mouse)
	Subcutaneous LDLO	1,600 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

(Contd. from page 6)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1759
· UN proper shipping name· DOT· IMDG· IATA	Corrosive solids, n.o.s. (Thymol) CORROSIVE SOLID, N.O.S. (Thymol) Corrosive solid, n.o.s. (Thymol)

(Contd. on page 8)

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

(Contd. from page 7) · Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label · IMDG, IATA · Class 8 Corrosive substances · Label 8 · Packing group DOT, IMDG, IATA Ш · Environmental hazards: Environmentally hazardous substance, solid · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg · IMDG · Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g · IATA · Remarks: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. · UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (THYMOL), 8, II, ENVIRONMENTALLY HAZARDOUS

Printing date 09/20/2023 Revision date 09/20/2023

Trade name: Thymol

(Contd. from page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/20/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.