

Printing date 03/22/2022

Revision date 03/22/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Microbiome Metabolite Screening Library
- Article number: 36305
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

CHSI	08 Health hazard
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 2	H351 Suspected of causing cancer.
Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT SE 2	H371 May cause damage to organs.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
$\mathbf{\Lambda}$	
GHS0	07
)7 H315 Causes skin irritation.
Skin Irrit. 2	
Skin Irrit. 2 Eye Irrit. 2A	H315 Causes skin irritation.
Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1	H315 Causes skin irritation. H319 Causes serious eye irritation.
Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1 STOT SE 3 Flam. Lig. 4	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

-US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2022

Revision date 03/22/2022


Trade name: Microbiome Metabolite Screening Library

	(Contd. from page 1)
Aquatic Acute 3	3 H402 Harmful to aquatic life.
· Label element	
· GHS label elei	nents classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictog	
GHS08 GHS	07
• Signal word D	anger
	nining components of labeling:
Dimethyl sulfox	
	etabolite Screening Library (Plate 1 & 2)
• Hazard statem	
H227 Combust H315 Causes s	
	serious eye irritation.
	se allergy or asthma symptoms or breathing difficulties if inhaled.
	se an allergic skin reaction.
	ed of causing cancer.
	ed of damaging fertility or the unborn child.
	se damage to organs.
	se respiratory irritation.
	se damage to organs through prolonged or repeated exposure.
H402 Harmful t • Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from flames and hot surfaces. – No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280 P284	Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable
	for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P362+P364 P333+P313	Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
P333+P313 P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
	(Contd. on page 3)

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library



Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-68-5 RTECS: PV6210000	Dimethyl sulfoxide, anhydrous	87.0077%	
	Microbiome Metabolite Screening Library (Plate 1 & 2)	12.9923%	

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 4)

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-68-5 Dimethyl sulfoxide, anhydrous 150 ppm · PAC-2: 67-68-5 Dimethyl sulfoxide, anhydrous 290 ppm PAC-3: 67-68-5 Dimethyl sulfoxide, anhydrous 1,800 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Keep respiratory protective device available.

(Contd. on page 5)

(Contd. from page 3)

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

(Contd. from page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-68-5 Dimethyl sulfoxide, anhydrous

WEEL Long-term value: 250 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 03/22/2022

Revision date 03/22/2022

(Contd. from page 5)

Trade name: Microbiome Metabolite Screening Library

• Eye protection:

Kinematic:

· Solvent content:

Organic solvents:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: PLATE Color: According to product specification · Odor: Odorless · Odor threshold: Not determined. · Formulation A 10 mM solution in DMSO · pH-value: Not determined. · Change in condition Melting point/Melting range: 18.45 °C (65.2 °F) **Boiling point/Boiling range:** 189 °C (372.2 °F) · Flash point: 89 °C (192.2 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 270 °C (518 °F) · Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. · Danger of explosion: Not determined. · Explosion limits: Lower: 1.8 Vol % Upper: 63 Vol % · Vapor pressure at 20 °C (68 °F): 2.5 hPa (1.9 mm Hg) · Density: Not determined. Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic at 20 °C (68 °F): 198 mPas

Not determined.

87.0 %

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

		(Contd. from page 6)
VOC content:	87.01 % 870.1 g/l / 7.26 lb/gal	
Solids content:	1.2 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

67-68-5 Dimethyl sulfoxide, anhydrous

Oral		7,200 mg/kg (mouse)
		14,500 mg/kg (rat)
	Intraperitoneal LD50	2,500 mg/kg (mouse)
	Subcutaneous LD50	14,000 mg/kg (mouse)
	Intravenous LD50	3,100 mg/kg (mouse)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

US -

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
DOT	Flammable liquids, n.o.s.	
·IMDG	FLAMMABLE LIQUID, N.O.S.	
·IATA	Flammable liquid, n.o.s.	
· Transport hazard class(es)		
DOT		
RAMARE LOUD		
· Class	3 Flammable liquids	

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

	(Contd. from page 8)
· Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
 Packing group DOT, IMDG, IATA 	111
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 30 F-E, <u>S-E</u> A
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 10)

⁻ US

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

(Contd. from page 9)

ACTIVE

· Hazardous Air Pollutants None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

• TSCA (Toxic Substances Control Act): 67-68-5 Dimethyl sulfoxide, anhydrous

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

· Date of preparation / last revision 03/22/2022 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 11)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2022

Revision date 03/22/2022

Trade name: Microbiome Metabolite Screening Library

	(Contd. from page 10)
TLV: Threshold Limit Value	(; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Lig. 4: Flammable liguids – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT SE 2: Specific target organ toxicity (single exposure) – Category 2	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3	
* Data compared to the previous version altered.	
• •	