

Safety Data Sheet acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

1 Identification

- **Product identifier**
- **Trade name:** bisphenol A
- **Synonym**
4,4'-isopropylidenediphenol
4,4'-isopropylidenediphenol
- **CAS Number:**
80-05-7
- **Other means of identification**
- **Article number:** 36594
- **EC number:**
201-245-8
- **Index number:**
604-030-00-0
- **Application of the substance / the mixture**
This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cayman Chemical Co.
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108
USA
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (734) 971-3335
US/CANADA: 800-424-9300
Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Reproductive toxicity 1B

H360 May damage fertility or the unborn child.



GHS05 Corrosion

Eye damage 1

H318 Causes serious eye damage.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 1)



GHS09 Environment

Aquatic Acute 1

Aquatic Chronic 1

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute toxicity - oral 4

Sensitization - skin 1

Specific target organ toxicity (single exposure) 3

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Label elements

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05



GHS07



GHS08



GHS09

Signal word Danger

Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 2)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Information pertaining to particular dangers for man and environment:**
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3
 Fire = 1
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = *3
 Fire = 1
 Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

- **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
80-05-7 bisphenol A
- **Identification number(s)**
- **EC number:** 201-245-8
- **Index number:** 604-030-00-0

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 3)

- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
A solid water stream may be inefficient.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**
- **PAC-1:** 5.0 mg/m³
- **PAC-2:** 110 mg/m³
- **PAC-3:** 640 mg/m³
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Thorough dedusting.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** Store in accordance with information listed on the product insert.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 4)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Solid
- **Color:** Not determined.
- **Odor:** Characteristic
- **Structural Formula** C15H16O2
- **Molecular Weight** 228.3 g/mol
- **Storage Buffer**
- **Odor threshold:** Not determined.
- **Formulation**
- **Melting point/Melting range:** 152–153 °C (305.6–307.4 °F)
- **Boiling point/Boiling range:** 220 °C (428 °F)
- **Flammability:** Product is not flammable.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 5)

- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** 207 °C (404.6 °F)
- **Decomposition temperature:** Not determined.
- **pH-value:** Not applicable.
- **Viscosity:**
- **Kinematic:** Not applicable.
- **SOLUBILITY**
- **Dynamic:** Not applicable.
- **Solubility in / Miscibility with**
- **Water:** Not determined.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Vapor pressure:** Not applicable.
- **Vapor pressure:**
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapor density** Not applicable.
- **Particle characteristics** Not determined.
- **Other information**
- **Appearance:**
- **Form:** Solid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Not determined.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Change in condition**
- **Evaporation rate** Not applicable.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **RTECS Number** SL6300000
- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:

Oral	TDLO	1,000 mg/kg (rat)
	LD50	6,500 mg/kg (mammal)
		2,400 mg/kg (mouse)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 6)

Dermal	LD50	1,200 mg/kg (rat) 3,000 mg/kg (rabbit)
--------	------	---

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.
- **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Assessment by list): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS



Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 7)

14 Transport information

- UN-Number - DOT, IMDG, IATA	UN3077
- UN proper shipping name - DOT, IATA - IMDG	Environmentally hazardous substance, solid, n.o.s. (bisphenol A) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol A)
- Transport hazard class(es) - DOT, IMDG 	9 Miscellaneous dangerous substances and articles 9
IATA 	9 Miscellaneous dangerous substances and articles 9
- Packing group - DOT, IMDG, IATA	III
- Environmental hazards: - Special marking (IATA):	Symbol (fish and tree)
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
- Transport/Additional information: - DOT - Quantity limitations	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- IATA - Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 8)

· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Hazard identification number (Kemler code): 90	
· EMS Number:	F-A,S-F
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL A), 9, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is listed.
- **TSCA (Toxic Substances Control Act):** ACTIVE
- **Hazardous Air Pollutants** Substance is not listed.
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

- **Department issuing SDS:** Environment protection department.
- **Contact:** -
- **Date of preparation** 04/21/2026
- **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute toxicity - oral 4: Acute toxicity – Category 4
Eye damage 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 10)

-US-

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/21/2026

Revision date 04/21/2026

Trade name: bisphenol A

(Contd. from page 9)

Sensitization - skin 1: Skin sensitisation – Category 1

Reproductive toxicity 1B: Reproductive toxicity – Category 1B

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

US