

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Revision date 03/04/2025

1 Identification Product identifier • Trade name: ATX-100 · Synonym 4,4'-[[[[3-(dimethylamino)propyl]thio]carbonyl]imino]bis-butanoic acid, 1,1'-bis(1-heptyloctyl) ester Other means of identification · Article number: 36935 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute toxicity - inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. Reproductive toxicity 2 H361 Suspected of damaging fertility or the unborn child. Specific target organ toxicity (repeated exposure) 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. (Contd. on page 2) US

Page 1/11

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100

(Contd. from page 1)

GHS07	
Acute toxicity - oral 4	H302 Harmful if swallowed.
Skin irritation 2	H315 Causes skin irritation.
Eye irritation 2A	H319 Causes serious eye irritation.
Specific target organ toxicity (single exposure) 3	H336 May cause drowsiness or dizziness.
· Label elements	

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Chloroform

· Hazard statements

H302 Harmful if swallowed.

- H331 Toxic if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.


· Precautionary statements

Precautionary sta	itements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	(Contd. on page 3)

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100



4 First-aid measures

Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)

– ús

Date of issue: 03/04/2025

Revision date 03/04/2025

(Contd. from page 3)

Trade name: ATX-100

- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2.0 ppm
· PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3200 ppm
Reference to other sections	· · · · · · · · · · · · · · · · · · ·

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

(Contd. on page 5)

US -

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

- PEL Ceiling limit value: 240 mg/m³, 50 ppm
- REL Short-term value: 9.78* mg/m³, 2* ppm
 - *60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm

A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. from page 4)

Date of issue: 03/04/2025

Revision date 03/04/2025

(Contd. from page 5)

Trade name: ATX-100

• **Eye protection:** Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemica	l properties
General Information	
Physical state	Liquid
Color:	According to product specification
· Odor:	Pleasant
· Structural Formula	C44H86N2O5S
[·] Molecular Weight	755.2 g/mol
· Storage Buffer	
· Odor threshold:	Not determined.
· Formulation	A solution in chloroform
 Melting point/Melting range: 	-63.5 °C (-82.3 °F)
 Boiling point/Boiling range: 	61 °C (141.8 °F)
· Flammability:	Not applicable.
Explosion limits:	
Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
Auto igniting:	982 °C (1,799.6 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
SOLUBILITY	
[·] Dynamic at 20 °C (68 °F):	0.56 mPas
· Solubility in / Miscibility with	
· Water at 20 °C (68 °F):	8 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	211 hPa (158.3 mm Hg)
· Vapor pressure:	(
Density at 20 °C (68 °F):	1.48 g/cm³ (12.3506 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Particle characteristics	Not applicable.
• Other information	
· Appearance:	
· Form:	Liquid
Important information on protection of heal	itn
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
[.] Danger of explosion:	Product does not present an explosion hazard.
	(Contd. on page 7)
	211-

Date of issue: 03/04/2025

Revision date 03/04/2025

(Contd. from page 6)

Trade name: ATX-100

·	Solvent content:
·	VOC content:

· Solids content:

- Change in condition
- Evaporation rate

0.00 % 0.0 g/l / 0.00 lb/gal 1.0 %

Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

OralLD50917 mg/kg (rat)InhalativeLC50/4 h3.13 mg/l (rat)

67-66-3 Chloroform

Oral	LD50	908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert judgment

Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Toxic
- Harmful Irritant
- Intere

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
67-66-3 Chloroform	2B
· NTP (National Toxicology Program)	
67-66-3 Chloroform	R
	(Contd. on page 8)

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1888	
 UN proper shipping name DOT, IATA IMDG 	Chloroform solution CHLOROFORM solution	
· Transport hazard class(es)		
· DOT		
TOXIC 6		
· Class	6.1 Toxic substances	
		(Contd. on pag

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100

	(Contd. from page 8
·Label	6.1
· IMDG, IATA	
· Class	6.1 Toxic substances
· Label	6.1
 Packing group DOT, IMDG, IATA 	III
· Environmental hazards:	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
 Special precautions for user Hazard identification number (Kemler code EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Toxic substances e): 60 F-A,S-A (SGG10) Liquid halogenated hydrocarbons A SW2 Clear of living quarters.
UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

67-66-3 Chloroform

(Contd. on page 10)

⁻ US

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100

	(Contd. fror	n page s
 Section 313 (Specific toxic chemical listings): 		
67-66-3 Chloroform		
· TSCA (Toxic Substances Control Act):		
67-66-3 Chloroform	A	CTIVE
· Hazardous Air Pollutants		
67-66-3 Chloroform		
Chemicals known to cause cancer:		
67-66-3 Chloroform		
Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
67-66-3 Chloroform		
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
67-66-3 Chloroform	B2	, L, NL
· TLV (Threshold Limit Value)		
67-66-3 Chloroform		A3
• NIOSH-Ca (National Institute for Occupational Safety and Health)		
67-66-3 Chloroform		
· Chemical safety assessment: A Chemical Safety Assessment has not been carrie	ed out.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of previous version 08/31/2022
- Date of preparation 03/04/2025
- Abbreviations and acronyms:

 IMDG: International Maritime Code for Dangerous Goods

 DOT: US Department of Transportation

 IATA: International Air Transport Association

 EINECS: European Inventory of Existing Commercial Chemical Substances

 ELINCS: European List of Notified Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 NFPA: National Fire Protection Association (USA)

 HMIS: Hazardous Materials Identification System (USA)

 VOC: Volatile Organic Compounds (USA, EU)

 LC50: Lethal concentration, 50 percent

 LD50: Lethal dose, 50 percent

 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

US

US

Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/04/2025

Revision date 03/04/2025

Trade name: ATX-100

	(Contd. from page 10)
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute toxicity - oral 4: Acute toxicity – Category 4	
Acute toxicity - inhalation 3: Acute toxicity – Category 3	
Skin irritation 2: Skin corrosion/irritation – Category 2	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Reproductive toxicity 2: Reproductive toxicity – Category 2	
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Categorian Categor	gory 3
Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) –	Category 1
* * Data compared to the previous version altered.	