

Printing date 02/14/2023

Revision date 02/14/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Muscimol (CRM)
- · Article number: 38030
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	

Printing date 02/14/2023

Revision date 02/14/2023

Trade name: Muscimol (CRM)

	(Contd. from page 1)
· Label element	ts
GHS label ele	
• Hazard pictog	classified and labeled according to the Globally Harmonized System (GHS).
< <u>₹</u> \$}<	
GHS02 GHS	506 GHS08
· Signal word D	Danger
	nining components of labeling:
Methanol	
Muscimol	
· Hazard statem	
H225	Highly flammable liquid and vapor.
	I331 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321 P330	Specific treatment (see on this label). Rinse mouth.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
1 303 1 301 1	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification	•
· NFPA ratings	
н	ealth = 2
	re = 3
	leactivity = 0
▼ ∨	(Contd. on page 3)
	US-

Printing date 02/14/2023

Revision date 02/14/2023

Trade name: Muscimol (CRM)

(Contd. from page 2)

99.9%

0.1%

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

 Dangerous compon 	ents:
CAS: 67-56-1 RTECS: PC1400000	Methanol
CAS: 2763-96-4 RTECS: NY3325000	Muscimol

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

Printing date 02/14/2023

Revision date 02/14/2023

(Contd. from page 3)

Trade name: Muscimol (CRM)

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Mount resp	precautions, protective equipment and emergency procedures piratory protective device. ective equipment. Keep unprotected persons away.			
	ental precautions:			
Dilute with	plenty of water.			
	w to enter sewers/ surface or ground water.			
	ind material for containment and cleaning up:			
	n liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus	st).		
	ntaminated material as waste according to item 13.			
	equate ventilation.			
	to other sections			
	n 7 for information on safe handling.			
	n 8 for information on personal protection equipment. n 13 for disposal information.			
	Action Criteria for Chemicals			
· PAC-1:		500		
	Methanol	530 ppm		
2763-96-4	Muscimol 1.5 mg/m			
· PAC-2:				
67-56-1	Methanol 2,100 ppm			
2763-96-4	96-4 Muscimol 17 mg/m ³			
· PAC-3:				
67-56-1	Methanol	7200* ppm		
2763-96-4	Muscimol	100 mg/m ³		

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

US

Revision date 02/14/2023

Trade name: Muscimol (CRM)

Printing date 02/14/2023

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-56-1 Methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L

- Medium: urine Time: end of shift
- Parameter: Methanol (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.

Broathing aquinment:

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. from page 4)

Printing date 02/14/2023

Revision date 02/14/2023

(Contd. from page 5)

Trade name: Muscimol (CRM)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Alcohol-like	
Structural Formula	C4H6N2O2	
Molecular Weight	114.1 g/mol	
Odor threshold:	Not determined.	
Formulation	A 1 mg/ml solution in methanol	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-98 °C (-144.4 °F)	
Boiling point/Boiling range:	64.7 °C (148.5 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Ignition temperature:	455 °C (851 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive ail vapor mixtures are possible.	
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

Printing date 02/14/2023

Revision date 02/14/2023

Trade name: Muscimol (CRM)

	(Contd. from page
[·] Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: VOC content: 	99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	100 mg/kg
Dermal	LD50	300 mg/kg
Inhalative LC50/4 h 3 mg/l		

Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	

Printing date 02/14/2023

Revision date 02/14/2023

Trade name: Muscimol (CRM)

		(Contd. from page
	Data	20 mg/24h (rabbit)
2763-96-4 Mus	scimol	
Oral	LD50	22 mg/kg (mouse)
		45 mg/kg (rat)
	Intraperitoneal LD50	2,500 μg/kg (mouse)
	Subcutaneous LD50	3,800 μg/kg (mouse)
) irritating effect. No sensitizing effects k	nown
• Sensitization: • Additional tox The product s preparations: Toxic • Carcinogenic	No sensitizing effects k icological information hows the following dan categories	: gers according to internally approved calculation methods
• Sensitization: • Additional tox The product s preparations: Toxic • Carcinogenic • IARC (Internat	No sensitizing effects k icological information hows the following dan categories ional Agency for Rese	: gers according to internally approved calculation methods
• Sensitization: • Additional tox The product s preparations: Toxic • Carcinogenic • IARC (Internat	No sensitizing effects k icological information hows the following dan categories	: gers according to internally approved calculation methods
Sensitization: Additional tox The product si preparations: Toxic Carcinogenic IARC (Internat None of the ing	No sensitizing effects k icological information hows the following dan categories ional Agency for Rese	: gers according to internally approved calculation methods
• Sensitization: • Additional tox The product so preparations: • Toxic • Carcinogenic • IARC (Internat None of the ing • NTP (National	No sensitizing effects k icological information hows the following dan categories ional Agency for Rese redients is listed.	: gers according to internally approved calculation methods
Sensitization: Additional tox The product si preparations: Toxic Carcinogenic IARC (Internat None of the ing None of the ing None of the ing	No sensitizing effects k icological information hows the following dan categories ional Agency for Rese redients is listed. Toxicology Program)	: igers according to internally approved calculation methods arch on Cancer)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

US

Revision date 02/14/2023

(Contd. from page 8)

Trade name: Muscimol (CRM)

Printing date 02/14/2023

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.
 • Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1992
UN proper shipping name DOT IMDG IATA	Flammable liquids, toxic, n.o.s. (Methanol) FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL Flammable liquid, toxic, n.o.s. (METHANOL)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3, 6.1
Class Label	3 Flammable liquids 3/6.1
IATA	3 Flammable liquids
Label	3 (6.1)
Packing group DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 02/14/2023

Revision date 02/14/2023

Trade name: Muscimol (CRM)

	(Contd. from page 9
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
·IMDG	
Limited quantities (LQ)	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

· Section 355 (extreme	y hazardous substances):
------------------------	--------------------------

2763-96-4 Muscimol

• Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 11)

⁻ US

Printing date 02/14/2023

Revision date 02/14/2023

Trade name: Muscimol (CRM)

(Contd. from page 10)

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 02/14/2023

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

·US