

Printing date 08/08/2023

Revision date 08/08/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Pendimethalin (CRM)
- [.] Synonym
- Article number: 39352
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- [.] Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the subst	ance or mixture	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.	
GHS08 Health haz	ard	
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.	
GHS07		
Acute Toxicity - Oral 4	H302 Harmful if swallowed.	
Acute Toxicity - Dermal 4	H312 Harmful in contact with skin.	
Acute Toxicity - Inhalation 4	H332 Harmful if inhaled.	
Eye Irritation 2A	H319 Causes serious eye irritation.	(Contd. on page

Printing date 08/08/2023

Revision date 08/08/2023


Trade name: Pendimethalin (CRM)

	(Contd. from page
Aquatic Acute 2	H401 Toxic to aquatic life.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.
Label elements GHS label element The product is class Hazard pictogram	ssified and labeled according to the Globally Harmonized System (GHS).
GHS02 GHS07	GHS08
Signal word Dang	
-	
	ing components of labeling:
Acetonitrile Pendimethalin	
Hazard statemen	te
H225	Highly flammable liquid and vapor.
	2 Harmful if swallowed, in contact with skin or if inhaled.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Precautionary sta	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell.
P301+P312 P330	Rinse mouth.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin v
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
	(Contd. on page

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)



· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous compon	ents:	
CAS: 75-05-8 RTECS: AL7700000	Acetonitrile	99.9%
CAS: 40487-42-1 RTECS: BX5470000	Pendimethalin	0.1%

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 75-05-8 Acetonitrile 13 ppm · PAC-2: 75-05-8 Acetonitrile 50 ppm · PAC-3: 75-05-8 Acetonitrile 150 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

US

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)

• Further information about storage conditions:

- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm

REL Long-term value: 34 mg/m³, 20 ppm

- TLV Long-term value: 20 ppm
- Skin, A4

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

LIS

(Contd. from page 4)

Printing date 08/08/2023

Revision date 08/08/2023

(Contd. from page 5)

Trade name: Pendimethalin (CRM)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties	
General Information	
· Appearance: Form:	Liquid
Color:	According to product specification
· Odor:	Ether-like
· Odor threshold:	Not determined.
· Formulation	A 1 mg/ml solution in acetonitrile
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-46 °C (-50.8 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
[·] Flash point:	2 °C (35.6 °F)
 Flammability (solid, gaseous): 	Highly flammable.
· Auto igniting:	525 °C (977 °F)
 Decomposition temperature: 	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
· Vapor pressure at 20 °C (68 °F):	98.64 hPa (74 mm Hg)
· Vapor pressure at 50 °C (122 °F):	330 hPa (247.5 mm Hg)
· Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 25 °C (77 °F):	1000 g/l
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.35 mPas
Kinematic:	Not determined.
	(Contd. on page 7)

US -

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)

	(0	Contd. from page 6
 Solvent content: VOC content: 	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

 Information on 	toxicological effects	•
------------------------------------	-----------------------	---

· Acute toxicity:

Dermal InhalativeLD501,502 mg/kg (rabbit) 11 mg/l75-05-8 AcetonitrileOralLD50617 mg/kg (mouse) (OECD Test Guideline 401) (DECD Test Guideline 401)DermalLD501,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Anner VI (Table 3.1/3.2)InhalativeLC50/4 h6.022 mg/l (mouse) (OECD Test Guideline 403)40487-42- PendimethalinOralLD50978 mg/kg (mouse) 1,050 mg/kg (rat) 1,050 mg/kg (rat)Intraperitoneal LD50220 mg/kg (mouse)	Oral	LD50	618 mg/kg (mouse)
75-05-8 Acetonitrile Oral LD50 617 mg/kg (mouse) (OECD Test Guideline 401) Dermal LD50 1,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Annet VI (Table 3.1/3.2) Inhalative LC50/4 h 6.022 mg/l (mouse) (OECD Test Guideline 403) 40487-42-1 Pendimethalin 978 mg/kg (mouse) 1,050 mg/kg (rat) Oral LD50 978 mg/kg (mouse) 220 mg/kg (mouse)	Dermal	LD50	1,502 mg/kg (rabbit)
OralLD50617 mg/kg (mouse) (OECD Test Guideline 401)DermalLD501,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Anner VI (Table 3.1/3.2)InhalativeLC50/4 h6.022 mg/l (mouse) (OECD Test Guideline 403)40487-42- PendimethalinOralLD50978 mg/kg (mouse) 1,050 mg/kg (rat)Intraperitoneal LD50220 mg/kg (mouse)	Inhalative	LC50/4 h	11 mg/l
DermalLD50(OECD Test Guideline 401)DermalLD501,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Anner VI (Table 3.1/3.2)InhalativeLC50/4 h6.022 mg/l (mouse) 	75-05-8 A	cetonitrile	
Inhalative LC50/4 h 6.022 mg/l (mouse) (OECD Test Guideline 403) 40487-42-1 Pendimethalin 978 mg/kg (mouse) 1,050 mg/kg (rat) Intraperitoneal LD50 920 mg/kg (mouse)	Oral	LD50	
40487-42-1 Pendimethalin Oral LD50 978 mg/kg (mouse) 1,050 mg/kg (rat) Intraperitoneal LD50 220 mg/kg (mouse)	Dermal	LD50	(Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Anne:
Oral LD50 978 mg/kg (mouse) 1,050 mg/kg (rat) Intraperitoneal LD50 220 mg/kg (mouse)	Inhalative	LC50/4 h	
1,050 mg/kg (rat) Intraperitoneal LD50 220 mg/kg (mouse)	40487-42-1 Pendimethalin		
Intraperitoneal LD50 220 mg/kg (mouse)	Oral	LD50	
500 mg/kg (rat)		Intraperitoneal LD50	
			500 mg/kg (rat)

(Contd. on page 8)

US

Printing date 08/08/2023

Revision date 08/08/2023

(Contd. from page 7)

Trade name: Pendimethalin (CRM)

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 9)

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)

(Contd. from page 8)

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG IATA	Flammable liquids, n.o.s. (Acetonitrile) FLAMMABLE LIQUID, N.O.S. (ACETONITRILE) Flammable liquid, n.o.s. (ACETONITRILE)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids
	5
· Class · Label	3 Flammable liquids 3
Packing group	
DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)

(Contd.	from	page 9))
۰.			P~90 0/	

•	Dangerous Goods/Excepted Quantity.	
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONITRILE), 3, II	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara	
------	--

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
All ingredients are listed.
· TSCA (Toxic Substances Control Act):
75-05-8 Acetonitrile ACTIVE
· Hazardous Air Pollutants
75-05-8 Acetonitrile
Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
75-05-8 Acetonitrile CBD, D
TLV (Threshold Limit Value)
75-05-8 Acetonitrile A4
NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable. Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 11)

Printing date 08/08/2023

Revision date 08/08/2023

Trade name: Pendimethalin (CRM)

	(Contd. from page 10)
· Department issuing SDS: Environment protection department.	
Contact: -	
 Date of preparation / last revision 08/08/2023 	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 4: Acute toxicity - Category 4	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Toxic to Reproduction 2: Reproductive toxicity – Category 2 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
	03