

Page 1/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/16/2023

Revision date 08/16/2023

1 Identification

- · Product identifier
- · Trade name: New Mexico Pesticide Mixture 1 (CRM)
- · Synonym
- · Article number: 39366
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Toxic to Reproduction 1A H360-H362 May damage fertility or the unborn child. May cause harm to breast-fed children.

(Contd. on page 2)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

(Contd. from page 1)



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms











GHS02 GHS06 GHS07 GHS08 GHS09

· Signal word Danger

· Hazard-determining components of labeling:

Acetonitrile

Abamectin

Spirotetramat

Trifloxystrobin

Spiromesifen

Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H360-H362 May damage fertility or the unborn child. May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dusts or mists.

P263 Avoid contact during pregnancy/while nursing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 3)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

(Contd. from page 2)

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 75-05-8 RTECS: AL7700000	Acetonitrile	99.5%
CAS: 71751-41-2 RTECS: CL1203000	Abamectin	0.1%
CAS: 141517-21-7	Trifloxystrobin	0.1%

(Contd. on page 4)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

CAS: 168316-95-8 RTECS: WG9110000	Spinosad	om page 3) 0.1%
	Spirotetramat	0.1%
CAS: 283594-90-1 RTECS: EK7826000	Spiromesifen	0.1%

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 5)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

(Contd. from page 4)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
75-05-8 Acetonitrile	13 ppm
· PAC-2:	
75-05-8 Acetonitrile	50 ppm
· PAC-3:	
75-05-8 Acetonitrile	150 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	At the time, the other conditions have no known expective limits.				
7	75-05-8 Acetonitrile				
F	PEL	Long-term value: 70 mg/m³, 40 ppm			
F	REL	Long-term value: 34 mg/m³, 20 ppm			
Т Т	LV	Long-term value: 20 ppm			
		Skin, A4			

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 6)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

(Contd. from page 5)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Ether-like · Odor threshold: Not determined.

• Formulation A solution in acetonitrile (1 mg/ml of each compound)

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: -46 °C (-50.8 °F)

(Contd. on page 7)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

	(Contd. from page
Boiling point/Boiling range:	81 °C (177.8 °F)
Flash point:	2 °C (35.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	525 °C (977 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits: Lower: Upper:	4.4 Vol % 16 Vol %
Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):	98.64 hPa (74 mm Hg) 330 hPa (247.5 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water at 25 °C (77 °F):	1000 g/l
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.35 mPas Not determined.
Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.5 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

. . _

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

· LD/LC50 values that are relevant for classification:

(Contd. from page 7)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	552 mg/kg (mouse)	
Dermal	LD50	1,508 mg/kg (rabbit)	
Inhalative	LC50/4 h	3.44 mg/l	
75-05-8 A	cetonitrile		
Oral	LD50	617 mg/kg (mouse) (OECD Test Guideline 401)	
Dermal	LD50	1,500 mg/kg (rabbit) (Expert Judgement) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)	
Inhalative	LC50/4 h	6.022 mg/l (mouse) (OECD Test Guideline 403)	
71751-41-	2 Abamed	etin	
Oral	TDLO	108 ml/kg (woman)	

168316-95-8 Spinosad

Oral	LD50	3.738 mg/kg	(rat)
------	------	-------------	-------

283594-90-1 Spiromesifen

LD50

LD50

Oral	TDLO	5,672.8 ml/kg/28D continuous (mouse)
	LD50	>2,000 mg/kg (rat)

1.5 mg/kg (rat)

13,600 μg/kg (mouse)

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

(Contd. from page 8)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation**: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name· DOT· IMDG· IATA	Flammable liquids, n.o.s. (Acetonitrile) FLAMMABLE LIQUID, N.O.S. (ACETONITRILE) Flammable liquid, n.o.s. (ACETONITRILE)

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

(Contd. on page 10)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

Class Label 3 Packing group DDT, IMDG, IATA II Product contains environmentally hazard substances: Abamectin Special precautions for user		(Contd. from page
Class Label 3 Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. N. C. (ACETONITRILE), 3, II, ENVIRONMENTA	Label	3
Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): BMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA	TIMIDG, IATA	
Environmental hazards: Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA		·
substances: Abamectin Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA		II
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA	Environmental hazards:	Product contains environmentally hazardous ubstances: Abamectin
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA	Hazard identification number (Kemler code): EMS Number:	: 33 F-E, <u>S-E</u>
DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA		Not applicable.
On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA	Transport/Additional information:	
Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA		
When sold in quantities of less than or equal to 1 or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Min Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labele Dangerous Goods/Excepted Quantity. UN 1993 FLAMMABLE LIQUID, N.C (ACETONITRILE), 3, II, ENVIRONMENTA	Limited quantities (LQ)	Code: E2
(ACETONITRILE), 3, II, ENVIRONMENTA		E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as
HAZAKUUUS	UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O. (ACETONITRILE), 3, II, ENVIRONMENTALI HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 11)

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

		(Contd. from page
Section 313 (Speci	fic toxic chemical listings):	
75-05-8 Aceton	trile	
71751-41-2 Abame	ctin	
TSCA (Toxic Subs	ances Control Act):	
75-05-8 Acetonitrile		ACTIVI
Hazardous Air Poll	utants	
75-05-8 Acetonitrile		
Proposition 65		
Chemicals known	o cause cancer:	
None of the ingredie	nts is listed.	
Chemicals known	o cause reproductive toxicity for females	:
None of the ingredie	nts is listed.	
Chemicals known	to cause reproductive toxicity for males:	
None of the ingredie	nts is listed.	
Chemicals known	o cause developmental toxicity:	
71751-41-2 Abame	ctin	
Carcinogenic cate	gories	
EPA (Environment	al Protection Agency)	
75-05-8 Acetonitrile		CBD, I
TLV (Threshold Lir	nit Value)	
75-05-8 Acetonitrile		A
NIOSH-Ca (Nationa	I Institute for Occupational Safety and He	ealth)
None of the ingredie		

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 08/16/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

(Contd. on page 12)

(Contd. from page 11)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/16/2023 Revision date 08/16/2023

Trade name: New Mexico Pesticide Mixture 1 (CRM)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4
Acute Toxicity - Inhalation 3: Acute toxicity - Category 3
Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1
Toxic to Reproduction 1A: Reproductive toxicity - Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1