

Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

1 Identification

- **Product identifier**
- **Trade name: Human Placental Tissue (Normal)-FFPE Block**
- **Other means of identification**
- **Article number:** 45048
- **Application of the substance / the mixture**
This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cayman Chemical Co.
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108
USA
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (734) 971-3335
US/CANADA: 800-424-9300
Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Germ cell mutagenicity 2 H341 Suspected of causing genetic defects.

Carcinogenicity 1A H350 May cause cancer.



GHS07

Acute toxicity - inhalation 4 H332 Harmful if inhaled.

Sensitization - skin 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 1)

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Formaldehyde

- **Hazard statements**

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

- **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Information pertaining to particular dangers for man and environment:**

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 1

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = *2

Fire = 1

Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 2)

- **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 8002-74-2 RTECS: RV 0350000	Paraffin waxes and Hydrocarbon waxes	50.0%
CAS: 50-00-0 RTECS: LP8925000	Formaldehyde	4.0%

- **Other ingredients**

Human Placental Tissue	46.0%
------------------------	-------

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water.

- **After swallowing:** If symptoms persist consult doctor.

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 3)

- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**

PAC-1:

50-00-0	Formaldehyde	0.90 ppm
---------	--------------	----------

PAC-2:

50-00-0	Formaldehyde	14 ppm
---------	--------------	--------

PAC-3:

50-00-0	Formaldehyde	56 ppm
---------	--------------	--------

Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** Store in accordance with information listed on the product insert.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Control parameters
Components with limit values that require monitoring at the workplace:
8002-74-2 Paraffin waxes and Hydrocarbon waxes
REL Long-term value: 2 mg/m³TLV Long-term value: 2 mg/m³
50-00-0 Formaldehyde

 PEL Short-term value: 2 ppm
 Long-term value: 0.75 ppm
 see 29 CFR 1910.1048(c)

 REL Long-term value: 0.016 ppm
 Ceiling limit value: 0.1* ppm
 *15-min; See Pocket Guide App. A

 TLV Short-term value: 0.37 mg/m³, 0.3 ppm
 Long-term value: 0.12 mg/m³, 0.1 ppm
 DSEN; RSEN, A1

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 4)

- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Solid
- **Color:** According to product specification
- **Odor:** Characteristic
- **Storage Buffer**
- **Odor threshold:** Not determined.
- **Formulation**
- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** >315 °C (>599 °F)
- **Flammability:** Not determined.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 5)

· Flash point:	220 °C (428 °F)
· Auto igniting:	>300 °C (>572 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not applicable.
· Viscosity:	
· Kinematic:	Not applicable.
· SOLUBILITY	
· Dynamic:	Not applicable.
· Solubility in / Miscibility with	
· Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Particle characteristics	Not determined.

· Other information	
· Appearance:	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	4.0 %
· VOC content:	4.00 %
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not applicable.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	12,500 mg/kg (ATE)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 6)

Dermal	LD50	6,750 mg/kg (rabbit)
Inhalative	LC50/4 h	1.25 mg/l

50-00-0 Formaldehyde

Oral	LDLO	70 mg/kg (human)
	TDLO	3.6 mg/kg (woman)
	LD50	500 mg/kg (ATE) 42 mg/kg (mouse) >200 mg/kg (rat)
Dermal	LD50	270 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 g/m ³ (rat)
	LC50	250 mg/m ³ /2h (rat)
	TCLo	300 µg/m ³ (man)
Irritation of skin	LC50/4 h	100 mg/l (ATE)
	Irritation	2 mg/24h (rabbit) severe
Irritation of eyes	Irritation	750 µg/24h (rabbit) severe

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

- **Interactive effects** No interactive effects between components are known.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

50-00-0	Formaldehyde	1
---------	--------------	---

- **NTP (National Toxicology Program)**

50-00-0	Formaldehyde	K
---------	--------------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

50-00-0	Formaldehyde
---------	--------------

- **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 7)

- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 Water hazard class 3 (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Special precautions for user | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

50-00-0	Formaldehyde
---------	--------------

· **Section 313 (Specific toxic chemical listings):**

50-00-0	Formaldehyde
---------	--------------

· **TSCA (Toxic Substances Control Act):**

8002-74-2	Paraffin waxes and Hydrocarbon waxes
-----------	--------------------------------------

ACTIVE

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/20/2026

Revision date 03/20/2026

Trade name: Human Placental Tissue (Normal)-FFPE Block

(Contd. from page 8)

50-00-0	Formaldehyde	ACTIVE
· Hazardous Air Pollutants		
50-00-0	Formaldehyde	
· Chemicals known to cause cancer:		
50-00-0	Formaldehyde	
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients is listed.		
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
50-00-0	Formaldehyde	B1
· TLV (Threshold Limit Value)		
50-00-0	Formaldehyde	A2
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
50-00-0	Formaldehyde	

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

· **Department issuing SDS:** Environment protection department.

· **Contact:** -

· **Date of preparation** 03/20/2026

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute toxicity - inhalation 4: Acute toxicity – Category 4

Sensitization - skin 1: Skin sensitisation – Category 1

Germ cell mutagenicity 2: Germ cell mutagenicity – Category 2

Carcinogenicity 1A: Carcinogenicity – Category 1A