

Printing date 10/25/2022

Revision date 10/25/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer
- · Article number: 498500
- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

 Classification of the substance or mixture 	
GHS08 Health hazard	
Specific Target Organ Toxicity - Repeated Exposure 2	H373 May cause damage to organs through prolonged or repeated exposure.
GHS05 Corrosion	
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Skin Irritation 2	H315 Causes skin irritation.
Specific Target Organ Toxicity - Single Exposure 3	H335 May cause respiratory irritation. (Contd. on page 2)

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

		(Contd. from page 1)
· Label elements	6	
· GHS label elem	nents	
	classified and labeled according to the Globally Harmonized System (Gl	HS).
 Hazard pictogram 	ams	
\wedge		
GHS05 GHS0	07 GHS08	
011000 01100		
· Signal word Da	anger	
· Hazard-determ	ining components of labeling:	
Potassium phos		
Sodium chloride		
Albumin, bovine		
	sphate, Monobasic	
Hazard stateme		
H302 Harmful if		
H315 Causes sk		
	erious eye damage. e respiratory irritation.	
	e damage to organs through prolonged or repeated exposure.	
· Precautionary		
P260	Do not breathe dust/fume/gas/mist/vapors/spray.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves / eye protection / face protection.	
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.	
P302+P352	If on skin: Wash with plenty of water.	a va a fla iva a
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for 38 If in eyes: Rinse cautiously with water for several minutes. Remove	
	present and easy to do. Continue rinsing.	
P310	Immediately call a poison center/doctor.	
P321	Specific treatment (see on this label).	
P314	Get medical advice/attention if you feel unwell.	
P330	Rinse mouth.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P403+P233 P405	Store in a well-ventilated place. Keep container tightly closed.	
P405 P501	Store locked up. Dispose of contents/container in accordance with local/regional/nati	onal/international
FJUT	regulations.	
· Classification s		
• NFPA ratings (s	•	
•		
	ealth = 3	
	re = 0 eactivity = 0	
	activity – 0	
· HMIS-ratings (s	scale 0 - 4)	
HEALTH *3 H	ealth = *3	
	re = 0	
	eactivity = 0	
	-	

Printing date 10/25/2022

Revision date 10/25/2022

(Contd. from page 2)

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous compon	ents:	
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	45.53%
CAS: 7758-11-4 RTECS: TC5580000	Potassium phosphate dibasic	25.87%
CAS: 9048-46-8 RTECS: AY9296000	Albumin, bovine	21.4%
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	6.26%
CAS: 26628-22-8 RTECS: VY8050000	Sodium azide	0.19%
· Other ingredients		
	4491-31-1 EDTA, tetrasodium salt hydrate 0.749	
Matura	Maturation Inducing Steroid - AChE 0.01%	

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.

(Contd. on page 4)

US

Printing date 10/25/2022

Revision date 10/25/2022

(Contd. from page 3)

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

- **Special hazards arising from the substance or mixture** 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground w Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	ater.
· PAC-1:	
7758-11-4 Potassium phosphate dibasic	13 mg/m ³
7778-77-0 Potassium phosphate, Monobasic	9.6 mg/m³
26628-22-8 Sodium azide	0.026 mg/m ³
· PAC-2:	
7758-11-4 Potassium phosphate dibasic	140 mg/m ³
7778-77-0 Potassium phosphate, Monobasic	110 mg/m ³
26628-22-8 Sodium azide	0.29 mg/m³
· PAC-3:	
7758-11-4 Potassium phosphate dibasic	830 mg/m³
7778-77-0 Potassium phosphate, Monobasic	630 mg/m³
26628-22-8 Sodium azide	5.3 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

US

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

(Contd. from page 4)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

26628-22-8 Sodium azide

- REL Ceiling limit value: 0.3** mg/m³, 0.1* ppm *as HN3; **as NaN3; Skin
- TLV Ceiling limit value: 0.29** mg/m³, 0.11* ppm *as HN3 vapor **as NaN3, A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 10/25/2022

Revision date 10/25/2022

(Contd. from page 5)

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information	
Appearance: Form:	lyophilized
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
Formulation	A lyophilized powder
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	· ·
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
VOC content:	0.00 %
Solids content:	100.0 %

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

(Contd. from page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** strong oxidizing agents
- Hazardous decomposition products:

hydrogen chloride gas, phosphorus oxides, potassium oxides, sodium oxides

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

ATE (Acute Tox	icity Estimate)	
Oral	LD50	984 mg/kg
Dermal	LD50	10,526 mg/kg
7647-14-5 Sodiu	ım chloride	
Oral	LDLO	1,000 mg/kg (man)
	TDLO	650 ml/kg (man)
	LD50	4,000 mg/kg (mouse)
		3,000 mg/kg (rat)
	LD50	4 g/kg (mouse)
Inhalative	LC50	320 mg/m³ (mouse)
	TCLO	0.63 mg/m³ (hmn)
	LCLO	29,300 mg/m³/7h (mouse)
Irritation of skin	Irritation	500 mg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	2,602 mg/kg (mouse)
	Subcutaneous LD50	31.6 mg/kg (rat)
	Intravenous LD50	59.5 mg/kg (rat)
	Data	15 mg/3D (hmn)
	Subcutaneous LD50	3 g/kg (mouse)
9048-46-8 Albur	nin, bovine	
	Intraperitoneal TDLO	0.2 pph (mouse)
7778-77-0 Potas	sium phosphate, Mo	
Oral	LDLO	4,640 mg/kg (rat)
26628-22-8 Sod	ium azide	
Oral	LDLO	27 mg/kg (rat)

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

		(Contd. from page 7)
	TDLO	3 ml/kg (wmn)
	LD50	27 mg/kg (rat)
	Subcutaneous LD50	45,100 μg/kg (rat)
Dermal	LD50	50 mg/kg (rat)
		20 mg/kg (rabbit)
Inhalative	LC50	37 mg/m³ (rat)
	Subcutaneous LD50	45,100 μg/kg (rat)
	Interperitoneal LDLO	30 mg/kg (rat)
	Intraperitoneal LD50	28 mg/kg (mouse)
	Subcutaneous LD50	45 mg/kg (rat)
	Data	5,500 mg/kg (mouse)
· Primary irritan		
	ritant to skin and mucou	
	No sensitizing effects ki	ger of severe eye injury.
	icological information	
		gers according to internally approved calculation methods for
preparations:	-	
Harmful		
Irritant		
· Carcinogenic	categories	

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 9)

US

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

(Contd. from page 8)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

r+ rranoport information	
· UN-Number · DOT, IMDG, IATA	not regulated
 UN proper shipping name DOT, IMDG, IATA 	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355	i (extremely hazardous substances):	
26628-22-8	Sodium azide	
· Section 313	(Specific toxic chemical listings):	
26628-22-8	Sodium azide	
· TSCA (Toxi	c Substances Control Act):	
7647-14-5	Sodium chloride	ACTIVE
7758-11-4	Potassium phosphate dibasic	ACTIVE
9048-46-8	Albumin, bovine	ACTIVE
7778-77-0	Potassium phosphate, Monobasic	ACTIVE
26628-22-8	Sodium azide	ACTIVE
	(Contd	on page 10)

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

(Contd. from page 9)

· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value)
26628-22-8 Sodium azide A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 10/25/2022
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit**

(Contd. on page 11)

Printing date 10/25/2022

Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) AChE Tracer

(Contd. from page 10)

Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 • * Data compared to the previous version altered.

US -