

Page 1/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2022

Revision date 10/25/2022

### 1 Identification

- · Product identifier
- · Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum
- · Article number: 498502
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.
Skin Irritation 2 H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

(Contd. on page 2)

Revision date 10/25/2022 Printing date 10/25/2022

#### Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 1)

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS05 GHS07

#### · Signal word Danger

#### · Hazard-determining components of labeling:

Potassium phosphate dibasic

Sodium chloride

Potassium phosphate, Monobasic

Albumin, bovine

#### · Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray. P260

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a poison center/doctor. P310 Specific treatment (see on this label). P321

Get medical advice/attention if you feel unwell. P314

P330 Rinse mouth.

Take off contaminated clothing and wash it before reuse. P362+P364 If skin irritation occurs: Get medical advice/attention. P332+P313

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Classification system:

#### NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 0

Reactivity = 0

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 2)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 7647-14-5 RTECS: VZ47250	Sodium chloride	56.53%		
CAS: 7758-11-4 RTECS: TC55800	Potassium phosphate dibasic 00	32.12%		
CAS: 7778-77-0 RTECS: TC66155	Potassium phosphate, Monobasic	7.77%		
CAS: 9048-46-8 RTECS: AY92960	Albumin, bovine	2.42%		
CAS: 26628-22-8 RTECS: VY80500	Sodium azide 00	0.24%		
· Other ingredients	3			
194491-31-1 EDT	194491-31-1 EDTA, tetrasodium salt hydrate 0.9			
anti-	Maturation Inducing Steroid Rabbit Polyclonal Antiserum	0.01%		

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

(Contd. on page 4)

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 3)

- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

### · Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
7758-11-4	Potassium phosphate dibasic	13 mg/m³
7778-77-0	Potassium phosphate, Monobasic	9.6 mg/m³
26628-22-8	Sodium azide	0.026 mg/m <sup>3</sup>
· PAC-2:		
7758-11-4	Potassium phosphate dibasic	140 mg/m³
7778-77-0	Potassium phosphate, Monobasic	110 mg/m³
26628-22-8	Sodium azide	0.29 mg/m <sup>3</sup>
· PAC-3:		
7758-11-4	Potassium phosphate dibasic	830 mg/m <sup>3</sup>
7778-77-0	Potassium phosphate, Monobasic	630 mg/m <sup>3</sup>
26628-22-8	Sodium azide	5.3 mg/m <sup>3</sup>

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 4)

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 26628-22-8 Sodium azide

REL Ceiling limit value: 0.3\*\* mg/m³, 0.1\* ppm

\*as HN3; \*\*as NaN3; Skin

TLV Ceiling limit value: 0.29\*\* mg/m³, 0.11\* ppm

\*as HN3 vapor \*\*as NaN3, A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

· Eye protection:



(Contd. from page 5)

9 Physical and chemical propo	erties
· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	lyophilized
Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· Formulation	A lyophilized antiserum
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Soluble.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC content:	0.00 %
Solids content:	100.0 %
	(Contd. on page 7

(Contd. on page 7)

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 6)

· Other information

No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values	that are relevant for	classification:
ATE (Acute Tox	ricity Estimate)	
Oral	LD50	1,283 mg/kg
Dermal	LD50	8,333 mg/kg
7647-14-5 Sodiu	um chloride	
Oral	LDLO	1,000 mg/kg (man)
	TDLO	650 ml/kg (man)
	LD50	4,000 mg/kg (mouse)
		3,000 mg/kg (rat)
	LD50	4 g/kg (mouse)
Inhalative	LC50	320 mg/m³ (mouse)
	TCLO	0.63 mg/m³ (hmn)
	LCLO	29,300 mg/m³/7h (mouse)
Irritation of skin	Irritation	500 mg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	2,602 mg/kg (mouse)
	Subcutaneous LD50	31.6 mg/kg (rat)
	Intravenous LD50	59.5 mg/kg (rat)
	Data	15 mg/3D (hmn)
	Subcutaneous LD50	3 g/kg (mouse)
7778-77-0 Potas	ssium phosphate, Mo	nobasic
Oral	LDLO	4,640 mg/kg (rat)
9048-46-8 Albur	min, bovine	
	Intraperitoneal TDLO	0.2 pph (mouse)
26628-22-8 Sod	ium azide	
Oral	LDLO	27 mg/kg (rat)
	TDLO	3 ml/kg (wmn)
		(Contd. on pag

ii page o

Printing date 10/25/2022 Revision date 10/25/2022

#### Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 7) LD50 27 mg/kg (rat) Subcutaneous LD50 45,100 µg/kg (rat) Dermal LD50 50 mg/kg (rat) 20 mg/kg (rabbit) Inhalative LC50 37 mg/m³ (rat) Subcutaneous LD50 45,100 µg/kg (rat) Interperitoneal LDLO 30 mg/kg (rat) Intraperitoneal LD50 28 mg/kg (mouse) Subcutaneous LD50 45 mg/kg (rat) Data 5,500 mg/kg (mouse)

### Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

. . .

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 8)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14	rar	ispo	ort i	nto	rma	tion

· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
· UN "Model Regulation":	not regulated

## **15 Regulatory information**

26628-22-8 Sodium azide

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- . Sara

· Sara					
· Section 35	· Section 355 (extremely hazardous substances):				
26628-22-8	Sodium azide				
· Section 31	3 (Specific toxic chemical listings):				
26628-22-8	Sodium azide				
· TSCA (Tox	· TSCA (Toxic Substances Control Act):				
7647-14-5	Sodium chloride	ACTIVE			
7758-11-4	Potassium phosphate dibasic	ACTIVE			
7778-77-0	Potassium phosphate, Monobasic	ACTIVE			
9048-46-8	Albumin, bovine	ACTIVE			

(Contd. on page 10)

**ACTIVE** 

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 9)

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

26628-22-8 Sodium azide

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 10/25/2022
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

(Contd. on page 11)

Printing date 10/25/2022 Revision date 10/25/2022

Trade name: Maturation-Inducing Steroid (salmonid) EIA Antiserum

(Contd. from page 10)

Acute Toxicity - Oral 4: Acute toxicity - Category 4
Skin Irritation 2: Skin corrosion/irritation - Category 2
Eye Damage 1: Serious eye damage/eye irritation - Category 1
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

\* Data compared to the previous version altered.