

Printing date 05/13/2022

Revision date 05/13/2022

Page 1/9

1 Identification

- · Product identifier
- · Trade name: Triton™ X-100 Stock Solution (20% v/v)
- Article number: 600217
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

| · Classification of the substance or mixture | | | | |
|---|---|--|--|--|
| GHS05 | Corrosion | | | |
| Eye Dam. 1 | H318 Causes serious eye damage. | | | |
| GHS07 | | | | |
| Skin Irrit. 2 | H315 Causes skin irritation. | | | |
| Aquatic Acute 2 | H401 Toxic to aquatic life. | | | |
| Aquatic Chronic 3 | 3 H412 Harmful to aquatic life with long lasting effects. | | | |
| Label elements GHS label elements The product is classification | ents assified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2) | | | |

-lata 05/40/0000 . .

| rinting date 05/13/ | 2022 | Revision date 05/13/2 |
|---------------------------------|---|-------------------------------------|
| rade name: Tritor | n™ X-100 Stock Solution (20% v/v) | |
| · Hazard pictogi | rams | (Contd. from pa |
| \mathbf{A} | | |
| | | |
| | | |
| GHS05 | | |
| · Signal word Da | anger | |
| | nining components of labeling: | |
| Triton X-100 • Hazard statem | onto | |
| H315 Causes s | | |
| | erious eye damage. | |
| H401 Toxic to a | | |
| H412 Harmful te | o aquatic life with long lasting effects. | |
| • Precautionary | | |
| P264 | Wash thoroughly after handling. | |
| P273 | Avoid release to the environment. | |
| P280 | Wear protective gloves / eye protection / fac | ce protection. |
| P302+P352 | | everel minutes. Demove contact land |
| P305+P351+P3 | 338 If in eyes: Rinse cautiously with water for se | everal minutes. Remove contact lens |
| P310 | present and easy to do. Continue rinsing. Immediately call a poison center/doctor. | |
| P321 | Specific treatment (see on this label). | |
| P362+P364 | Take off contaminated clothing and wash it | before reuse |
| P332+P313 | If skin irritation occurs: Get medical advice/a | |
| P501 | Dispose of contents/container in accordance | |
| | regulations. | |
| · Classification | | |
| · NFPA ratings (| | |
| | ealth = 3 | |
| | re = 0 | |
| V Re | eactivity = 0 | |
| · HMIS-ratings (| scale 0 - 4) | |
| HEALTH *3 H | lealth = *3 | |
| | ire = 0 | |
| REACTIVITY 0 R | Reactivity = 0 | |
| · Other hazards | | |
| Results of PB1 | Γ and vPvB assessment | |
| · PBT: Not applic | | |
| · vPvB: Not appl | | |

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

Triton X-100

>10-<25% (Contd. on page 3)

US

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton™ X-100 Stock Solution (20% v/v)

(Contd. from page 2)

80.0%

· Other ingredients

CAS: 7732-18-5 Water RTECS: ZC0110000

Additional information:

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13
- Dispose contaminated material as waste according to item 13.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton[™] X-100 Stock Solution (20% v/v)

(Contd. from page 3)

See Section 13 for disposal information. • Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the skin.
 Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

(Contd. on page 5)

US

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton[™] X-100 Stock Solution (20% v/v)

(Contd. from page 4) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| Information on basic physical and on General Information | chemical properties |
|--|---|
| · Appearance: | |
| Form: | Liquid |
| Color: | Colorless |
| · Odor: | Characteristic |
| Odor threshold: | Not determined. |
| · Formulation | 20% Triton™ X-100 in water |
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 100 °C (212 °F) |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| · Density at 20 °C (68 °F): | 1 g/cm³ (8.345 lbs/gal) |
| · Bulk density: | 1,000 kg/m³ |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| | (Contd. on page 6) |

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton[™] X-100 Stock Solution (20% v/v)

| | (Contd. from p | age |
|----------------------------------|--|-----|
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | า | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octar | nol/water): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Water: | 80.0 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- Incompatible materials: strong oxidizing agents
 Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| ATE (Acute Toxicity Estimate) | | |
|-------------------------------|------------------|---------------------|
| Oral | LD50 | 2,500 mg/kg |
| Triton X-100 | | |
| Oral | LD50 | 1,800 mg/kg (rat) |
| Irritation of skin | Irritation | 500 μl/24h (rabbit) |
| Irritation of eyes | Irritation | 10 μl/24h (rabbit) |
| - | Intravenous LD50 | 1,200 mg/kg (mouse) |

• on the skin: Irritant to skin and mucous membranes.

- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton[™] X-100 Stock Solution (20% v/v)

(Contd. from page 6)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| · UN-Number | | |
|---------------------------|---------------|--|
| · DOT, IMDG, IATA | not regulated | |
| · UN proper shipping name | | |
| · DOT, IMDG, IATA | not regulated | |

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton™ X-100 Stock Solution (20% v/v)

| | | (Contd. from page 7 |
|--|-----------------------------------|---------------------|
| · Transport hazard class(es) | | |
| · DOT, ADN, IMDG, IATA · Class | not regulated | |
| Packing group DOT, IMDG, IATA | not regulated | |
| · Environmental hazards: | Not applicable. | |
| · Special precautions for user | Not applicable. | |
| Transport in bulk according to Anne MARPOL73/78 and the IBC Code | x II of Not applicable. | |
| · UN "Model Regulation": | not regulated | |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| Section 355 (extremely hazardous substances): | |
|--|--------------------|
| None of the ingredients is listed. | |
| Section 313 (Specific toxic chemical listings): | |
| None of the ingredients is listed. | |
| · TSCA (Toxic Substances Control Act): | |
| All components have the value ACTIVE. | |
| · Hazardous Air Pollutants | |
| None of the ingredients is listed. | |
| · Proposition 65 | |
| · Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| · TLV (Threshold Limit Value) | |
| None of the ingredients is listed. | |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| | (Contd. on page 9) |
| | US |

Printing date 05/13/2022

Revision date 05/13/2022

Trade name: Triton[™] X-100 Stock Solution (20% v/v)

(Contd. from page 8)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 05/13/2022 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

- Aquatic Chronic 3: Hazardous to the aquatic environment long-term aquatic hazard Category 3
- ** Data compared to the previous version altered.