

Page 1/12

Safety Data Sheet acc. to OSHA HCS

Printing date 03/16/2022 Revision date 03/16/2022

1 Identification

- · Product identifier
- · Trade name: Transcription Factor Nrf2 Primary Antibody
- · Article number: 600592
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Sodium chloride

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

		(Contd. from page 2)
· Dangerous compon	ents:	
CAS: 56-81-5 RTECS: MA8050000	Glycerol	20–50%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0–5%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	0–5%
CAS: 9048-46-8 RTECS: AY9296000	Albumin, bovine	0–1%
CAS: 26628-22-8 RTECS: VY8050000	Sodium azide	≥0.25–<0.5%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	37–80%
	Transcription Factor Nrf2 Primary Antibody	0–1%

4 First-aid measures

- · Description of first aid measures
- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

US

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

(Contd. from page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
56-81-5	Glycerol	45 mg/m³
77-86-1	Tris base	18 mg/m³
26628-22-8	Sodium azide 0.00	
· PAC-2:		
56-81-5	Glycerol	180 mg/m³
	Tris base	190 mg/m³
26628-22-8	Sodium azide	0.29 mg/m³
· PAC-3:		
56-81-5	Glycerol	1,100 mg/m ³
77-86-1	Tris base	1,200 mg/m³
26628-22-8	Sodium azide	5.3 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

110

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

(Contd. from page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

26628-22-8 Sodium azide

REL Ceiling limit value: 0.3** mg/m³, 0.1* ppm

*as HN3; **as NaN3; Skin

TLV Ceiling limit value: 0.29** mg/m³, 0.11* ppm

*as HN3 vapor **as NaN3, A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eves and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

· Eye protection:



(Contd. from page 5)

9 Physical and chemical prope	erties
· Information on basic physical and · General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
· Storage Buffer	TBS, pH 7.4, 50% glycerol and 1% BSA
· Odor threshold: · Formulation	Not determined. 120 µl of anti-Nrf2 antibody
· pH-value at 20 °C (68 °F):	7.4
· · · ·	1.1
 Change in condition Melting point/Melting range: 	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	199 °C (390.2 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	Fully missible
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	20 50 0/
Organic solvents: Water:	20–50 % 37–80 %
vvater:	37-80 % (Contd. on page

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

	(Contd. from pa	age 6)
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0–11.5 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Information on toxicological effects Acute toxicity:				
LD/LC50 values	that are relevant for	classification:		
ATE (Acute Tox	icity Estimate)			
Oral	LD50	≥4,874 mg/kg		
56-81-5 Glycero	l			
Oral	LD50	12,600 mg/kg (rat)		
Irritation of skin	Irritation	500 mg/24h (rabbit)		
Irritation of eyes	Irritation	500 mg/24h (rabbit)		
	Intraperitoneal LD50	4,420 mg/kg (rat)		
	Subcutaneous LD50	100 mg/kg (rat)		
77-86-1 Tris bas	Se .			
Oral	TDLO	3,000 ml/kg (mouse)		
	LD50	5,500 mg/kg (mouse)		
		5,900 mg/kg (rat)		
	Intraperitoneal LD50	3,350 mg/kg (mouse)		
	Intrapritoneal LD50	3,350 mg/kg (mouse)		
7647-14-5 Sodiι				
Oral	LDLO	1,000 mg/kg (man)		
	TDLO	650 ml/kg (man)		
	LD50	4,000 mg/kg (mouse)		
		3,000 mg/kg (rat)		
	LD50	4 g/kg (mouse)		
Inhalative	LC50	320 mg/m³ (mouse)		
	TCLO	0.63 mg/m³ (hmn)		
	LCLO	29,300 mg/m³/7h (mouse) (Contd. c		

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

I D50	500 mg/24h (rabbit) 100 mg/24h (rabbit)	
LD50	100 mg/24h (rabbit)	
LD50		
	2,602 mg/kg (mouse)	
LD50	31.6 mg/kg (rat)	
D50	59.5 mg/kg (rat)	
	15 mg/3D (hmn)	
LD50	3 g/kg (mouse)	
TDLO	0.2 pph (mouse)	
	27 mg/kg (rat)	
	3 ml/kg (wmn)	
	27 mg/kg (rat)	
LD50	45,100 μg/kg (rat)	
	50 mg/kg (rat)	
	20 mg/kg (rabbit)	
	37 mg/m³ (rat)	
LD50	45,100 μg/kg (rat)	
LDLO	30 mg/kg (rat)	
LD50	28 mg/kg (mouse)	
LD50	45 mg/kg (rat)	
	5,500 mg/kg (mouse)	
	LD50 LD50 LD50 LD50 LD50 LD50 LD50 LDL0	31.6 mg/kg (rat) 59.5 mg/kg (rat) 15 mg/3D (hmn) LD50 3 g/kg (mouse) TDLO 0.2 pph (mouse) 27 mg/kg (rat) 3 ml/kg (wmn) 27 mg/kg (rat) 45,100 μg/kg (rat) 20 mg/kg (rat) 20 mg/kg (rat) 37 mg/m³ (rat) LD50 45,100 μg/kg (rat) 30 mg/kg (rat) LDLO 30 mg/kg (rat) LD50 45 mg/kg (mouse) LD50 45 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 9)

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

(Contd. from page 8)

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name · DOT · IMDG · IATA	Corrosive liquids, n.o.s. (Glycerol) CORROSIVE LIQUID, N.O.S. (Glycerol) Corrosive liquid, n.o.s. (Glycerol)

- · Transport hazard class(es)
- · DOT



· Class 8 Corrosive substances

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances

· Label

(Contd. on page 10)

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

	(Contd. from page
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups 	Warning: Corrosive substances : 80 F-A,S-B Azides
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara		
· Section 35	i (extremely hazardous substances):	
26628-22-8	Sodium azide	
· Section 313	(Specific toxic chemical listings):	
26628-22-8	Sodium azide	
· TSCA (Toxi	c Substances Control Act):	
7732-18-5	Water	ACTIVE
56-81-5	Glycerol	ACTIVE
77-86-1	Tris base	ACTIVE
7647-14-5	Sodium chloride	ACTIVE
9048-46-8	Albumin, bovine	ACTIVE
	(Contd	on page 11

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

(Contd. from page 10)

26628-22-8 Sodium azide

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

26628-22-8 Sodium azide

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 03/16/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 12)

Printing date 03/16/2022 Revision date 03/16/2022

Trade name: Transcription Factor Nrf2 Primary Antibody

(Contd. from page 11)

REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3