

Printing date 02/09/2023

Revision date 02/09/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol
- Article number: 62660
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

• Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Repeated Exposur 2	e H373 May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
GHS09 Environment	
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects. (Contd. on page 2)

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

(Contd. from page 1)

US

		(Contd. from page 1)
GHS07	7	
•		
Skin Irritation 2		H315 Causes skin irritation.
Specific Target (Organ Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.
· Label elements		
· GHS label elem		
		e Globally Harmonized System (GHS).
· Hazard pictogra		e olobally harmonized bystem (on o).
\land		
GHS02 GHS0	7 GHS08 GHS09	
011002 01100		
· Signal word Da	nger	
-	-	
	ining components of labeling:	
Hexane		
· Hazard stateme		
•••	nmable liquid and vapor.	
H315 Causes sk		
	l of damaging fertility or the unborn o	child.
	e drowsiness or dizziness.	
	e damage to organs through prolong	jed or repeated exposure.
	tal if swallowed and enters airways.	
	quatic life with long lasting effects.	
Precautionary s		
P201	Obtain special instructions before	
P202		cautions have been read and understood.
P210		en flames/hot surfaces No smoking.
P240	Ground/bond container and recei	
P241	Use explosion-proof electrical/ver	nuiaung/iignting/equipment.
P242	Use only non-sparking tools.	voinat atatia diagharga
P243	Take precautionary measures ag	
P260	Do not breathe dust/fume/gas/mi	suvapors/spray.
P264	Wash thoroughly after handling.	ntilated area
P271	Use only outdoors or in a well-vel	
P273	Avoid release to the environment	
P280		e clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a p	
P321	Specific treatment (see on this la	Del).
P331	Do NOT induce vomiting.	adjately all contaminated slathing. Dinas skip with
F303+P301+P3		nediately all contaminated clothing. Rinse skin with
D304+D340	water/shower.	fresh air and keep comfortable for breathing
P304+P340		fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get me	
P312	Call a poison center/doctor if you	
P314	Get medical advice/attention if yo	
P362+P364	Take off contaminated clothing a	
P332+P313	If skin irritation occurs: Get media	
P370+P378	In case of fire: Use CO2, powder	or water spray to extinguish.
P391	Collect spillage.	(Contd. on page 3)

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

		(Contd. from page 2)
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405 P501	Store locked up. Dispose of contents/container in accordance with local/regional/	national/international
1 301	regulations.	
 Classification 	•	
 NFPA ratings ((scale 0 - 4)	
Fi	ealth = 1 re = 3 eactivity = 0 scale 0 - 4)	
HEALTH 1 H	lealth = 1	
	ire = 3	
	Reactivity = 0	
· Other hazards		
•	Г and vPvB assessment	
• PBT: Not applie	cable.	
vPvB: Not appl		

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:CAS: 110-54-3HexaneRTECS: MN9275000

• Other ingredients

2680-59-3 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

95.0%

5.0%

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals Protective Action Criteria for Chemicals 	st).
PAC-1:	
110-54-3 Hexane	260 ppm
· PAC-2:	
110-54-3 Hexane	2900* ppm
· PAC-3:	
110-54-3 Hexane	8600** ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
 Information account explanation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 5)

US

Printing date 02/09/2023

Revision date 02/09/2023

(Contd. from page 4)

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control	parameters

• Components with limit values that require monitoring at the workplace:

110-54-3 Hexane

PEL Long-term value: 1800 mg/m³, 500 ppm

REL Long-term value: 180 mg/m³, 50 ppm

TLV Long-term value: 50 ppm Skin; BEI

· Ingredients with biological limit values:

110-54-3 Hexane

BEI 0.5 mg/L

Medium: urine

Time: end of shift

Parameter: 2.5-Hexanedione without hydrolysis

· Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Printing date 02/09/2023

Revision date 02/09/2023

(Contd. from page 5)

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

 Information on basic physical and chemical properties General Information Appearance: 			
Color:	According to product specification		
· Odor:	Characteristic		
· Structural Formula	C55H100O6		
[.] Molecular Weight	857.4 g/mol		
Odor threshold:	Not determined.		
· Formulation	A solution in hexane		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	-95 °C (-139 °F)		
Boiling point/Boiling range:	69 °C (156.2 °F)		
lash point:	-26 °C (-14.8 °F)		
· Flammability (solid, gaseous):	Highly flammable.		
· Ignition temperature:	240 °C (464 °F)		
Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
[.] Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.		
· Explosion limits:			
Lower:	1.2 Vol %		
Upper:	7.4 Vol %		
[·] Vapor pressure at 20 °C (68 °F):	160 hPa (120 mm Hg)		
[·] Density at 20 °C (68 °F):	0.66 g/cm³ (5.5077 lbs/gal)		
[.] Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	0.1 g/l		
Partition coefficient (n-octanol/water): Not determined.			

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

	(Contd. from page 6)
 Viscosity: Dynamic: Kinematic: SOLUBILITY 	Not determined. Not determined. DMF: 10 mg/ml; Ethanol: 12.5 mg/ml; PBS:Ethanol (1:1): 500 μg/ml; Chloroform: slightly soluble
 Solvent content: Organic solvents: VOC content: 	95.0 % 95.00 % 950.0 g/l / 7.93 lb/gal
Solids content:	5.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

110-54-3 Hexan	110-54-3 Hexane			
Oral	LD50	15,840 mg/kg (rat)		
Inhalative		48,000 mg/m³ (rat)		
	TCLO	5,400 mg/m³/10m (hmn)		
Irritation of eyes	Irritation	10 mg (rabbit)		
	Interperitoneal LDLO	9,100 mg/kg (rat)		
	Data	10 mg (rabbit)		

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 8)

US

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

(Contd. from page 7)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1208	
· UN proper shipping name		
· DOT, IATA	Hexanes solution	

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

INDC	(Contd. from page
IMDG	HEXANES solution, MARINE POLLUTANT
Transport hazard class(es)	
DOT	
RAMABLE LOUD	
Class	3 Flammable liquids
Label	3
IMDG	
\mathbf{v} \vee	
Class	3 Flammable liquids
Label	3
ΙΑΤΑ	
V	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardou
	substances: Hexane
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code	
EMS Number:	F-E,S-D
Stowage Category	E
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
wantity miniations	On cargo aircraft only: 60 L
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m
	or 1 g, with an Excepted Quantity Code of

- US

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

(Contd. from page S		
	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.	
· UN "Model Regulation":	UN 1208 HEXANES SOLUTION, 3, 11, ENVIRONMENTALLY HAZARDOUS	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

•	Section	355	(extremely	hazardous	substances):
---	---------	-----	------------	-----------	--------------

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

110-54-3 Hexane

• TSCA (Toxic Substances Control Act):

110-54-3 Hexane

· Hazardous Air Pollutants

110-54-3 Hexane

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

110-54-3 Hexane

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

110-54-3 Hexane

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to

(Contd. on page 11)

Ш

Printing date 02/09/2023

Revision date 02/09/2023

Trade name: 1-Palmitoyl-2-oleoyl-3-linoleoyl-rac-glycerol

(Contd. from page 10) be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.	
	of
REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 Aspiration Hazard 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	US -