

Printing date 03/13/2023

Revision date 03/13/2023

Page 1/12

1 Identification

- · Product identifier
- · Trade name: Farnesyl Pyrophosphate (ammonium salt)
- Article number: 63250
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure	1 H370 Causes damage to the central nervou

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesy	rade name: Farnesyl Pyrophosphate (ammonium salt)		
		(Contd. from page 1)	
GHS05 (Corrosion		
Skin Corrosion 1B	2	H314 Causes severe skin burns and eye damage.	
Eye Damage 1		H318 Causes serious eye damage.	
· · · · · · · · · · · · · · · · · · ·			
GHS09	Environment		
Aquatic Acute 1		H400 Very toxic to aquatic life.	
Label elements			
 GHS label element The product is classical 		the Globally Harmonized System (GHS).	
· Hazard pictogram	•		
$\wedge \wedge$			
GHS02 GHS05	GHS06 GHS08 GHS09		
• Signal word Dang	ger		
· Hazard-determin	ing components of labeling:		
Methanol			
Ammonium hydro: Hazard statemen			
H225	Highly flammable liquid and va	por.	
	1 Toxic if swallowed, in contact w		
H314 H370	Causes severe skin burns and Causes damage to the central	eye damage. nervous system and the visual organs.	
H400	Very toxic to aquatic life.		
· Precautionary st			
P210 P240	Ground/bond container and rec	pen flames/hot surfaces No smoking. eiving equipment	
P241	Use explosion-proof electrical/v		
P242	Use only non-sparking tools.		
P243 P260	Take precautionary measures a	against static discharge.	
P260 P264	Do not breathe dusts or mists. Wash thoroughly after handling		
P270	Do not eat, drink or smoke whe		
P271	Use only outdoors or in a well-v	entilated area.	
P273	Avoid release to the environment		
P280 P301+P310		ve clothing/eye protection/face protection.	
P301+P310 P321	If swallowed: Immediately call a Specific treatment (see on this I		
	I If swallowed: Rinse mouth. Do I		
	3 If on skin (or hair): Take off im	mediately all contaminated clothing. Rinse skin with	
P304+P340	water/shower. IF INHALED: Remove person to	o fresh air and keep comfortable for breathing.	
		water for several minutes. Remove contact lenses, if	
	present and easy to do. Continu	ue rinsing.	
P307+P311	IF exposed: Call a POISON CE		
P312	Call a poison center/doctor if yo	U TEELUNWEIL. (Contd. on page 3)	
		ÚS –	

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

P361+P364 P370+P378 P391 P403+P233 P403+P235 P405 P501	(Contd. from page 2) Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international
1 301	regulations.
 Classification : • NFPA ratings (• 	system:
Fir	ealth = 3 re = 3 eactivity = 0
· HMIS-ratings (scale 0 - 4)
FIRE 3 F	ealth = *3 ire = 3 eactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-56-1 RTECS: PC1400000		69.95%	
CAS: 1336-21-6 RTECS: BQ9625000	· ····································	29.95%	
· Other ingredients	· Other ingredients		
116057-57-9 Farnes	yl Pyrophosphate (ammonium salt)	0.1%	

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

(Contd. on page 4)

^{- 119}

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Mount resp Wear prote Do not allo Inform resp Dilute with Do not allo Methods a Absorb with Use neutra Dispose co Ensure ade Reference See Sectio See Sectio	 brecautions, protective equipment and emergency procedures biratory protective device. biratory protective device. bective equipment. Keep unprotected persons away. bective authorities in case of seepage into water course. bective authorities in case of seepage into water course or sewage system. bective authorities in case of ground water. bective authorities and cleaning up: bective high diatomite, acid binders, universal binders, sawdus biratory agent. bective authorities as waste according to item 13. bequate ventilation. bections bective for information on safe handling. bective for information on personal protection equipment. contaminated for Chemicals 	st).
· PAC-1:		
	Methanol	530 ppm
1336-21-6	Ammonium hydroxide	61 ppm
PAC-2:		
67-56-1	Methanol	2,100 ppm
1336-21-6	Ammonium hydroxide	330 ppm
· PAC-3:	·	
67-56-1	Methanol	7200* ppm
1336-21-6	Ammonium hydroxide	2,300 ppm
		US

(Contd. on page 5)

(Contd. from page 3)

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

(Contd. from page 4)

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- **Components with limit values that require monitoring at the workplace:** The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-56-1 Methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L

Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

US

(Contd. from page 5) Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles **9** Physical and chemical properties

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Structural Formula	C15H25O7P2 • 3NH4
• Molecular Weight	433.4 g/mol
· Odor threshold:	Not determined.
• Formulation	A solution in methanol:ammonium hydroxide (70:30)
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

	(Contd. from page 6
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
 Viscosity: Dynamic: Kinematic: SOLUBILITY 	Not determined. Not determined. Methanol:NH4OH (70:30): * 1 mg/ml
 Solvent content: Organic solvents: VOC content: 	70.0 % 69.95 % 699.5 g/l / 5.84 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:
- strong oxidizing agents, reducing agents, alkali metals, acid chlorides, acid anhydrides, acids
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

(Contd. on page 8)

US

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

(Contd. from page 7)

Acute toxicity: LD/LC50 values	that are relevant for	classification:
ATE (Acute Tox		
Oral	LD50	143 mg/kg
Dermal	LD50	429 mg/kg
Inhalative	LC50/4 h	4.29 mg/l
67-56-1 Methan	ol	
Oral	LDLO	143 mg/kg (hmn)
	TDLO	5 ml/kg (rat)
	LD50	5,600 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 mg/m³ (rat)
	LC50	61,100 mg/m³/134 m (mouse)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	Irritation	(rabbit)
	Irritation	5.63 mg/kg/exempt preparation (rabbit)
Irritation of eyes	Irritation	40 mg (rabbit)
	Intraperitoneal TDLO	5 mg/kg (rat)
	Intraperitoneal LD50	10,765 mg/kg (mouse)
	Subcutaneous LD50	143 mg/kg/human (mouse)
	Data	20 mg/24h (rabbit)
1336-21-6 Amm	onium hydroxide	
Oral	LDLO	43 mg/kg (hmn)
	LD50	350 mg/kg (rat)
Inhalative	TCLO	408 mg/m³ (hmn)
	LCLO	500 mg/m³ (hmn)
Irritation of eyes	Irritation	44 μg (rabbit)
	Subcutaneous LDLO	160 mg/kg (mouse)
Primary irritant		
on the skin: Cal on the eye:	ustic effect on skin and	l mucous membranes.
Strong caustic ef	ffect	
	th the danger of severe	e eye injury.
	lo sensitizing effects k	
	cological information	
preparations:	ows the following dan	gers according to internally approved calculation methods
Toxic		
Corrosive		
Irritant		

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

(Contd. from page 8)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3286

(Contd. on page 10)

Printing date 03/13/2023

Revision date 03/13/2023

	(Contd. from pag
UN proper shipping name	
DOT	Flammable liquid, toxic, corrosive, n.o.s. (Methan
IMDG	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O. (METHANOL, AMMONIA SOLUTION), MARIN
	POLLUTANT
ΙΑΤΑ	Flammable liquid, toxic, corrosive, n.o.s. (METHANC
	AMMONIA SOLUTION)
Transport hazard class(es)	
DOT	
TOXIC CORROSIVE	
Class	3 Flammable liquids
Label	3, 6.1, 8
IMDG	
Class	3 Flammable liquids
Label	3/6.1/8
Class	3 Flammable liquids
Label	3 (6.1, 8)
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Product contains environmentally hazardo substances: Ammonium hydroxide
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-C
Segregation groups	(SGG18) Alkalis
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG5 Segregation as for class 3 SG8 Stow "away from" class 4.1
Transport in bulk according to Annex II of	

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

	(Contd. from page 10)
· Transport/Additional information:	
 DOT Quantity limitations 	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, AMMONIA SOLUTION), 3 (6.1+8), II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
 - 67-56-1 Methanol
- 1336-21-6 Ammonium hydroxide
- TSCA (Toxic Substances Control Act):
 - 67-56-1 Methanol
- 1336-21-6 Ammonium hydroxide
- · Hazardous Air Pollutants
- 67-56-1 Methanol
- Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.

(Contd. on page 12)

ACTIVE

ACTIVE

US

Printing date 03/13/2023

Revision date 03/13/2023

Trade name: Farnesyl Pyrophosphate (ammonium salt)

(Contd. from page 11)

Chemicals known to cause of the second se	developmental toxicity:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

67-56-1 Methanol

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 03/13/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

** Data compared to the previous version altered.

US