

Printing date 07/05/2022

Revision date 07/05/2022

Page 1/8

1 Identification

- · Product identifier
- · Trade name: Ethanol Assay Buffer
- · Article number: 400531
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation.
- Precautionary statementsP264Wash thoroughly after handling.

(Contd. on page 2)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Buffer

P280	Wear ave protection / face protection	(Contd. from page 1)
	Wear eye protection / face protection. 8 If in eyes: Rinse cautiously with water for several minutes. Re present and easy to do. Continue rinsing.	move contact lenses, if
P337+P313	If eye irritation persists: Get medical advice/attention.	
· Classification s	ystem:	
• NFPA ratings (s	cale 0 - 4)	
Fire	alth = 2 = 0 activity = 0	
· HMIS-ratings (se	cale 0 - 4)	
FIRE 0 Fir	ealth = *2 e = 0 activity = 0	
Other hazards		
 Results of PBT 	and vPvB assessment	
• PBT: Not applica		
• vPvB: Not applic	able.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7758-11-4 RTECS: TC5580000	Potassium phosphate dibasic 1.3	
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	98.3485%
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	0.3215%

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 3)

Revision date 07/05/2022

Trade name: Ethanol Assay Buffer

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
7758-11-4	Potassium phosphate dibasic	13 mg/m ³
7778-77-0	Potassium phosphate, Monobasic	9.6 mg/m³
· PAC-2:		
7758-11-4	Potassium phosphate dibasic	140 mg/m ³
7778-77-0	Potassium phosphate, Monobasic	110 mg/m³
· PAC-3:		
7758-11-4	Potassium phosphate dibasic	830 mg/m³
7778-77-0	Potassium phosphate, Monobasic	630 mg/m³

7 Handling and storage

· Handling:

- Precautions for safe handling
- No special precautions are necessary if used correctly.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid prolonged or repeated exposure.
- Keep away from sources of ignition.
- Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

US

AIIOO

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Buffer

- Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. from page 3)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Buffer

(Contd. from page 4)

Physical and chemical prope	rties
· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor: · Odor threshold:	Odorless Not determined.
· pH-value at 20 °C (68 °F):	7.5
,	1.5
Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
[.] Density at 20 °C (68 °F):	1.00399 g/cm³ (8.3783 lbs/gal)
· Relative density	Not determined.
[.] Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	
Water:	98.3 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	1.7 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

US

Printing date 07/05/2022

Revision date 07/05/2022

(Contd. from page 5)

Trade name: Ethanol Assay Buffer

· Chemical stability

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

- Oral LD50 37,594 mg/kg
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Buffer

(Contd. from page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

A A		
14 Irans	nort into	ormation
14 Hane		sination

i + i i anoport i inormation	
· UN-Number · DOT, IMDG, IATA	not regulated
 UN proper shipping name DOT, IMDG, IATA 	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	l of Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Buffer

(Contd. from page 7)

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/05/2022 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A



Printing date 07/05/2022

Revision date 07/05/2022

Page 1/10

1 Identification

- · Product identifier
- · Trade name: Ethanol Standard
- · Article number: 400532
- · CAS Number: 64-17-5
- · EC number: 200-578-6
- · Index number: 603-002-00-5
- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department · Emergency telephone number: During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2) US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Standard

· Hazard pictogra	(Contd. from page 1)
GHS02 GHS07	
· Signal word Dar	ger
· Hazard statemer	
H225 Highly flam	mable liquid and vapor.
H319 Causes ser	ious eye irritation.
 Precautionary st 	atements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Classification sy 	istem:
• NFPA ratings (se	cale 0 - 4)
A	
	lth = 2
Fire	
Kea	ctivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 2	Health = 2
	Fire = 3
REACTIVITY 0	Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 64-17-5 ethanol
- · Identification number(s)
- · EC number: 200-578-6

(Contd. on page 3)

US

Printing date 07/05/2022

Revision date 07/05/2022

(Contd. from page 2)

Trade name: Ethanol Standard

· Index number: 603-002-00-5

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 1,800 ppm · PAC-2: 3300* ppm

(Contd. on page 4)

115

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Standard

(Contd. from page 3)

15000* ppm

7 Handling and storage

· Handling:

· PAC-3:

- Precautions for safe handling
- No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid prolonged or repeated exposure.
- Keep away from sources of ignition.
- Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm
 - A3

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 5)

US

Printing date 07/05/2022

Revision date 07/05/2022

(Contd. from page 4)

Trade name: Ethanol Standard

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-114.5 °C (-174.1 °F)
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Standard

	(Contd	. from page 5
[·] Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	1,000 g/l	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	1.2 mPas	
Kinematic:	Not determined.	
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	790.0 g/l / 6.59 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification	n:
-------------------------------------------------------	----

64-17-5 ethanol	
-----------------	--

	-	
Oral	TDLO	1.14 ml/kg (man)
	LD50	7,060 mg/kg (rat)
	TDLO	650 (man)
Dermal	LD50	40,000 mg/kg (rat)
Inhalative	TCLO	1,800 (hmn)
	LC50	10 h - 20,000 mg/m³ (rat)
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)
Irritation of skin	TDLO	1,800 mg/kg (wmn)
	Intraperitoneal LD50	280 mg/kg (rat)
· Primary irritant	effect:	·

• on the skin: No irritant effect.

· on the eye: Irritating effect.

(Contd. on page 7)

US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Standard

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, IMDG, IATA	UN1170	
· UN proper shipping name		
· DOT, IATA	Ethanol	
·IMDG	ETHANOL (ETHYL ALCOHOL)	

(Contd. from page 6)

1

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Standard

	(Contd. from page
Transport hazard class(es)	
DOT	
RAMMABLE LOUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IATA	When cold in quantities of loss them are equal to 4 m
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II
	ON THOLETHANOL (LITTL ALCOHOL), 3, II

(Contd. on page 9)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Standard

(Contd. from page 8)

Safety, health and environmental regulations/legislations	on specific for the substance or mixture
No further relevant information available.	
Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
TSCA (Toxic Substances Control Act):	
	ACTIV
Hazardous Air Pollutants	
Substance is not listed.	
Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for fe	males:
Substance is not listed.	
Chemicals known to cause reproductive toxicity for m	ales:
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
Substance is not listed.	
TLV (Threshold Limit Value)	
	A
NIOSH-Ca (National Institute for Occupational Safety a	and Health)
Substance is not listed.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 07/05/2022 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 07/05/2022

Revision date 07/05/2022

(Contd. from page 9)

us

Trade name: Ethanol Standard

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Sub	
CAS: Chemical Abstracts Service (division of the American Chemica	al Society)
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Lig. 2: Flammable liquids – Category 2	
Eve Irrit. 2A: Serious eve damage/eve irritation – Category 2A	



Printing date 07/05/2022

Revision date 07/05/2022

Page 1/10

1 Identification

- · Product identifier
- · Trade name: Ethanol Assay Probe
- Article number: 400533
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classificati	ion of the substance or mixture
GI	HS08 Health hazard
Carc. 2	H351 Suspected of causing cancer.
STOT SE 2	H371 May cause damage to organs.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
\checkmark	HS07
Skin Irrit. 2	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation.
Skin Irrit. 2 Eye Irrit. 2A	H315 Causes skin irritation.
Skin Irrit. 2 Eye Irrit. 2A STOT SE 3	H315 Causes skin irritation. H319 Causes serious eye irritation.
Skin Irrit. 2 Eye Irrit. 2A STOT SE 3 Flam. Liq. 4 Label elem GHS label o	 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H227 Combustible liquid. ents

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

Hazard pictog	rams (Contd. from page 1)
<.	
GHS07 GHS	08
Signal word W	/arning
Hazard-determ	nining components of labeling:
Dimethyl sulfox	ide, anhydrous
Hazard statem	ents
H227 Combust	ible liquid.
H315 Causes s	
	erious eye irritation.
	d of causing cancer.
	e damage to organs.
	e respiratory irritation.
	e damage to organs through prolonged or repeated exposure.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from flames and hot surfaces. – No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
Clossification	regulations.
Classification	
NFPA ratings (scale v - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE2Fire = 2REACTIVITY0

(Contd. on page 3)

US

Printing date 07/05/2022

Revision date 07/05/2022

(Contd. from page 2)

Trade name: Ethanol Assay Probe

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-68-5 Dimethyl sulfoxide, anhydrous RTECS: PV6210000

99.7942%

0.2058%

Other ingredients

119171-73-2 10-Acetyl-3,7-dihydroxyphenoxazine

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)

US ·

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

(Coi	ntd. from page 3)
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu	ist).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
67-68-5 Dimethyl sulfoxide, anhydrous	150 ppm
· PAC-2:	
67-68-5 Dimethyl sulfoxide, anhydrous	290 ppm
· PAC-3:	
67-68-5 Dimethyl sulfoxide, anhydrous	1,800 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

67-68-5 Dimethyl sulfoxide, anhydrous

WEEL Long-term value: 250 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

(Contd. from page 4)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	18.45 °C (65.2 °F)	
Boiling point/Boiling range:	189 °C (372.2 °F)	
Flash point:	89 °C (192.2 °F)	

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

	(Contd. from p	age 5
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits: Lower: Upper:	1.8 Vol % 63 Vol %	
· Vapor pressure at 20 °C (68 °F):	2.5 hPa (1.9 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.1 g/cm³ (9.1795 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
[·] Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	198 mPas Not determined.	
 Solvent content: Organic solvents: VOC content: 	99.8 % 99.79 % 997.9 g/l / 8.33 lb/gal	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

(Contd. from page 6)

		relevant for classification:
	-5 Dimethyl sulfoxic	de, anhydrous
Oral I	LD50	7,200 mg/kg (mouse)
		14,500 mg/kg (rat)
1	Intraperitoneal LD50	2,500 mg/kg (mouse)
5	Subcutaneous LD50	14,000 mg/kg (mouse)
1	Intravenous LD50	3,100 mg/kg (mouse)
• Addit i The p prepa	ional toxicological i product shows the for rations:	t. ing effects known. nformation: ollowing dangers according to internally approved calculation methods f
• Addit The p prepar Irritan	ional toxicological i product shows the for rations:	ing effects known. Information:
 Additi The p preparent Irritant Carcin 	ional toxicological i product shows the fo rations: t nogenic categories	ing effects known. Information:
 Additi The p prepare Irritant Carcin IARC 	ional toxicological i product shows the fo rations: t nogenic categories	ing effects known. nformation: ollowing dangers according to internally approved calculation methods f cy for Research on Cancer)
 Additi The p prepare Irritant Carcin IARC None 	ional toxicological i product shows the fo rations: t nogenic categories (International Agen	ing effects known. nformation: ollowing dangers according to internally approved calculation methods f cy for Research on Cancer) isted.
 Additi The p preparent Irritant Carcin IARC None NTP (ional toxicological i product shows the for rations: t nogenic categories (International Agen of the ingredients is I	ing effects known. nformation: ollowing dangers according to internally approved calculation methods to cy for Research on Cancer) isted. y Program)

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

(Contd. from page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG IATA	Flammable liquids, n.o.s. FLAMMABLE LIQUID, N.O.S. Flammable liquid, n.o.s.
Transport hazard class(es)	
DOT	
FLAMMARE LOUID	
Class Label	3 Flammable liquids 3
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Keml EMS Number: Stowage Category	Warning: Flammable liquids er code): 30 F-E, <u>S-E</u> A
	ex II of

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

	(Contd. from page 8
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

67-68-5 Dimethyl sulfoxide, anhydrous

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Probe

(Contd. from page 9)

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 07/05/2022 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Liq. 4: Flammable liquids - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 STOT SE 2: Specific target organ toxicity (single exposure) - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2



Printing date 07/05/2022

Revision date 07/05/2022

Page 1/10

1 Identification

- · Product identifier
- · Trade name: Ethanol Assay Enzyme Mix
- Article number: 400534
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

GHS08	8 Health hazard
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
GHS07	7
	11245 Courses alvin invitation
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2A STOT SE 3	H319 Causes serious eye irritation.
3101 3E 3	H335 May cause respiratory irritation.
Aquatic Acute 2	H401 Toxic to aquatic life.
Label elements	;
Laber cicilients	

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

Hazard pictogram	(Contd. from page
GHS07 GHS08	
Signal word Dang	jer
Hazard-determini	ng components of labeling:
Sucrose	ng componente en tabeling.
Potassium phosph	ate dibasic
Horseradish Perox	
Hazard statement	ts
H315 Causes skin	
H319 Causes serie	ous eve irritation.
	Illergy or asthma symptoms or breathing difficulties if inhaled.
	espiratory irritation.
H401 Toxic to aqu	
Precautionary sta	atements
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
Classification sys	regulations.

• NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH *2	Health = *2
FIRE 1	
REACTIVITY 0	Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 3)

Printing date 07/05/2022

Revision date 07/05/2022

(Contd. from page 2)

Trade name: Ethanol Assay Enzyme Mix

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous component 	ents:	
CAS: 57-50-1 RTECS: WN6500000	Sucrose	30.0%
CAS: 7758-11-4 RTECS: TC5580000	Potassium phosphate dibasic	1.33%
CAS: 9003-99-0	Horseradish Peroxidase	0.1%
Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water 6	8.2385%
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	0.3215%
CAS: 9073-63-6	Oxidase, alcohol	0.01%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.

• Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)

115

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

(Contd. from page 3)

	recautions, protective equipment and emergency procedures N	Vot required.
	ental precautions:	
	w product to reach sewage system or any water course.	watam
	ective authorities in case of seepage into water course or sewage s plenty of water.	ystern.
	w to enter sewers/ surface or ground water.	
	nd material for containment and cleaning up:	
Absorb with	n liquid-binding material (sand, diatomite, acid binders, universal bind	ders, sawdust).
	ntaminated material as waste according to item 13.	
	quate ventilation.	
	to other sections	
	n 7 for information on safe handling.	
	n 8 for information on personal protection equipment. n 13 for disposal information.	
	Action Criteria for Chemicals	
PAC-1:		
7758-11-4	Potassium phosphate dibasic	13 mg/m ³
7778-77-0	Potassium phosphate, Monobasic	9.6 mg/m ³
PAC-2:		
7758-11-4	Potassium phosphate dibasic	140 mg/m³
7778-77-0	Potassium phosphate, Monobasic	110 mg/m³
PAC-3:		
7750 44 4	Potassium phosphate dibasic	830 mg/m ³
//58-11-4		000 mg/m

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

(Contd. on page 5)

US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

(Contd. from page 4) At this time, the other constituents have no known exposure limits.
57-50-1 Sucrose
PEL Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV Long-term value: 10 mg/m³ A4
• Additional information: The lists that were valid during the creation were used as basis.
 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands:
Protective gloves
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection:
Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
 Appearance:
- - Form: Color:

Liquid According to product specification

(Contd. on page 6)

US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

	(Contd. from page 5
· Odor: · Odor threshold:	Characteristic Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 °C (212 °F)
· Flash point:	345.4 °C (653.7 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
 Vapor pressure at 20 °C (68 °F): 	23 hPa (17.3 mm Hg)
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
[·] Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Water: VOC content: 	68.2 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	31.8 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.

(Contd. on page 7)

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

(Contd. from page 6) • Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

Printing date 07/05/2022

 LD/LC50 values that are relevant for classification 	11
-------------------------------------------------------------------------	----

ATE (Acute Toxicity Estimate))
-------------------------------	---

Oral LD50 37,594 mg/kg

57-50-1 Sucrose

Oral	LD50	29,700 mg/kg (rat)
	TDLO	2 mg/kg (mouse)
	Intraperitoneal LD50	14,000 mg/kg (mouse)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- Sensitization: Sensitization possible through inhalation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

⁻ US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann		
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
 TSCA (Toxic Substances Control Act): 	
7732-18-5 Water	ACTIVE
57-50-1 Sucrose	ACTIVE
7758-11-4 Potassium phosphate dibasic	ACTIVE
7778-77-0 Potassium phosphate, Monobasic	ACTIVE
· · · · · · · · · · · · · · · · · · ·	(Contd. on page 9)

(Contd. from page 7)

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

9003-99-0 Horseradish Peroxidase	(Contd. from page 8 ACTIVE
9073-63-6 Oxidase, alcohol	INACTIVE
Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
57-50-1 Sucrose	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Chemical safety assessment: A Chemical Safety Assessment has not been ca	arried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/05/2022 / -
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health**

US

Printing date 07/05/2022

Revision date 07/05/2022

Trade name: Ethanol Assay Enzyme Mix

 TLV: Threshold Limit Value
 (Contd. from page 9)

 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit

 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

 Resp. Sens. 1: Respiratory sensitisation – Category 1
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
 US